DEPARTMENT OF THE INTERIOR verse side)			5. LEAST DESIGNATION AND SERIAL NO.
GF OGICAL SURVEY			NM - 7421
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)			
1.			7. UNIT AGREEMENT NAME
OIL CAS OTHER			회회하다 아이 사용을 (
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
Kirby Exploration Company 3. ADDRESS OF OPERATOR			Chaco Monument
			9. WELL NO.
Box 1745, Houston, Texas 77001 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*			10. FIELD AND POOL, OR WILDCAT
See also space 17 helow.) At surface			Wildcat
990' FSL & 2166' FWL			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)			13-20N-8W
	6544 GR	,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	McKinley N. Mex.
16. Charle A =		· (N) · · · · · ·	교 시문 원 이 성의 원칙 요즘
Check Appropriate box to marcale radiole of radice, Report, of Om			그 그 사람 시는 그 한 중요한을
NOTICE OF INTER	rion to:	SUBSEQUI	INT REPORT OF
	CULL OR ALTER CASING	WATER SHUT-OFF FRACTURE TREATMENT	BEPAIRING WELL
	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT* X
REPAIR WELL CHANGE PLANS (Other)			
(Other)		Completion or Recomple	of multiple completion on Well tion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPEL proposed work. If well is direction nent to this work.) *	RATIONS (Clearly state all pertinent nally drilled, give subsurface locati	details, and give pertinent dates, ons and measured and true vertical	depths for all markers and zones perti-
Drill 8 3/4" hole to 546 Compensated neutron, and 5280 - 5290 ft. Recover 3600 - 3682 ft. Recover non-productive. Plug an	l bore hole. Compensi ed 270 ft. mud cut w	ated sonic logs. DST ater and 4240 ft. wat analysis and DST's in	#1 - Entrada - Sanostee -
•	· .		
100 sk	Class "A" cement plug		
75 sk Class "A" cment plug 3929 - 4100 f 75 sk Class "A" cement plug 2978 - 3150 f			
75 sk Class "A" cement plug 2978 - 3150 f 75 sk Class "A" cement plug 1928 - 2100 f			
75 sk (Class "A" cement plud	159 - 325 f	
25 sk	Class "A" cement plug	Surface.	
Dry holo mankon installa	d loostin alaasi.		- [턴필블로톨 - 활 성공점은 기기 -
Dry hole marker installed. Location cleaned up. Reserve pit fenced be filled and location reseeded as soon as practical. Well plugged			ced. Reserve pit to
The state of the s	secued as soon as pr	actical. Well plugge	and abandoned [2-22-75.
		•	
			<u>최고</u> 회통이 되는 작용을 수
			- 틧생일보통 속중 원이동하
		No.	
18. I hereby certify that the foregoing is	true and correct		
SIGNED Jack D. COOK	TITLE A	gen t	_ DATE12-31-75
(This space for Federal or State office	: use)	VO	
APPROVED BY	TITLE		DATE
CONDITIONS OF APPROVAL, IF AN	Y:	-	
	*See Instructions	na Daviana C:Ja	
	י אפס וחנווורנוסחל ל	III KEVEKE SIDE	·