UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
, <u></u>

DEPARTMENT OF THE INTERIOR	J. LEASE STATE OF THE STATE OF
DEPARTMENT OF THE INTERIOR	NM 7774 5 3 5 5
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
AND DEPORTS ON WELLS	T HAUT ACCRECATE MANAGE
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME, 1910. 5. be
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME 3 2 3
1. oil 🙀 gas 🗇	8. FARM OR LEASE NAME ම දිස්වූම් McCollum ් දිස් සි දුන් පි
well well other	9. WELL NO. 공주통을 잘 규모있
2. NAME OF OPERATOR	2 m 1 m m m m m m m m m m m m m m m m m
Basin Fuels, Ltd.	10. FIELD OR WILDCAT NAME Franciscan Lake M.V.
3. ADDRESS OF OPERATOR	
300 W. Arrington, Suite 300, Farmington, NM 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., Mg OR BLKLAND SURVEY OR AREA
below.)	12-20N-6W 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
AT SURFACE: 330' FSL & 990FEL	12. COUNTY OR PARISH 13, STATE
AT TOP PROD. INTERVALSame	McKinley NM
AT TOTAL DEPTH: Same	14. API NO. 98 Bullet State of the state of
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DE KOB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	etrequest of a second of a sec
FRACTURE TREAT	ethodes ba blate you of engles to be the character of the ments
SHOOT OR ACIDIZE	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	
	equipment of the control of the cont
CHANGE ZONES	aith Sea Sea Sea Sea Sea Sea Sea Sea Sea Sea
(other)	change of the change of before the change of
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent	all pertinent details, and give pertinent dates, rectionally drilled, give subsurface locations and
Move in and rig up pulling unit on 11-1-78. Pul	크셨다고 그 그 그 그
Perforate Menefee 2315-24 with 2 shots/ft. Ran	tubing with packer and
bridge plug. Acidized perforations with 500 gal	15% HCL and swab test. Recovered
1 bbl oil/hr. Pulled packer and tubing. Fractu	red with 15700 gal gelled 2% KCL
water with 4000 lb 100 mesh and 16,000 lb 20-40	무늬 원드를 다 다 그 그런 ^
Well flowing 17 bbl/hr 20% oil. Flowing to sepa	rator to test on 11-7-78.
	그 살살 즐겁게 되는 얼마 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
	to the substitution of the substitutions of the substitutions of the substitutions of the substitution of
	The set of
	in the second se
Subsurface Safety Valve: Manu. and Type	Set @ = 55 Ft.
18. I hereby certify that the foregoing is true and correct	Spection of the special of the sp
0.60.6	
SIGNED John Alexander TITLE Agent	DATE
(This space for Federal or State office	Se use) Share Shar
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	Figure 19 (19 ) And the state of the state o
.5†	
	Action to the property of the