

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

William G. Gill

3. ADDRESS OF OPERATOR

430 Wilson Building, Corpus Christi, TX 78401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

990' FNL, 330' FEL, Sec. 24, T16N, R10W, NMPM

At proposed prod. zone

Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

11 miles southwest of Hospah, N.M.

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

330'

16. NO. OF ACRES IN LEASE

320 ac.

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

660'

19. PROPOSED DEPTH

2050'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

7155 G.L.

22. APPROX. DATE WORK WILL START*

Upon approval

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
9 7/8"	7 5/8"	26.4 lbs.	100'	Suff. circulate to surface (20 sacks)
6 3/4"	4 1/2"	9.6 lbs.	1800'	Suff. circulate to surface (222 sacks)

This well will be an 1850' Dakota "A" sand development well.

B.O.P. program: 10" Shaffer 3000 WP Hydraulic or equal.

Mud program as necessary and prudent.

Totco surveys every 250' to maintain less than 4° deviation.

IE and GRN logs to TD.

Conventional cores of Hospah and Dakota sands.

If commercial oil or gas production is indicated, 4 1/2" casing will be run and cemented to surface and well treated as necessary to establish production.

Open hole completion in Dakota "A" sand.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

W. G. Gill

TITLE Geologist

DATE 6-15-77

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

W. G. Gill

*See Instructions On Reverse Side

DATE RECEIVED

JUL 7 1977

U. S. GEOLOGICAL SURVEY