

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved
Budget Bureau No. 42-B355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☒ Other _____		5. LEASE DESIGNATION AND SERIAL NO. NM 7510-B	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RES'V. ☐ Other _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR DOME PETROLEUM CORPORATION		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR 501 Airport Drive, Suite 107, Farmington, New Mexico 87401		8. FARM OR LEASE NAME FEDERAL 22A	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2100' FSL, 2250' FEL At top prod. interval reported below At total depth		9. WELL NO. 2	
14. PERMIT NO.		DATE ISSUED	
15. DATE SPUDDED 06/21/78		16. DATE T.D. REACHED 07/03/78	
17. DATE COMPL. (Ready to prod.) ---		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 6617 GR	
19. ELEV. CASINGHEAD 6617		20. TOTAL DEPTH, MD & TVD 5355	
21. PLUG, BACK T.D., MD & TVD ---		22. IF MULTIPLE COMPL., HOW MANY* ---	
23. INTERVALS DRILLED BY -->		ROTARY TOOLS 0'-5355	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* NONE		25. WAS DIRECTIONAL SURVEY MADE NO	
26. TYPE ELECTRIC AND OTHER LOGS RUN INDUCTION ELECTRICAL LOG, FORMATION DENSITY/NEUTRON		27. WAS WELL CORED NO	
28. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE
9 5/8"	23#	197'	12 1/4"
CEMENTING RECORD		AMOUNT PULLED	
200 sacks		NONE	
29. LINER RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*
30. TUBING RECORD			
SIZE	DEPTH SET (MD)	PACKER SET (MD)	
31. PERFORATION RECORD (Interval, size and number)			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED	
33.* PRODUCTION			
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)		WELL STATUS (Producing or shut-in)
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL. GAS—MCF. WATER—BBL. OIL GRAVITY-API (CORR.)
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)			
35. LIST OF ATTACHMENTS PLUGGING RECORD			
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED <u>H. D. HOLLINGSWORTH</u>		TITLE <u>DRILLING FOREMAN</u>	
DATE <u>09/14/79</u>			

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sack Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				LA VENTANA	492	
				POINT LOOKOUT	1988	
				MANCOS	2130	
				GALLUP	2920	
				DAKOTA	4185	
				MORRISON	4300	
				TODILTO	5120	
				ENTRADA	5160	
				CARMEL	5330	



E. C. GENT
VICE PRESIDENT

DOME PETROLEUM CORP.

SUITE 1500, COLORADO STATE BANK BLDG.

1600 BROADWAY

DENVER, COLORADO 80202

TELEPHONE
(303) 861-1230

FEDERAL 22A #2
SEC.22, T19N, R5W
MCKINLEY COUNTY, NEW MEXICO

PLUGGING RECORD

<u>PLUG NO.</u>	<u>DEPTH</u>	<u>SACKS CEMENT</u>
1	5100-5250	75 sx
2	4140-4290	75 sx
3	2100-2250	75 sx
4	1930-2080	75 sx
5	175- 225	35 sx
6	0 - 30	15 sx

