State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division

	Sundry Notices and Reports on Wells				
			API # (assigned by OCD) 30-031-20618		
1. Type of Well OIL			5. Lease Number		
			6. State Oil & Gas Lease 2779		
2. Name of Operator Geo Engineering			7. Lease Name/Unit Name State		
		{	8. Well No.		
Address & Phone No. of Ope P.O.Box 2966	rator		#8		
Santa Fe, NM 87505		9	Pool Name or Wildcat		
4. Location of Well, Footage, Se Sec. 28 T-20-N, R-9-W, NMP Unit A, 707' FNL & 1273' FEL	M, McKinley County	1	10. Elevation: 6419' GL		
Type of Submission	Type of Action				
X Notice of Intent	X Abandonment Recompletion	Change of Pla			
Subsequent Report	Plugging Back Casing Repair	Non-Routine Water Shut o	Fracturing		
Final Abandonment	Altering Casing Other -	Conversion to			
13. Describe Proposed or Comple	eted Operations				
A-Plus Well Service, cont procedure prepared by NI This work will be in accord	MOCD.		_		
		RECEI	VED		
		UU JAN 22	1998		
1 1.11 1		0]]L CON 	. DIV. 3		
GIGNATURE Mallian H	Contractor		ember 30, 1997		
William F. Clark		··· · · · · · · · · · · · · · · · · ·			
This space for State USe)	DEPLITY OIL & GAS INSPEC	TOR, DIST. #3	JAN 2 2 1998		
pproved by my course		Duto	W		

CONPANY Ge	D Engineering	PROPERTY NAME	WELL NO.
ATE	LOCATION (ULATE)	State SCOTAGE	8
PI NO.	A-28-20N-09	PW NOT.	
		~.	
			
			1 5
	4 1/2 " csg. with	pumpina tee	
		· · ·	
			
 _			
·			
		<u>, </u>	
SING REC	ORD:		
	4 1/2" (50 .		285'
T ~	4/2" cag		
1.0	ic caic. at suit	ace	
	P+A Procedur	و	Perfs
	Rigless		
C	ement From bott	ran ac.C	
	-o surface	or beat	507'
•	3 3 41 7 42 62		
			80sxs
			41/2
			540'
	•		<u> </u>

GED ENGLASSING PROPE		PROPERT	TY NAME		WELL NO.	
STAC	LOCATION (ULSTE)		State		8	
	A-28-201	1-09W	POOTAG	E		
API NO.		POOL				
	11 ''			7	P	
	4 1/2 " csg 1	with pumpi	natee			
		•	<u> </u>			
		601.64 1.11.11.11.11.11.11.11.11.11.11.11.11.1				
		•				
		•				
		····				
						
				-		
CASING REC	YIPD.					
					2001	
	4/2 csq				285'	
T. 0	4/2" csg	in face	İ			
,		urjace.				
		•				
	P+A Proces	dune	·			
	,				Perfs	
	10 1					
	Rigles)		Ī		
(cement From	bottem a				
	to surface	· F`	·		5000	
					507'	
					80sx s	
					4/2	
					540'	
					./	
			Circ	wated 4	12" to the Sunf	

:

.