

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well OIL	API # (assigned by OCD) 30-031-20621
2. Name of Operator Geo Engineering	5. Lease Number
3. Address & Phone No. of Operator P.O.Box 2966 Santa Fe, NM 87505	6. State Oil & Gas Leas
4. Location of Well, Footage, Sec., T, R, M Sec. 28 T-20-N, R-9-W, NMPM, McKinley County Unit B, 47' FNL & 1367' FEL	7. Lease Name/Unit Nar State
	8. Well No. #10
	9. Pool Name or Wildca
	10. Elevation:

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

A-Plus Well Service, contractor, will plug and abandon said well according to the attached procedure prepared by NMOCD.

This work will be in accordance with State of New Mexico Contract No. 98-521.25-095.

RECEIVED
JAN 22 1998

SIGNATURE William F. Clark **OIL CON. DIV.**
William F. Clark Contractor **DIST. 3** December 30, 1997

(This space for State Use)
Approved by Johanny Robinson **DEPUTY OIL & GAS INSPECTOR, DIST. 43**
Title _____ Date **JAN 22 1998**

COMPANY Geo Engineering		PROPERTY NAME State	WELL NO. 10
DATE	LOCATION (ULSTR) R-28-20N-09W	FOOTAGE	
API NO.		POOL	


4 1/2" csg. with collar
at ground level (open)

CASING RECORD:


4 1/2" csg.
Calc. T.O.C. @ surface

P&A Procedure

cement from Bottom
perf to surf.



COMPANY Geo Engineering		PROPERTY NAME State		WELL NO. 10
DATE	LOCATION (ULSTR) B-25-20N-09W		FOOTAGE	
API NO.		POOL		

<p style="font-size: 1.2em; margin: 0;">4 1/2" csg. with collar at ground level (open)</p>	
--	--

<p style="margin: 0;">CASING RECORD:</p> <p style="margin: 10px 0;">4 1/2" csg. Calc. T.O.C. @ surface</p> <p style="margin: 20px 0;">P&A Procedure</p> <p style="margin: 10px 0;">cement from Bottom perf to surf.</p>	<p style="margin: 0; text-align: right;">80sxs. 4 1/2" 538' CIRC.</p> <p style="margin: 10px 0; text-align: right;">circulated 4 1/2" to the surf</p>
---	---