

DALTON, WELLS LOGGING
GRANTS, NEW MEXICO

DATE: 30-SEP-80

CLIENT: ZENITH ENERGY
AREA: LEE RANCHBORE HOLE NO: 29
OPERATOR: H. DALTON

REMARKS CONCERNING BORE HOLE:

I-20-16 N-63

DRIFTED FROM: 800 FEET.
DECLINATION = 13.00E * = SURVEYED POINT


CABLE DEPTH	SLANT ANGLE	SLANT ANGLE BEARING	COORDINATES N/S	E/W	TOTAL COORDINATES SUM N/S	SUM E/W	DISP	COLLAR BEARING	TVD	*
25.00	0.25	13.00 (N 13.00E)	0.21	0.05	0.21	0.05	0.22	13.00 (N 13.00E)	25.00	*
50.00	0.50	13.00 (N 13.00E)	0.21	0.05	0.43	0.10	0.44	13.00 (N 13.00E)	50.00	*
75.00	0.45	13.00 (N 13.00E)	0.19	0.04	0.62	0.14	0.63	13.00 (N 13.00E)	75.00	*
100.00	0.40	13.00 (N 13.00E)	0.19	0.04	0.81	0.19	0.83	13.00 (N 13.00E)	100.00	*
125.00	0.35	13.00 (N 13.00E)	0.15	0.03	0.96	0.22	0.98	13.00 (N 13.00E)	125.00	*
150.00	0.30	13.00 (N 13.00E)	0.15	0.03	1.11	0.26	1.13	13.00 (N 13.00E)	150.00	*
175.00	0.35	13.00 (N 13.00E)	0.15	0.03	1.25	0.29	1.29	13.00 (N 13.00E)	175.00	*
200.00	0.40	13.00 (N 13.00E)	0.15	0.03	1.40	0.32	1.44	13.00 (N 13.00E)	200.00	*
225.00	0.25	13.00 (N 13.00E)	0.11	0.02	1.51	0.35	1.55	13.00 (N 13.00E)	225.00	*
250.00	0.10	13.00 (N 13.00E)	0.11	0.02	1.62	0.37	1.66	13.00 (N 13.00E)	249.99	*
275.00	0.15	13.00 (N 13.00E)	0.06	0.01	1.68	0.39	1.72	13.00 (N 13.00E)	274.99	*
300.00	0.20	13.00 (N 13.00E)	0.06	0.01	1.74	0.40	1.79	13.00 (N 13.00E)	299.99	*
325.00	0.25	13.00 (N 13.00E)	0.11	0.02	1.85	0.43	1.90	13.00 (N 13.00E)	324.99	*
350.00	0.30	13.00 (N 13.00E)	0.11	0.02	1.96	0.45	2.01	13.00 (N 13.00E)	349.99	*
375.00	0.25	13.00 (N 13.00E)	0.11	0.02	2.06	0.48	2.12	13.00 (N 13.00E)	374.99	*
400.00	0.20	13.00 (N 13.00E)	0.11	0.02	2.17	0.50	2.23	13.00 (N 13.00E)	399.99	*
425.00	0.10	13.00 (N 13.00E)	0.04	0.01	2.21	0.51	2.27	13.00 (N 13.00E)	424.99	*
450.00	0.00	13.00 (N 13.00E)	0.04	0.01	2.25	0.52	2.31	13.00 (N 13.00E)	449.99	*
475.00	0.05	13.00 (N 13.00E)	0.02	0.00	2.27	0.53	2.33	13.00 (N 13.00E)	474.99	*
500.00	0.10	13.00 (N 13.00E)	0.02	0.00	2.30	0.53	2.36	13.00 (N 13.00E)	499.99	*
525.00	0.05	13.00 (N 13.00E)	0.02	0.00	2.32	0.53	2.38	13.00 (N 13.00E)	524.99	*
550.00	0.00	13.00 (N 13.00E)	0.02	0.00	2.34	0.54	2.40	13.00 (N 13.00E)	549.99	*
575.00	0.20	13.00 (N 13.00E)	0.09	0.02	2.42	0.56	2.49	13.00 (N 13.00E)	574.99	*
600.00	0.40	13.00 (N 13.00E)	0.09	0.02	2.51	0.58	2.57	13.00 (N 13.00E)	599.99	*
625.00	0.40	13.00 (N 13.00E)	0.17	0.04	2.68	0.62	2.75	13.00 (N 13.00E)	624.99	*
650.00	0.40	13.00 (N 13.00E)	0.17	0.04	2.85	0.66	2.92	13.00 (N 13.00E)	649.99	*
675.00	0.35	13.00 (N 13.00E)	0.15	0.03	3.00	0.69	3.08	13.00 (N 13.00E)	674.99	*
700.00	0.30	13.00 (N 13.00E)	0.15	0.03	3.15	0.73	3.23	13.00 (N 13.00E)	699.99	*
725.00	0.20	13.00 (N 13.00E)	0.09	0.02	3.23	0.75	3.32	13.00 (N 13.00E)	724.99	*
750.00	0.10	13.00 (N 13.00E)	0.09	0.02	3.32	0.77	3.40	13.00 (N 13.00E)	749.99	*
775.00	0.10	13.00 (N 13.00E)	0.04	0.01	3.36	0.78	3.45	13.00 (N 13.00E)	774.99	*
800.00	0.10	13.00 (N 13.00E)	0.04	0.01	3.40	0.79	3.49	13.00 (N 13.00E)	799.99	*

END OF HOLE: 3.49 FEET, BEARING: 13.00 (N 13.00E)

DALTON, WELLS LOGGING

SCALE: 1 INCH = 1 FEET.
 LEGEND: C = COLLAR
 B = BOTTOM OF HOLE
 * = COORDINATE OF POINT IN TABLE

PLAN VIEW




DALTON WELL LOGGING

SCALE: 1 HORIZONTAL INCH = 2 FEET.
 1 VERTICAL INCH = 150 FEET.

IN GROUND VIEWS

FACING WEST

FACING NORTH



DALIUN WELL LOGGING

SCALE: 1 HORIZONTAL INCH = 2 FEET.
1 VERTICAL INCH = 150 FEET.

IN GROUND VIEWS

FACING WEST

FACING NORTH

