

DALTONS WELLS LOGGING

DATE: 07-OCT-80

CLIENT: ZENITH ENERGY
AREA: LEE RANCH
REMARKS CONCERNING BORE HOLE:

BORE HOLE NO: SFP-34
OPERATOR: H. DALTON

8-29-16N-6W

DRIFTED FROM: 750 FEET.
DECLINATION = 13.00E * = SURVEYED POINT

CABLE DEPTH	SLANT ANGLE	SLANT ANGLE BEARING	COORDINATES		TOTAL COORDINATES		DISP	COLLAR BEARING	TVD
			N/S	E/W	SUM N/S	SUM E/W			
25.00	0.50	13.00 (N 13.00E)	0.43	0.10	0.43	0.10	0.44	13.00 (N 13.00E)	25.00
50.00	1.00	13.00 (N 13.00E)	0.43	0.10	0.85	0.20	0.87	13.00 (N 13.00E)	50.00
75.00	0.94	13.00 (N 13.00E)	0.37	0.09	1.22	0.28	1.25	13.00 (N 13.00E)	74.99
100.00	0.87	13.00 (N 13.00E)	0.37	0.09	1.59	0.37	1.64	13.00 (N 13.00E)	99.99
125.00	0.81	13.00 (N 13.00E)	0.37	0.09	1.97	0.45	2.02	13.00 (N 13.00E)	124.99
150.00	0.75	13.00 (N 13.00E)	0.37	0.09	2.34	0.54	2.40	13.00 (N 13.00E)	149.98
175.00	0.69	13.00 (N 13.00E)	0.27	0.06	2.60	0.60	2.67	13.00 (N 13.00E)	174.98
200.00	0.62	13.00 (N 13.00E)	0.27	0.06	2.87	0.66	2.95	13.00 (N 13.00E)	199.98
225.00	0.56	13.00 (N 13.00E)	0.27	0.06	3.14	0.72	3.22	13.00 (N 13.00E)	224.98
250.00	0.50	13.00 (N 13.00E)	0.27	0.06	3.40	0.79	3.49	13.00 (N 13.00E)	249.98
275.00	0.37	13.00 (N 13.00E)	0.11	0.02	3.51	0.81	3.60	13.00 (N 13.00E)	274.98
300.00	0.25	13.00 (N 13.00E)	0.11	0.02	3.61	0.83	3.71	13.00 (N 13.00E)	299.98
325.00	0.12	13.00 (N 13.00E)	0.11	0.02	3.72	0.86	3.82	13.00 (N 13.00E)	324.98
350.00	0.00	13.00 (N 13.00E)	0.11	0.02	3.83	0.88	3.93	13.00 (N 13.00E)	349.98
375.00	0.12	13.00 (N 13.00E)	0.11	0.02	3.93	0.91	4.04	13.00 (N 13.00E)	374.98
400.00	0.25	13.00 (N 13.00E)	0.11	0.02	4.04	0.93	4.15	13.00 (N 13.00E)	399.98
425.00	0.37	13.00 (N 13.00E)	0.11	0.02	4.15	0.96	4.25	13.00 (N 13.00E)	424.97
450.00	0.50	13.00 (N 13.00E)	0.11	0.02	4.25	0.98	4.36	13.00 (N 13.00E)	449.97
475.00	0.50	13.00 (N 13.00E)	0.21	0.05	4.46	1.03	4.58	13.00 (N 13.00E)	474.97
500.00	0.50	13.00 (N 13.00E)	0.21	0.05	4.68	1.08	4.80	13.00 (N 13.00E)	499.97
525.00	0.50	13.00 (N 13.00E)	0.21	0.05	4.89	1.13	5.02	13.00 (N 13.00E)	524.97
550.00	0.50	13.00 (N 13.00E)	0.21	0.05	5.10	1.18	5.24	13.00 (N 13.00E)	549.97
575.00	0.56	13.00 (N 13.00E)	0.27	0.06	5.37	1.24	5.51	13.00 (N 13.00E)	574.97
600.00	0.62	13.00 (N 13.00E)	0.27	0.06	5.63	1.30	5.78	13.00 (N 13.00E)	599.97
625.00	0.69	13.00 (N 13.00E)	0.27	0.06	5.90	1.36	6.05	13.00 (N 13.00E)	624.97
650.00	0.75	13.00 (N 13.00E)	0.27	0.06	6.16	1.42	6.33	13.00 (N 13.00E)	649.96
675.00	0.69	13.00 (N 13.00E)	0.27	0.06	6.43	1.48	6.60	13.00 (N 13.00E)	674.96
700.00	0.62	13.00 (N 13.00E)	0.27	0.06	6.70	1.55	6.87	13.00 (N 13.00E)	699.96
725.00	0.56	13.00 (N 13.00E)	0.27	0.06	6.96	1.61	7.14	13.00 (N 13.00E)	724.96
750.00	0.50	13.00 (N 13.00E)	0.27	0.06	7.23	1.67	7.42	13.00 (N 13.00E)	749.96


OF HOLE: 7.42 FEET, BEARING: 13.00 (N 13.00E)




DALTON WELLS LOGGING

SCALE: 1 INCH = 1 FEET.
 LEGEND:
 C = COLLAR
 B = BOTTOM OF HOLE
 * = COORDINATE OF POINT IN TABLE

PLAN VIEW



03000004



DALTON WELL LOGGING

SCALE: 1 HORIZONTAL INCH = 2 FEET.
1 VERTICAL INCH = 150 FEET.

IN GROUND VIEWS

