

2552

DALTON, WELLS LOGGING

DATE: 30-SEP-80

B-29-16N-6W

CLIENT: ZENITH ENERGY
AREA: LEE RANCH

BORE HOLE NO: 33
OPERATOR: H. DALTON

REMARKS CONCERNING BORE HOLE:

DRIFTED FROM: 750 FEET.
DECLINATION = 13.00E * = SURVEYED POINT

CABLE DEPTH	SLANT ANGLE	SLANT ANGLE BEARING	COORDINATES		TOTAL COORDINATES		DISP	COLLAR BEARING	TVD
			N/S	E/W	SUM N/S	SUM E/W			
25.00	0.10	13.00 (N 13.00E)	0.09	0.02	0.09	0.02	0.09	13.00 (N 13.00E)	25.00
50.00	0.20	13.00 (N 13.00E)	0.09	0.02	0.17	0.04	0.17	13.00 (N 13.00E)	50.00
75.00	0.25	13.00 (N 13.00E)	0.11	0.02	0.28	0.06	0.28	13.00 (N 13.00E)	75.00
100.00	0.30	13.00 (N 13.00E)	0.11	0.02	0.38	0.09	0.39	13.00 (N 13.00E)	100.00
125.00	0.25	13.00 (N 13.00E)	0.11	0.02	0.49	0.11	0.50	13.00 (N 13.00E)	125.00
150.00	0.20	13.00 (N 13.00E)	0.11	0.02	0.60	0.14	0.61	13.00 (N 13.00E)	150.00
175.00	0.20	13.00 (N 13.00E)	0.09	0.02	0.68	0.16	0.70	13.00 (N 13.00E)	175.00
200.00	0.20	13.00 (N 13.00E)	0.09	0.02	0.77	0.18	0.79	13.00 (N 13.00E)	200.00
225.00	0.10	13.00 (N 13.00E)	0.04	0.01	0.81	0.19	0.83	13.00 (N 13.00E)	225.00
250.00	0.00	13.00 (N 13.00E)	0.04	0.01	0.85	0.20	0.87	13.00 (N 13.00E)	250.00
275.00	0.15	13.00 (N 13.00E)	0.06	0.01	0.91	0.21	0.94	13.00 (N 13.00E)	275.00
300.00	0.30	13.00 (N 13.00E)	0.06	0.01	0.98	0.23	1.00	13.00 (N 13.00E)	300.00
325.00	0.30	13.00 (N 13.00E)	0.13	0.03	1.11	0.26	1.13	13.00 (N 13.00E)	325.00
350.00	0.30	13.00 (N 13.00E)	0.13	0.03	1.23	0.28	1.27	13.00 (N 13.00E)	350.00
375.00	0.25	13.00 (N 13.00E)	0.11	0.02	1.34	0.31	1.37	13.00 (N 13.00E)	375.00
400.00	0.20	13.00 (N 13.00E)	0.11	0.02	1.45	0.33	1.48	13.00 (N 13.00E)	400.00
425.00	0.20	13.00 (N 13.00E)	0.09	0.02	1.53	0.35	1.57	13.00 (N 13.00E)	425.00
450.00	0.20	13.00 (N 13.00E)	0.09	0.02	1.62	0.37	1.66	13.00 (N 13.00E)	450.00
475.00	0.15	13.00 (N 13.00E)	0.06	0.01	1.68	0.39	1.72	13.00 (N 13.00E)	475.00
500.00	0.10	13.00 (N 13.00E)	0.06	0.01	1.74	0.40	1.79	13.00 (N 13.00E)	500.00
525.00	0.05	13.00 (N 13.00E)	0.02	0.00	1.76	0.41	1.81	13.00 (N 13.00E)	525.00
550.00	0.00	13.00 (N 13.00E)	0.02	0.00	1.79	0.41	1.83	13.00 (N 13.00E)	550.00
575.00	0.10	13.00 (N 13.00E)	0.04	0.01	1.83	0.42	1.88	13.00 (N 13.00E)	575.00
600.00	0.20	13.00 (N 13.00E)	0.04	0.01	1.87	0.43	1.92	13.00 (N 13.00E)	600.00
625.00	0.20	13.00 (N 13.00E)	0.09	0.02	1.96	0.45	2.01	13.00 (N 13.00E)	625.00
650.00	0.20	13.00 (N 13.00E)	0.09	0.02	2.04	0.47	2.09	13.00 (N 13.00E)	650.00
675.00	0.20	13.00 (N 13.00E)	0.09	0.02	2.13	0.49	2.18	13.00 (N 13.00E)	675.00
700.00	0.20	13.00 (N 13.00E)	0.09	0.02	2.21	0.51	2.27	13.00 (N 13.00E)	700.00
725.00	0.25	13.00 (N 13.00E)	0.11	0.02	2.32	0.53	2.38	13.00 (N 13.00E)	725.00
750.00	0.30	13.00 (N 13.00E)	0.11	0.02	2.42	0.56	2.49	13.00 (N 13.00E)	750.00


END OF HOLE: 2.49 FEET, BEARING: 13.00 (N 13.00E)

DALTON WELLS LOGGING



SCALE: 1 INCH = 1 FEET.
 LEGEND:
 C = COLLAR
 B = BOTTOM OF HOLE
 * = COORDINATE OF POINT IN TABLE


PLAN VIEW



DALTON WELL LOGGING


SCALE: 1 HORIZONTAL INCH = 2 FEET.
 1 VERTICAL INCH = 150 FEET.

IN-GROUND VIEWS



SCALE: 1 HORIZONTAL INCH = 2 FEET,
1 VERTICAL INCH = 150 FEET.

IN BACKGROUND VIEWS



0005250