

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <u>Dry Hole</u>		7. Unit Agreement Name
2. Name of Operator <u>NEW MEXICO AND ARIZONA LAND COMPANY</u>		8. Farm or Lease Name <u>NZ 9</u>
3. Address of Operator <u>Brana Corporation, First Interstate Bldg, #1223, Albuq, NM 87102</u>		9. Well No. <u>1</u>
4. Location of Well UNIT LETTER <u>P</u> , <u>330</u> FEET FROM THE <u>South</u> LINE AND <u>330</u> FEET FROM THE <u>East</u> LINE, SECTION <u>9</u> TOWNSHIP <u>20N</u> RANGE <u>12W</u> NMPM.		10. Field and Pool, or Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) <u>6137Gr.</u>		12. County <u>McKinley</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7 5/8" casing set at 122' and cemented to surface.
6 1/4" hole drilled to 1200TD.

Plan to P & A in the following manner:
Set cement plug from 1200 to 920
Set second cement plug from 170' to 70'
Set third cement plug at top of surface with 10xsx.
Interval between plugs to be filled with 9.3#/gal drilling mud.
Plan to install regulation marker, clean up pits and location and abandon well.

Verbal approval obtain from Charles Gholson with Energy and Minerals Department of New Mexico. Approval obtained on September 13, 1982.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Morris B. Jones, Engineer DATE September 14, 1982

Original Signed by CHARLES GHOLSON

DEPUTY OIL & GAS INSPECTOR DIST #

APPROVED BY _____ TITLE _____ DATE SEP 14 1982

CONDITIONS OF APPROVAL, IF ANY: