

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR <u>Black Oil Co.</u>		8. FARM OR LEASE NAME <u>Chico Federal</u>
3. ADDRESS OF OPERATOR <u>Colorado Plateau Geological Services, Inc.</u>		9. WELL NO. <u>1</u>
4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations. See also space 17 below.) At surface <u>2310' FNL, 1750' FEL, Sec. 26, T17N, R6W</u>		10. FIELD AND POOL, OR WILDCAT <u>Wildcat</u>
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <u>Sec. 26, T17N, R6W</u>
15. ELEVATIONS (Show whether DE, RT, GR, or other) <u>6435 GR</u>		12. COUNTY OR PARISH <u>McKinley</u>
		13. STATE <u>NM</u>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was spud on October 15th, 1982. 121' of 7" casing was set with cement to the surface (17# K-55). Well was drilled to total depth of 2750' on Wednesday, October 20th, 1982. Well was T.D.'d in Burro Canyon.

Upon verbal approval of Steve Mason on the 20th, the well was plugged and abandoned with cement plugs set as follows:

100' from 2510' to 2410'

175' from 1650' to 1475'

100' from 425' to 325'

170' from 170' to surface

Mud was left between each plug.

The well was logged from 2734' to 150' with gamma ray and resistivity logs.

18. I hereby certify that the foregoing is true and correct

SIGNED Sam C. B...TITLE PresidentDATE Oct 21, 1982

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

APPROVED
AS AMENDED

OCT 24 1984

M. MILLENBACH
AREA MANAGERAPPROVED AS TO PLUGGING OF THE WELL BORE.
LIABILITY UNDER BOND IS RETAINED UNTIL
SURFACE RESTORATION IS COMPLETED.

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963 O 605229

8-47 - 486

Tops were:

Top Point Lookout	390'
Top Mancos	486'
Top Hospah	1160'
Top Massine Gallup	1293'
Top Greenhorn	2370'
Top Dakota	2441'
Top Burro Canyon	2696'