

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

Revised 12-1-55

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool Undesignated Formation Pictured Cliffs County Rio Arriba
Initial X Annual _____ Special _____ Date of Test 9/26/59
Company Magnolia Petroleum Co. Lease Marta M. Morelock Unit Well No. 1
Unit L Sec. 7 Twp. 23N Rge. 1W Purchaser Not Connected
Casing 4½" Wt. 9.5# I.D. 4.090" Set at 3151' Perf. 3075' To 3085'
Tubing 1½" Wt. 2.90# I.D. 1.610" Set at 3085' Perf. _____ To _____
Gas Pay: From 3075' To 3085' L 3080' xG 0.68 -GL 2094 Bar.Press. _____
Producing Thru: Casing X Tubing _____ Type Well Single
Date of Completion: 9/8/59 Packer None Single-Bradenhead-G. G. or G.O. Dual
Reservoir Temp. 95°

OBSERVED DATA

Tested Through (~~Prover~~) (Choke) (~~Master~~) Type Taps _____

No.	Flow Data					Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) (Line) Size	(Choke) (Orifice) Size	Press. psig	Diff. h _w	Temp. °F.	Press. psig	Temp. °F.	Press. psig	Temp. °F.	
SI						822	---	822	---	
1.	2"	0.750	36	---	59	43	---	36	59	3 Hours
2.										
3.										
4.										
5.										

FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_{wpf}}$	Pressure psia	Flow Temp. Factor F _t	Gravity Factor F _g	Compress. Factor F _{pv}	Rate of Flow Q-MCFPD @ 15.025 psia
1.	12.365	---	48	1.0010	0.9393	1.000	558
2.							
3.							
4.							
5.							

PRESSURE CALCULATIONS

Gas Liquid Hydrocarbon Ratio _____ cf/bbl.
Gravity of Liquid Hydrocarbons _____ deg.
P_c _____ (1-e^{-s})
Specific Gravity Separator Gas _____
Specific Gravity Flowing Fluid _____
P_c 834 P_c² 695.556

No.	P _w P_{ex} (psia)	P _t ²	F _c Q	(F _c Q) ²	(F _c Q) ² (1-e ^{-s})	P _w ²	P _c ² -P _w ²	Cal. P _w	P _w P _c
1.	55	---	---	---	---	3.025	692.531	---	---
2.									
3.									
4.									
5.									

Absolute Potential: 560 MCFPD; n 0.85
COMPANY MAGNOLIA PETROLEUM COMPANY
ADDRESS P. O. Box 2406, Hobbs, New Mexico
AGENT and TITLE C. J. Hensley Gas Engineer
WITNESSED _____
COMPANY _____

REMARKS



INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

Q = Actual rate of flow at end of flow period at W. H. working pressure (P_w).
MCF/da. @ 15.025 psia and 60° F.

P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.
psia

P_w = Static wellhead working pressure as determined at the end of flow period.
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia

P_t = Flowing wellhead pressure (tubing if flowing through tubing, casing if
flowing through casing.) psia

P_f = Meter pressure, psia.

h_w = Differential meter pressure, inches water.

F_g = Gravity correction factor.

F_t = Flowing temperature correction factor.

F_{pv} = Supercompressibility factor.

n = Slope of back pressure curve.

Note: If P_w cannot be taken because of manner of completion or condition of well, then P_w must be calculated by adding the pressure drop due to friction within the flow string to P_t .

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received 3		
DISTRIBUTION		
	NO.	DATE
	FURNISHED	
Operator		
Santa Fe	1	
Production Office		
State Land Office		
U. S. G. S.	1	
Transportation		
File	1	