•	Form 9-331 b (April 1952)				_ \		
	2	Se					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency Billion . How Review
Allottee
Lease No. Jicarilla Tribal Oli
6 Gas Lease No. 156

		X SUBSEQUENT	REPORT OF WATER SHUT-	OFF	
NOTICE OF INTENTION TO DRILL			REPORT OF SHOOTING OR		-F
NOTICE OF INTENTION TO CHANGE PL			REPORT OF ALTERING CA		<u> 5_1 V</u>
NOTICE OF INTENTION TO TEST WATE			REPORT OF REDRILLING		-
NOTICE OF INTENTION TO REDRILL O NOTICE OF INTENTION TO SHOOT OR			T REPORT OF ABANDONMEN		- 30 - 19
NOTICE OF INTENTION TO PULL OR A			TARY WELL HISTORY		
NOTICE OF INTENTION TO ABANDON				U. S. GEOLG	SCICAL S
				FAFMINGTO	C1C-700E
(INDICAT	E ABOVE BY CHECK MARK	NATURE OF REPO	RT, NOTICE, OR OTHER DATA)	
		C 0.54	ober 29	, 1	o 62
Sesiale Sesanto				l	7
Jicarillo "C" No.	. 156	(India	1860	Œ)	2
Well No. 2 is loc	cated 790 ft. fro	om $\left\{ S \right\}$ line a	nd 1850 ft. from	line of sec	<u> </u>
		[J] 9 Mass		(**)	
SE/4 Section 3	23 North	(Paner)	(Meridian)		
(14 Sec. and Sec. No.)	Rio Arriba	(Range)	New Mexico	/cr[l	NLV
Undesignated PC		y or Subdivision)	(8)	ate or Territory	IArn
(Plaid) The elevation of the difference of the	ad · · · ·	-		147700	1 196
				1 00.	
		ILS OF WO		\ ~;; C(ON. C
					- Chend
State names of and emected deaths t	to objective sands; show si	izes, weights, and	lengths of proposed casings;	indicate nucerny)	121:-
State names of and expected depths t	to objective sands; show si ing points, and all	izes, weights, and l other important	lengths of proposed casings proposed work)	oCT3	1511
(State names of and expected depths t	to objective sands; show si ing points, and all	izes, weights, and l other important	lengths of proposed casings: proposed work)	indicate musemy 1998	1917
(State names of and expected depths t	metaly 100' of	: 8 5/8" su	rface casing an	d cament with	
2 To set approximately 60 se	metoly 100' of	8 5/8" su	rface casing an	d cament with	etal
2 To set apprent apphrenimetely 60 se depth of 3400'. To	metely 100' of sks. To drill	6 5/8" su with rota	rface casing an ry taois to an if productive.	d cament with approximate to set approxi	otel
2 To set apprent apphrenimately 60 to	metely 100' of sks. To drill run an electri '2' new cealma	8 5/8" ou with rota a log and and coment	rface casing an ry tools to an If productive, with approxima	d cament with approximate to set approximate to set approximately 100 sack	otel
2 To set apprent apphrenimetely 60 se depth of 3400'. To	metoly 100' of pics. To drill run an electri '2' new casing stured Cliffs p	8 5/8" ou with rota c log and and cement by zone on	rface casing an ry tools to an if productive, with approxima d sand-water fr	d cament with approximate to set approximate to set approximately 100 secks as same. To	etel
2 To set apprent applicationately 60 se depth of 3400'. To metaly 3400' of 4 1/ To perforate the Pic apprentmetaly 3350'	metely 100' of piks. To drill run an electri '2" new casing stured Cliffs p of !" EVE tub!	8 5/8" ou with rota a log and and coment	rface casing an ry tools to an if productive, with approxima d sand-water fr	d cament with approximate to set approximate to set approximately 100 sack	etel
2 To set apprenti apphrenimetely 60 se depth of 3400'. To	metely 100' of piks. To drill run an electri '2" new casing stured Cliffs p of !" EVE tub!	8 5/8" ou with rota c log and and cement by zone on	rface casing an ry tools to an if productive, with approxima d sand-water fr	d cament with approximate to set approximate to set approximately 100 secks as same. To	etel
2 To set apprent application of 3400'. To mately 3400' of 4 1/ To perforate the Pic approximately 3350' Cliffs gas producer.	metely 100' of icks. To drill run an electri '2" new cooling stured Cliffs p of !" EVE tub!	8 5/8" su with retaile log and sement new zene and new to	rface casing an ry tools to an if productive, with approxima d sand-water fr camplets and pr	d cament with approximate to set approximately 100 sack rac same. To reduce as a Pi	etel
2 To set apprent applications of the set of	metely 100' of jeks. To drill run an electrize racing stured Cliffs por fire EVE tubi	8 5/8" sure the retained semant seman	rface casing an ry tools to an if productive, with approxima d sand-water fr	d cament with approximate to set approximately 100 sack rac same. To reduce as a Pi	etal
2 To set apprent apphrenimetely 60 se depth of 3400'. To metely 3400' of 4 1/ To perforate the Pic apprenimetely 3350' Cliffs gas producer. To comply with New Maxico 011 and 0	metely 100' of sits. To drill run an electrize reading stured Cliffs pof I" EVE tuble the rules and les Commission.	8 5/8" sure the retained common to the regulation.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 sack rec same. To reduce as a Pi	estal il- is. run ic ture
2 To set apprent apphrentmetely 60 se depth of 3400'. To metely 3400' of 4 1/ To perforate the Pic apprentmetely 3350' Cliffs ges producer. To comply with New Maxico Oil and 0	metely 100' of sits. To drill run an electrize reading stured Cliffs pof I" EVE tuble the rules and les Commission.	8 5/8" sure the retained common to the regulation.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 sack rec same. To reduce as a Pi	estal il- is. run ic turo
2 To set approximately 60 set depth of 3400'. To metaly 3400' of 4 1/To perforate the Pic approximately 3350' Cliffs gas producer. To comply with New Manico Oil and G	metely 100' of skie. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Camission.	8 5/8" sure the retained common to the regulation.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 sack rec same. To reduce as a Pi	estel il- is. run is ture
2 To set approximately 60 set depth of 3400'. To metaly 3400' of 4 1/ To perforate the Pic approximately 3350' Cliffs gas producer. To comply with New Manico Bil and 6 I understand that this plan of we Shor-Allor	metely 100' of skie. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Camission.	8 5/8" sure the retained common to the regulation.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 sack rec same. To reduce as a Pi	estel il- is. run is ture
2 To set apprent applicationately 60 sa depth of 3400'. To metaly 3400' of 4 1/ To perforate the Pic apprentmetaly 3350' Cliffs ges producer. To comply with New Maxico Oil and O I understand that this plan of we Sher-Alex Company	metely 100' of pice. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Commission. The rules and les Commission.	8 5/8" sure in the retained sements and comments and to regulated.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximate telly 100 sack sec same. To oduce as a Pick. S. and the perations may be commended.	estel il- is. run is ture
2 To set approximately 60 sed depth of 3400'. To metaly 3400' of 4 1/To perforate the Pic approximately 3350' Cliffs gas producer. To camply with New Maxico Oil and 6 I understand that this plan of we Shor-Alam Company	metely 100' of pice. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Commission. The rules and les Commission.	8 5/8" sure in the retained sements and comments and to regulated.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 seek rec same. To reduce as a Pilon. S. and the perations may be common the seek recommon to the seek recom	estel il- is. run is ture
2 To set approximately 60 se depth of 3400'. To mately 3400' of 4 1/ To perforate the Pic approximately 3350' Cliffs gas producer. To comply with New Manico Oil and Gas Shar-Alam Company. 1402 Denve Address.	metely 100' of pice. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Commission. The rules and les Commission.	8 5/8" sure in the retained sements and comments and to regulated.	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximate telly 100 sack sec same. To oduce as a Pick. S. and the perations may be commended.	estal il- is. run ic turo
2 To set approximately 60 sed depth of 3400'. To mately 3400' of 4 1/ To perforate the Pic approximately 3350' Cliffs gas producer. To camply with New Maxico Oil and 6 I understand that this plan of we Shor-Alam Company 1402 Denve	metely 100' of pice. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Commission. The rules and les Commission.	8 5/8" sure with rotal consent serios and coment in and to the consent in a consent	rface casing an ry tools to an if productive, with approxima d sand-water fr complete and pr	d cament with approximate to set approximate to set approximately 100 seek rec same. To reduce as a Pilon. S. and the perations may be common the seek recommon to the seek recom	estal il- is. run ic ture
2 To set approximately 60 se depth of 3400'. To mately 3400' of 4 1/ To perforate the Pic approximately 3350' Cliffs gas producer. To comply with New Manico Oil and Gas Shar-Alam Company. 1402 Denve Address.	metely 100' of pice. To drill run an electriz' new casing stured Cliffs pof I" EVE tuble the rules and les Commission. The rules and les Commission.	8 5/8" sure in the retained sements and comments and to regulated.	rface casing and ry tools to an if productive, with approximate and process of the U.S.S. Geological Survey before the By	d cament with approximate to set approximate to set approximately 100 seek rec same. To reduce as a Pilon. S. and the perations may be common the seek recommon to the seek recom	otel il- is. run ic tures

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

ection A.		Date Goteber 39, 1963			
perator_SHAR_ALAN_OIL_COMPANY	Lea	e JICARI	A ALC MANT		•
ell No. 2 Unit Letter 0 Secti	on 3	Townshi	23 NORTH	Range 2 WEST	NMF
ocated 790 Feet From the SOUTH	Line, 1850	1	Feet From	the EAST	L i
ounty RIO ARRIBA G. L. Elevation	7205.01	Dedicat	ed Acreage		A or
me of Producing Formation		Pool		as gretad PC	
Is the Operator the only owner in the dedicate	ed acreage outline	d on the plat b	elow?		
Ves 1 No					
. If the answer to question one is "no", har	ve the interests o	f all the own	ers been cons	solidated by commu	nitizati
agreement or otherwise? YesNo	. If ar	iswer is "yes	", Type of C	consolidation.	
			iva interests	helow	
. If the answer to question two is "no", list	all the owners and		nd Description		
Owner	•			-	
Sher-Alan Olf Company		JE/4 Soct	ien 3 - 23	M · M	
				1011	
	•			/ KLU!	
				1 0070	
				<u> </u>	-1962
		,		OIL CO.	
ection B.	Note: All dista	nces must be i	rom outer bou	indaries of section.	
	,	, 1			Τ' /
his is to certify that the information			1.		+
1 Section A shove is true and complete		·	1 '		
the best of my knowledge and belief.	+	,			1
Shared as SIN Empage / //	i	1			
Library Han	1	l .	1		4
icheré S. Sent, Mgr. of Lands &	1	I	1		
(Representative)	,	i	1	,	1
403 Senath A. 2. Bettevel course.			ļ '-		-
(Address)	1	F	1		
Budat 1' desarane	1	i	,	1	1
			Property of the		氣
	1	1		** ***********************************	्र
		ı	7.1	- Test	N
		1			in.
	, ,	. 1	F. 7. 4	******	
	1	1			de se
	ş.	1	1		
					25
		,			

•					П
the state of the state of	0 330 660 990 13	20 1650 1980 2310	2640 . 2000	1500 1000 500	0



Farmington, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 19 October, 19

Registered Professional Engineer and/or Land Surveyor James P. Leese N. Max. Reg. No. 1463







Job separation sheet

Form 9-381 b (April 1952)

(SUBMIT IN TRIPLICATE)

3 3

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency . Ballen McMr. Nest	(40

Allottee	
& Ges Leese No. 156	011

SUNDRY NOTICES AND REPORTS ON WELLS

ddress 1402 Senver V. Denver, Colorado	, 3, MELITERS 1	ini en		ORIGINAL SIGNED BY RICHARD S. HENT	
	a Hastafasi f	·antar			
Company Sher-Aian C	III Company		, , , , , , , , , , , , , , , , , , , 		
I understand that this plan of we		n writing by the Geolo	gical Survey before operati	ions may be commenced.	
Fruitiend Pictured Cliffs Lowis Shele	2924-2974 2974 3038	Well p	resently music	ng theting	
llestric log tops et Oje Alamo Kirtland	2600-2810' 2810-2524		OIL	CON. COM	
	seeks. Tetal comented with 7	depth of 309	o reached 17-4	FEA 12	
tate names of and expected depths					
	DETAI	II C OF WORK	,		
groun he elevation of the kinsk			•	[N] DEC U 1962	
indes i gnetad PS (Pield)	Rio Arriba	or Subdivision)	New Mer	DEC VE	
(34 Section 3 (34 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
'ell No. 2 is lo	ocated 799 ft. fro			line of sec.	
Jeninic Besanto Jicarilla "C" No.	156	News	mber 36	, 19 63	
(INDIC)	ATE ABOVE BY CHECK MARK	NATURE OF REPORT, N		49	
NOTICE OF INTENTION TO ABANDOI	N WELL				
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		1 '	SUPPLEMENTARY WELL HISTORY		
		i i	PORT OF REDRILLING OR I	REPAIR	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.		li '			
OTICE OF INTENTION TO TEST WA	TED SUIT OFF	CURCEAUENT DE	PORT OF ALTERING CASING	ì	