

DEPUTY DIRECTOR

MAR 28 1997

JICARILLA APACHE TRIBE  
ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507  
DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO  
NATURAL  
RESOURCE DEPT  
AND OIL GAS  
ADMINISTRATION

PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services Bayless Telephone: 324-3764  
Address: 603 W. Elm Street Farmington, NM 87401  
Facility or Well Name: Axi Apache H-14  
Location: Unit: 0 Sec. 6 T. 23 N R. 5 W County Rio Arriba  
Pit Type: Separator X Dehydrator      Other       
Land Type: Jicarilla Apache

Pit Location: Pit dimensions: length 15' width 14' depth 5'  
(Attach diagram) Reference: wellhead X other       
Footage from reference: 24'  
Direction from reference: Straight Degrees X East North       
West of South     

Depth to Ground Water:

(Vertical distance from contaminants to seasonal high water elevation or ground water)

Less than 50 feet (20 points)  
50 feet to 99 feet (10 points)  
Greater than 100 feet (0 points)

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)

Yes (20 points)  
No (0 points)

Distance to Surface Water:

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)

Less than 200 feet (20 points)  
200 feet to 1,000 feet (10 points)  
Greater than 1,000 feet (0 points)

Distance to Ephemeral Stream (dry wash):

(Horizontal distance to all downgradient streams having a width of at least 10 feet)

Less than or equal to 100 feet (10 points)  
Greater than 100 feet (0 points)

Distance to Nearest Lake, Playa, or Watering Pond:

(Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds)

Less than or equal to 100 feet (10 points)  
Greater than 100 feet (0 points)

RANKING SCORE (TOTAL POINTS):

Date Remediation Started: 9/24/96 Date Completed: 11-7-96

Remediation Method: Excavation X Approx. Cubic Yards 39

(Check all appropriate sections)

Landfarmed \_\_\_\_\_ Amount Landfarmed (cubic yds): \_\_\_\_\_

Other \_\_\_\_\_

Remediation Location: Onsite \_\_\_\_\_ Offsite \_\_\_\_\_  
(i.e., landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action:

No contamination found in this pit higher than 40 ppm head space reading.

Ground Water Encountered: No X Yes \_\_\_\_\_ Depth \_\_\_\_\_

Final Pit Closure Sampling:

Sample Location North, East, South, West side walls and pit bottom

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 5'

Sample date 9/24/96 Sample time 1321

Sample Results

Soil: Benzene (ppm) \_\_\_\_\_ Water: Benzene (ppb) \_\_\_\_\_

Total BTEX (ppm) \_\_\_\_\_ Toluene (ppb) \_\_\_\_\_

Field headspace (ppm) 39.5 Ethylbenzene (ppb) \_\_\_\_\_

TPH <5.0 ppm Method 8015 Total Xylenes (ppb) \_\_\_\_\_

Ground Water Sample: Yes \_\_\_\_\_ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE 9/27/96

PRINTED NAME Ronald A. Dedrick

SIGNATURE Ronald A. Dedrick

AND TITLE Environmental Technician II

AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES X NO \_\_\_\_\_ (REASON): \_\_\_\_\_

SIGNED: Ken C. M... DATE: 9-30-96

OFF: (505) 325-5667



LAB: (505) 325-1556

**Diesel Range Organics**

Attn: *Denver Bearden*  
 Company: *PNM Gas Services*  
 Address: *603 W. Elm*  
 City, State: *Farmington, NM 87401*

Date: *26-Sep-96*  
 COC No.: *5279*  
 Sample No. *12272*  
 Job No. *2-1000*

Project Name: *PNM Gas Services - Axi Apache H #14 Run 116*  
 Project Location: *9609241321; 5pt. Composite*  
 Sampled by: *EP* Date: *24-Sep-96* Time: *13:21*  
 Analyzed by: *DC/HR* Date: *25-Sep-96*  
 Sample Matrix: *Soil*

**Laboratory Analysis**

<b>Parameter</b>	<b>Result</b>	<b>Unit of Measure</b>	<b>Detection Limit</b>	<b>Unit of Measure</b>
<i>Diesel Range Organics (C10 - C28)</i>	<i>&lt;5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

**Quality Assurance Report**DRO QC No.: *0489-QC***Calibration Check**

<b>Parameter</b>	<b>Method Blank</b>	<b>Unit of Measure</b>	<b>True Value</b>	<b>Analyzed Value</b>	<b>% Diff</b>	<b>Limit</b>
<i>Diesel Range (C10 - C28)</i>	<i>&lt;5.0</i>	<i>ppm</i>	<i>100</i>	<i>95</i>	<i>4.5</i>	<i>15%</i>

**Matrix Spike**

<b>Parameter</b>	<b>1 - Percent Recovered</b>	<b>2 - Percent Recovered</b>	<b>Limit</b>	<b>%RSD</b>	<b>Limit</b>
<i>Diesel Range (C10-C28)</i>	<i>111</i>	<i>95</i>	<i>(70-130)</i>	<i>11</i>	<i>20%</i>

**Method** - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas ChromatographyApproved by: *[Signature]*Date: *9/26/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

Hxi Apple H-14  
Sec. 6 T23N R5W  
Bayless

1.5' x 14' x 5'

