

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-122

Revised 12-1-55

MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool Undesignated Formation Pictured Cliffs County Rio Arriba
Initial X Annual _____ Special _____ Date of Test 7-22-61
Company Shar-Alan Oil Company Lease Posty-Federal Well No. 1
Unit _____ Sec. 5 Twp. 23 N Rge. 1 W Purchaser _____
Casing 4 1/2" Wt. 9.5# I.D. _____ Set at 3158 Perf. 3110 To 3124'
Tubing 1 1/2" Wt. 2.4# I.D. _____ Set at _____ Perf. _____ To _____
Gas Pay: From 3110' To 3114' L 3110 xG .65 -GL 2021 Bar.Press. _____
Producing Thru: Casing X Tubing _____ Type Well Single
Single-Bradenhead-G. G. or G.O. Dual
Date of Completion: 4-29-61 Packer None Reservoir Temp. _____

OBSERVED DATA

Tested Through (Prover) (Choke) (Meter)

Type Taps _____

No.	Flow Data					Tubing Data		Casing Data		Duration of Flow Hr.
	(Prover) (Line) Size	(Choke) (Orifice) Size	Press. psig	Diff. h _w	Temp. °F.	Press. psig	Temp. °F.	Press. psig	Temp. °F.	
1.	2"	3/4	297		60°	780		780		3 hr.
2.										
3.										
4.										
5.										

FLOW CALCULATIONS

No.	Coefficient (24-Hour)	$\sqrt{h_w P_f}$	Pressure psia	Flow Temp. Factor F _t	Gravity Factor F _g	Compress. Factor F _{pv}	Rate of Flow Q-MCFPD @ 15.025 psia
1.	12.365		309	1.000	.9608	1.053	3,862
2.							
3.							
4.							
5.							

PRESSURE CALCULATIONS

Gas Liquid Hydrocarbon Ratio _____ cf/bbl.
Gravity of Liquid Hydrocarbons _____ deg.
F_c 3.912 (1-e^{-s}) 0.137

Specific Gravity Separator Gas _____
Specific Gravity Flowing Fluid _____
P_c 792 P_c² 627.264

No.	P _w P _t (psia)	P _t ²	F _c Q	(F _c Q) ²	(F _c Q) ² (1-e ^{-s})	P _w ²	P _c ² -P _w ²	Cal. P _w	P _w /P _c
1.									
2.	309	98.37	15.10	228.	31.23	129.	498		
3.									
4.									
5.									

Absolute Potential: 5,100 MCFPD; n .85COMPANY JAMISON ENGR. CO.ADDRESS FARMINGTON, N.M.AGENT AND TITLE A.G. JAMISONWITNESSED SHAR-ALAN OIL CO.

COMPANY _____

REMARKS

22:30 ON
1:30 OFF

INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

Q = Actual rate of flow at end of flow period at W. H. working pressure (P_w).
MCF/da. @ 15.025 psia and 60° F.

P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater.
psia

P_w = Static wellhead working pressure as determined at the end of flow period.
(Casing if flowing thru tubing, tubing if flowing thru casing.) psia

P_t = Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia

P_f = Meter pressure, psia.

h_w = Differential meter pressure, inches water.

F_g = Gravity correction factor.

F_t = Flowing temperature correction factor.

F_{pv} = Supercompressability factor.

n = Slope of back pressure curve.

Note: If P_w cannot be taken because of manner of completion or condition of well, then P_w must be calculated by adding the pressure drop due to friction within the flow string to P_t .

RECEIVED

OCT 19 1961

U. S. GEOLOGICAL SURVEY
 LAS VEGAS, NEW MEXICO

Shaw-Alan Oil Co
 Posty - Federal #1 NIM 03993
 Rio Arriba Co. N Mex
 7-27-61

P_w (Thousands)

Q = 5100 MCF/D

Q = MCF/D

U. S. GEOLOGICAL SURVEY

U. S. GEOLOGICAL SURVEY

U. S. GEOLOGICAL SURVEY