JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

MAR 2 8 1997 ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507 **DULCE, NEW MEXICO 87528**

PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services Bayle	SS) Telephone: 324-3764
Address: 603 W. Elm Street Farmington, NM 8740	1
Facility or Well Name: Axi Apache	H-6 (P+A)
Location: Unit: H Sec. 6	T. 23 N R. 5 W County Rio Arriba
Pit Type: Separator Dehydrator	Other
Land Type:	-
Pit Location: Pit dimensions: length	/9' width /7' depth 7'
(Attach diagram) Reference: wellhead	other P+A marker
Footage from reference:	91
Direction from reference: 5+rmi	Let Degrees East North
· · · · · · · · · · · · · · · · · · ·	of South
Depth to Ground Water:	Less than 50 feet (20 points) 50 feet to 99 feet (10 points)
(Vertical distance from contaminents to seasonal high water elevation of ground water)	50 feet to 99 feet (10 points) Greater than 100 feet (0 points)
Wellhead Protection Area:	Yes (20 points) No (0 points)
(Less then 200 feet from a private domestic water source, or; less then 1,000 feet from all other water sources)	
Distance to Surface Water:	Less than 200 feet (20 points) 200 feet to 1,000 feet (10 points)
(Honzontal distance to perennel lakes, ponds, nivers, streams, creeks, irrigation canale and ditches)	Greater than 1,000 feet (10 points)
Distance to Ephemeral Stream (dry wash):	Less than or equal to 100 feet (10 points) Greater than 100 feet (0 points)
(Horizontal distance to all downgradient streams having a width of at least 10 feet)	(o points)
Distance to Nearest Lake, Playa, or Watering Pond:	Less than or equal to 100 feet (10 points) Greater than 100 feet (0 points)
(Honzontal distance to all downgradient lakes, playas, and investock or wildlife water ponds)	
	RANKING SCORE (TOTAL POINTS):

Date Remediation Started: 9/24/96	Date Completed: 11-7-96
Remediation Method: Excavation	Approx. Cubic Yards
(Check all Landfarmed Appropriate	Amount Landfarmed (cubic yds): 84
sections) Other	
Remediation Location: Onsite X (i.e., landfarmed onsite, name and location of offsite facility)	Offsite
General Description of Remedial Action: Removed confining ted Soil walls and pit bottom as hend space reading.	from All four side to get A below 100ppn
Ground Water Encountered: No X Yes	Depth
Final Pit Closure Sample Location North Sampling:	, East South West side
(if multiple samples, attach Sample depth 7 / sample result and diagram of sample locations and Sample date 9/24/9	6 Sample time /205
Sample Results	
Soil: Benzene (ppm)	Water: Benzene (ppb)
Total BTEX (ppm	Toluene (ppb)
Field headspace (ppm) $\frac{24}{100}$	Total Xvienes (ppb)
	(If yes, attach sample results)
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS KNOWLEDGE AND MY BELIEF.	TRUE AND COMPLETE TO THE BEST OF MY
a/p = /c	NTED NAME Ronald A. Dedrick
SIGNATURE Round A Deduck AN	ND TITLE Environmental Technician II
AFTER REVIEW OF THE PIT CLOSURE INFORMATION, TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANO	
APPROVED: YES X NO (REASO	ON):
SIGNED: DA	ATE: <u>9-30-96</u>

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Date:

26-Sep-96

Company: PNM Gas Services

COC No.:

5278

Address:

603 W. Elm

Sample No.

12271

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Services - Axi Apache H #6 Run 116

Project Location:

9609241205; 5pt. Composite EΡ

Date:

24-Sep-96 Time:

12:05

Sampled by: Analyzed by:

DC/HR

Date:

25-Sep-96

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	<5.0	ppm	100	95	4.5	15%

Matrix Spike


, , , , , , , , , , , , , , , , , , ,	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
Parameter	Necovered	7100010101			
Diesel Range (C10-C28)	111	95	(70-130)	11	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: (Date:

P.O. BOX 2606 • FARMINGTON, NM 87499

Axi Apache H-6 (P&A) Sec. 6 T23N RSW Bayless



JICARILLA APACHE TRIBE
ENVIRONMENTAL
PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528


SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator:	PNM Gas Services	Bayless	Telephone:	324-3764
Address:	603 W. Elm Street Farmin	gton, NM 87401		
Facility or W	ell Name:	Apache H	-6 (PAA	
Location:	Unit:	Sec. <u>4</u> T.	23 N R.	5 W County Rio Amba
Land Type:	Jicarilla Apache		_	
Date Remediati		24/96 _ <u>X</u> 	Date Comple Approx. cubic y	
Depth to Grou	ınd Water:	(pts.)		Final Closure Sampling:
	n Ephemeral Stream:	(pts.) <u>&</u>	Sampling	Date: 10/14/91 Time 1536
or Watering P	earest Lake, Playa, 'ond:	(pts.)	Sampling	
Wellhead Pro	tection Area:	(pts.) <u>8</u>	·	eadspace (ppm) $\frac{7.3}{20.9}$ Method $\frac{80.5}{20.5}$
	urface Water: Score (Total Point	(pts.) 8	Other	
I HEREBY CEI	RTIFY THAT THE INFORM	ATION ABOVE IS TRUE A	ND COMPLETE TO T	HE BEST OF MY KNOWLEDGE AND BELIEF
DATE	10/16/96	PRINTE	D NAME Roy	BURNHAM
SIGNATURE	Roy Burnha	m	AND TITLE Envi	ronmental Technician II
AFTER REVIE	EW OF THE SOIL REMEDIA PACHE TRIBE PIT CLOSUR	ATION INFORMATION, OF RE ORDINANCE	N-SITE REMEDIATION	APPROVED IN ACCORDANCE TO THE
APPROVED:	YES NO	(REASON)		
SIGNED:	Ital St-	.	DATE: 10/22/	91-

AxiApacle H-6 (P4A) Sec. 6 T23N R5W Bayless

LANd FArm



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Denver Bearden Attn:

Date:

18-Oct-96

Company: PNM Gas Services

COC No.:

5351

603 W. Elm Address:

Sample No.

12598

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Services - Axi Apache H-6 Landfarm Run 116

Project Location:

9610141536; 5pt. Composite

RB

Date:

14-Oct-96 Time:

15:36

Sampled by: Analyzed by: Sample Matrix:

DC/HR Soil

Date:

18-Oct-96

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	20.9	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

Parameter	Method Biank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	<5.0	ppm	100	102	1.6	15%

Matrix Snike

matrix opin			· · · · · · · · · · · · · · · · · · ·		T
	1- Percent	2 - Percent			
Parameter	Recovered	Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	93	97	(70-130)	3	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date: