JICARILLA APACHE TRIBE

ENVIRONMENTAL PROTECTION OFFICE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

P.O. BOX 507 DULCE, NEW MEXICO 87528

J. Byrosuce

PIT REMEDIATION AND CLOSURE REPORT

| Operator: PNM Gas Services | Telephone: | 324-3764 |
|--|---|---|
| Address: 603 W. Elm Street Farmingt | on, NM 87401 | |
| Facility or Well Name: Axi 190 | ache H-11 | |
| Location: Unit: Sec | . <u>5</u> T. <u>23 N</u> R. <u>5 W</u> co | ounty Rio Arriba |
| Pit Type: Separator X | ehydrator Other | |
| Land Type: | | |
| Pit Location: Pit dimensions: | length 1.5^{\prime} width 1.3^{\prime} | depth _/_2/ |
| (Attach diagram) Reference: | wellhead other | |
| Footage from refere | ence: 951 | |
| Direction from refer | | North |
| | of West | South |
| Depth to Ground Water: | Less than 50 feet | (20 points) |
| (Vertical distance from contaminants to seasonal high water elevation of ground water) | 50 feet to 99 feet Greater than 100 feet | (10 points) (0 points) |
| Wellhead Protection Area: | Yes No No | (20 points) (0 points) |
| (Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all other water sources). | | |
| I Distance to Surface Water | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) (0 points) |
| Distance to Ephemeral Stream (diry was (Horizontal distance to all downgradient streams having a width of at least 10 | Less than or equal to 100 feet Greater than 100 feet | (10 points) (0 points) |
| feet) Distance to Nearest Lake, Playa, or Wate Pond: (Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds) | Less than or equal to 100 feet Greater than 100 feet | (10 points) (0 points) |
| | RANKING SCORE (TOTAL P | OINTS): |

| Date Remediation Started: 9/25/96 | Date Completed: 11-7-96 |
|---|--|
| Remediation Method: Excavation | Approx. Cubic Yards & 7 |
| (Check all Landfarmed Appropriate | Amount Landfarmed (cubic yds): |
| sections) Other | |
| Remediation Location: Onsite (i.e., landfarmed onsite, name and location of offsite facility) | Offsite |
| General Description of Remedial Action: Removed confirminated Scarting below The division Botton const Toock Ground Water Encountered: No X Yes | Depth |
| Final Pit Closure Sample Location Nontless Sampling: | Eirst South Cent |
| (if multiple samples, attach sample result and diagram of sample locations and Sample date 9/25/4 | 96 Sample time 07.55 |
| Sample Results | |
| Soil: Benzene (ppm) | Water: Benzene (ppb) |
| Total BTEX (ppmO,OOQ5 | Toluene (ppb) |
| Field headspace (ppm) | Ethylbenzene (ppb) |
| TPH <5, & ppm Method | Total Xylenes (pph) |
| | (If yes, attach sample results) |
| CIONATURE DO LOCO DE L | TRUE AND COMPLETE TO THE BEST OF MY NTED NAME Ronald A. Dedrick ID TITLE Environmental Technician II |
| AFTER REVIEW OF THE PIT CLOSURE INFORMATION, F TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANC | |
| APPROVED: YES NO (REASO | DN): spray & close |
| SIGNED: DA | TE: 9-30-96 |

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Company: PNM Gas Services

Address:

603 W. Elm

City, State: Farmington, NM 87401

Date:

26-Sep-96

COC No.:

5281

Sample No.

12274

Job No.

2-1000

Project Name:

PNM Gas Services - Axi Apache H-11 Run 116

Project Location:

9609250755; 4pt. Composite

Date:

25-Sep-96 Time:

7:55

Sampled by: Analyzed by: EP DC/HR

Date:

25-Sep-96

Sample Matrix:

Soil

Laboratory Analysis

| Parameter | Result | Unit of Measure | Detection Limit | Unit of Measure |
|-----------------------------------|--------|--------------------|--------------------|--------------------|
| Diesel Range Organics (C10 - C28) | < 5.0 | mg/kg | 5.0 | mg/kg |

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

| Parameter | Method Blank | Unit of Measure | Tru e Value | Analyzed Value | % Diff | Limit |
|--------------------------|-----------------|--------------------|-----------------------|-------------------|--------|-------|
| Diesel Range (C10 - C28) | <5.0 | ppm | 100 | 101 | 1.3_ | 15% |

Matrix Snike


| Matrix Spike | <u>' </u> | | | | |
|------------------------|--|--------------------------|----------|------|-------|
| Parameter Parameter | 1- Percent Recovered | 2 - Percent Recovered | Limit | %RSD | Limit |
| Diesel Range (C10-C28) | 111 | 95 | (70-130) | 11 | 20% |


Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: (Date:

AXI Apriche_ H-11 Sec. 5 FABN RSO BAYless

meter house







LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn:

Denver Bearden

Date:

26-Sep-96

Company: PNM Gas Services

COC No.:

5281

Address:

Sample No.:

12274

City, State: Farmington, NM 87401

603 W. Elm

Job No.:

2-1000

Project Name:

PNM Gas Services - Axi Apache H-11 Run 116

Project Location:

9609250755; 4pt. Composite

Sampled by:

EP

Date:

25-Sep-96 Time:

7:55

Analyzed by: Sample Matrix: HR Soil Date:

25-Sep-96

Laboratory Analysis

| Parameter | | Result | Unit of Measure | Detection Limit | Unit of Measure |
|--------------|-------|--------|--------------------|--------------------|--------------------|
| Benzene | | 0.9 | ug/ kg | 0.2 | ug/kg |
| Toluene | | < 0.2 | ug/ kg | 0.2 | ug/kg |
| Ethylbenzene | | < 0.2 | ug/ kg | 0.2 | ug/kg |
| m,p-Xylene | | 1.6 | ug/kg | 0.2 | ug/kg |
| o-Xylene | | < 0.2 | ug/ kg | 0.2 | ug/ kg |
| | TOTAL | 2.5 | ug/ kg | | |

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by:

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

ON-SITE SOIL REMEDIATION REPORT

| Operator: PNM | I Gas Services (R | oyless) Tel | ephone: 324-3 | 764 | |
|--|--------------------------------------|--------------------------------------|----------------------------------|---|----------------|
| Address: 603 W. Eli | n Street Farmington, NM 8 | 7401 | | | |
| Facility or Well Name | : Axi Apa | che 14-1 | / | | |
| Location: Unit: | • | 5 r. 23 | | W County | Rio Arriba |
| Land Type: Jicanila | Apacne | | | | |
| Date Remediation Starte | Landfarmed X | | Date Completed: | 10/22/9 87 | |
| | Other | | | | |
| Depth to Ground Water Distance to an Epheme Distance to Nearest La or Watering Pond: Wellhead Protection A Distance to Surface W Ranking Score (1) | ke, Playa, (pts rea: (pts ater: (pts | s.) <u>&</u> s.) <u>&</u> | Sampling Date: Sampling Results: | inal Closure Sam 10/22/96 (ppm) <u>43.7</u> (ppm) <u><5.0</u> | Time 083) |
| | 22/96 Burnham | | | | DGE AND BELIEF |
| | E SOIL REMEDIATION INFO | | REMEDIATION APPRO | OVED IN ACCORDA | ANCE TO THE |
| SIGNED: | Maurel | DATE: | 10-28 | -96 | - |

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Denver Bearden Attn:

Date:

23-Oct-96

Company: PNM Gas Services

COC No.:

5370

Address:

603 W. Elm

Sample No.

12668

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Services - Axi Apache H-11 Landfarm Run 116

Project Location:

9610220831; 5pt. Composite

Sampled by:

RB DC/HR Date: Date: 22-Oct-96 Time:

23-Oct-96

8:31

Analyzed by: Sample Matrix:

Soil

Laboratory Analysis

| Parameter | Result | Unit of Measure | Detection Limit | Unit of Measure |
|-----------------------------------|--------|--------------------|--------------------|--------------------|
| Diesel Range Organics (C10 - C28) | < 5.0 | mg/kg | 5.0 | mg/kg |

Quality Assurance Report

DRO QC No.:

0489-QC

Calibration Check

| Parameter | Me thod Blank | Unit of Measure | True Value | Analyzed Value | % Diff | Limit |
|--------------------------|-------------------------|--------------------|---------------|-------------------|--------|-------|
| Diesel Range (C10 - C28) | < 5.0 | ppm | 100 | 96 | 3.6 | 15% |

Matrix Spike

| Parameter | 1- Percent Recovered | 2 - Percent Recovered | Limit | %RSD | Limit |
|------------------------|-------------------------|--------------------------|----------|------|-------|
| Diesel Range (C10-C28) | 95 | 97 | (70-130) | 1 | 20% |

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date:

AxIApache H-11 Sec. 5 T23N R5W Bayless

LANd farm

| | | cciell hend |
|---------|------------|-------------|
| | le 7 1 | 21 |
| il.lppm | | 9.8pm |
| • | 43.7 ppm | |
| | 3 . | 15.1ppm 45 |