

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER temporarily shut-in

2. NAME OF OPERATOR
CONOCO INC.

3. ADDRESS OF OPERATOR
P. O. Box 460, Hobbs, N.M. 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface Unit M

RECEIVED

DEC 20 1985

14. PERMIT NO. 990' FSL & 990' FWL
30-039-08084

15. ELEVATIONS (Show whether at surface or at depth)
BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

5. LEASE DESIGNATION AND SERIAL NO.

Contract No. 45

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

AXI Apache P

9. WELL NO.

3

10. FIELD AND POOL, OR WILDCAT

Ballard Pictured Cliffs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 17-23N-4W

12. COUNTY OR PARISH 13. STATE

Rio Arriba NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

Plug & abandon

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

① MIRU

② set CIBP @ 2425'

③ Spot 25 sxs class "C" Neat from 2425'-1783'. WOC for 12 hrs. I TOC below 1783', spot cmt from TOC to 1783'.

④ Pull tubing out of cmt & fill hole w/ weighted plr fluid.

⑤ Pull tubing up to 642' and spot 25 sxs class "C" Neat cmt to surface.

⑥ Cut csg a minimum of 3' below final restored ground level and erect abandonment marker.

⑦ Clean location

⑧ Attached are proposed P & A'd wellbore and completion sketches

DEC 31 1985

CON. DIV.

DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Administrative Supervisor

AS AMENDED 17-85

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DEC 31 1985


DATE

*See Instructions on Reverse Side

NMOCC

P&A MARKER INCLUDES THE FOLLOWING:

"AXI APACHE P No. 3"
 "M-17-23N-4W"



BRIAN HORANOFF

12 3-85

PROPOSED P&A OF THE

AXI APACHE AREA

AXI APACHE "P" NO 3

LOCATION: 990' FSL + FWL OF SECTION 17, T-23N, R4W, RIO ARriba CO.

SPUDDED: 29 JULY, 1966

COMPLETED: 15 SEPT, 1966

PICTURED CHUFFS


PERFED 2473'-80', 2467'-89', 2495'-97', 2501'-03'

FRACED w/ 23,912 gal's WATER 35,000 # SAND

IPF 150 mcfps

15 SEPT, 1966 SI - UNECONOMIC

1 SEPT, 1985 THIS WELL HAS PRODUCED 21 MMCFG
SINCE 1966, BUT HAS BEEN SHUT-IN
SINCE 15 SEPT, 1966.



BAH

11-5-85