Form 9-331		UNITED STATE		SUBMIT IN TRIPLICATE*	Form approv	ed. au No. 42R1424.	
(May 1963)	DEPART	DEPARTMENT OF THE INTERIOR (Other instructions on re-				AND SERIAL NO.	
	(GEOLOGICAL SUF	Contract No. 412				
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME					
(Do not use	JNDRY NOT this form for proportion Use "APPLIC	Jicarilla Apache					
OIL X GAS WELL		7. UNIT AGREEMENT NAME					
2. NAME OF OPERATO		8. FARM OR LEASE NAME					
Dave M	Thomas, Ji	Chacon Jicarilla					
3. ADDRESS OF OPER		Apache "D"					
••	x 2026, Fa	5					
4. LOCATION OF WEL	K ZUZU, IC	10. FIELD AND POOL, OR WILDCAT					
See also space 17	below.)	i					
					Chacon Dakota 11. SEC., T., R., M., OR BLE. AND		
330'FN	L, 2310'FV	ИL			SURVEY OR ARMA		
		Sec.16-T23N					
		1 15 Francesco (Ch.		on etc.)	N.M.P.N 12. COUNTY OR PARISH	1 12 smarr	
14. PERMIT NO.			15. ELEVATIONS (Show whether DF, RT, GR, etc.)			New Mexico	
7359'GR,7372'DF, 7373'KB				373 IW	Rio Arriba	Fiew 1em200	
16.	Check A	• • •	dicate Natur		UENT REPORT OF:	F	
TEST WATER SH	DT-OFF	PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING V	WELL	
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING C.	ASING	
SHOOT OR ACIDIZ	;B	ABANDON*		SHOOTING OR ACIDIZING	ABANDONME	NT*	
REPAIR WELL		CHANGE PLANS		(Other)			
(Other)				(Note: Report results Completion or Recompl	of multiple completion etion Report and Log for	on well	
17. DESCRIBE PROPOSI proposed work nent to this wo	. If well is direct	PERATIONS (Clearly state a ionally drilled, give subst	ill pertinent det irface locations	alls, and give pertinent dates, and measured and true vertice	including estimated dat al depths for all marker	e of starting any s and sones perti-	
9-27-76							
Spud wel	1.						
9-28-76 T.							
		/g" 24 0 1h	K-55	casing (241.14'). Set at 2	258 - 14 '	
Ran 6 Jo	THUS, 0-5,	/O , 24.0 ID		Calcium Chlorid	$\frac{1}{10}$	· · · · · · · · · · · · · · · · · · ·	
with 200 sa	CKS CLass	"B" cement	with 2%	Calcium Chloric	ie and 1/4 in	, , , , , , , , , , , , , , , , , , ,	
Flocele per	sack. C	ement circula	ated. T	est with 500 ps	sig. Test Of	S.	
10-19-76 I	. D. 7700	•					
Ran 246	jts., 4-1	/2", 10.50 1	b. & 11.	60 lb., K-55, S - 100 sacks Hal	ST&C & LT&C,	casing	
(/684').	et at 709	o ATCH LITE	t stage	Parada UNU additi	C 1/4 lba	Cilconin	
gel, cement	followed	by 200 sack	s 50-50	Pozmix "A" with	0-1/4 IDS.	GTTSOUTE	
per sack, 0	.05% CFR-	2 and 6 lbs.	salt pe	er sack. Second by 50 sacks Clas	i stage - 100 ss "B" Neat o) sacks cement.	
Halliburton	. magne,		P 1 40				
Stage cemer	ting tool	at 335/.			REC	ELAED	
					NOV 1	7 1076	

NOV 1 7 1976

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

For: Dave M. Thomas, or.						
18. I hereby certify that the foregoing is rue and correct	11001010,					
SIGNED EWOLL WALSH P. F.	TITLE & Product	ion Corp.	DATE Novem	ber 12,1976		
(This space for Federal or State office use)		<i>f</i>				
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE		DATE			
	- 1 V					

O S Y I S S S (A)

VEN BO SACROPERO 2 .U DEPOS DE POSACI