

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Amoco Production Company
3. ADDRESS OF OPERATOR
501 Airport Drive Farmington, NM 87401
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 800' FNL X 970' FEL
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) completion	<input type="checkbox"/>	<input type="checkbox"/>

5. LEASE
Jicarilla 396
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Jicarilla Apache Tribe
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Jicarilla Tribal 396
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Chacon Dakota
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
NE/4, NE/4
Section 8, T23N, R3W
12. COUNTY OR PARISH
Rio Arriba
13. STATE
New Mexico
14. API NO.
30-039-22306
15. ELEVATIONS (SHOW DF, KDB, AND WD)
7294' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Completion operations commenced on 7-17-80. Total depth of the well is 7639', and plug back depth is 7590'. Perforated interval from 7252-7274', 7284-7296', and 7362-7370', with 2 spf, a total of 100, .38" holes. Sand-water fraced with 72,000 gal of frac fluid, and 262,000# of 20-40 sand. Perforated interval from 6320-6334', 6353-6378', 6422-6448', 6282-6290', 6264-6274', and 6232-6250', with 2 spf, a total of 202, .38" holes. Sand-water fraced with 157,000 gal of frac fluid, and 448,000# of 20-40 sand.

Landed 2-7/8" tubing at 7401'. Swabbed the well and released the rig on 7-26-80.

RECEIVED

AUG 14 1980

Sat @ Ft.

Subsurface Safety Valve: Mann. and Type

18. I hereby certify that the foregoing is true and correct

Original Signed By

SIGNED E. E. SVOBODA

TITLE

Dist. Adm. Supvr

DATE

8-13-80

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

NMOCC