



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178

OIL CONSERVATION DIVISION
BOX 2088
SANTA FE, NEW MEXICO 87501

DATE 9/2/85

RE: Proposed MC _____
Proposed DHC _____
Proposed NSL _____
Proposed SWD _____
Proposed WFX _____
Proposed PMX _____

Gentlemen:

I have examined the application dated Sept 2, 1985
for the BCO State H 43 M-2-23N-5W
Operator Lease and Well No. Unit, S-T-R

and my recommendations are as follows:

Approve

Yours truly,

Frank D. [Signature]

PADILLA & SNYDER

ATTORNEYS AT LAW

200 W. MARCY, SUITE 212

P.O. BOX 2523

SANTA FE, NEW MEXICO 87504-2523

(505) 988-7577

September 1, 1987

RECEIVED
SEP 02 1987
OIL CON. DIV.
DIST. 3

HAND-DELIVERED

William J. Lemay
Director, N. M. Oil Conservation Division
State Land Office Building
Santa Fe, New Mexico 87501


Re: Application of BCO, Inc. for Downhole
Commingling, Rio Arriba County, New Mexico

Dear Mr. Lemay:

Enclosed in duplicate, for administrative approval, is the application of BCO, Inc. for downhole commingling in Rio Arriba County, New Mexico. Should you need additional information please do not hesitate to call us.

In addition, by copy of this letter we are sending a complete copy of the application to offset operators and to Mr. Frank Chavez, the Division's Aztec District Supervisor. A waiver form, attached hereto is also being sent to offset operators so that they may indicate their approval or disapproval of the application.

Very truly yours,


Ernest L. Padilla

ELP:njp

Enclosure as stated

cc: Mr. Frank Chavez - OCD, Aztec, N.M. - 1st Class
Hixon Development - Certified Mail
Union Texas Petroleum - Certified Mail
Alexander Energy - Certified Mail
Department of the Interior - Certified Mail

BEFORE THE OIL CONSERVATION DIVISION

In the Matter of the Application
of BCO, Inc. for administrative
approval of Downhole Commingling,
Rio Arriba County, New Mexico

No. _____

APPLICATION

Applicant, BCO, Inc., by and through its undersigned attorneys, and in support of this application pursuant to Rule 303(C) of the General Rules and Regulations of The Division states as follows:

1. Applicant is the operator of certain oil and gas working interests in Section 16, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico (said lands).

2. Applicant is drilling a well within said lands and has intentions of drilling additional wells thereon and requests to commingle the production of the Basin Dakota, Lybrook-Gallup and Greenhorn pools and formation encountered in such wells.

3. Applicant operates and has drilled other wells on lands adjoining and in the immediate area of said lands and has previously obtained permission to downhole commingle within the wellbores of wells located on such lands as follows:

(a) By Division Order R-5310 (Exhibit A), to commingle Lybrook-Gallup, Basin-Dakota, undesignated Greehorn, and Mancos Stringer within the well-bore of the Dunn Well No. 2 located in Unit F of Section 10 Township 23 North, Range 7 West.

(b) By Division Order R-6719 (Exhibit B), to downhole commingle within the wellbores of wells located on such lands as follows:

Township 23 North, Range 7 West

(1) Dunn Well No. 3

Unit I of Section 3

(2) State H Well No. 3

Unit M of Section 2

(3) State H Well No. 4

Unit D of Section 2

(c) By Division Order No. R-6929 (Exhibit C), to commingle the production from the Lybrook-Gallup (including the Greenhorn formation) and Basin Dakota pool within the wellbore of wells located in Sections 2, 3, 4, 9 and 10 of Township 23 North, Range 7 West, NMPM, Rio Arriba County.

5. Production from the Basin-Dakota, Lybrook-Gallup and Greenhorn pools and formations thereof are capable of low production only, all of which are oil producing zones.

6. The proposed commingling may result in the recovery of additional hydrocarbons from each of the subject formations and pools thereof, thereby preventing waste.

7. The reservoir characteristics of each of the subject pools and formations thereof are such that underground waste would not be caused by the proposed commingling.

8. Approval of this application will not impair correlative rights.

9. In accordance with Rule 303(C) of the General Rules of the Division:

(a) The production from the commingled zones will meet the standards set forth in 303(C)(a)(1).

(b) The oil zones will require artificial lift.

(c) Neither zone produces more water than combined oil.

(d) The fluids from each zone are compatible with each other.

(e) Total value of the crude will not be reduced by commingling.

(f) Ownership of the zones is common.

(g) Commingling will not jeopardize the efficiency of present or future secondary recovery operations.


10. Attached hereto and incorporated herein by reference are Exhibits A through H in support of this application and which meet the requirements of Rule 303(C)(2).

WHEREFORE, Applicant respectfully requests:

1. That the Division enter its order approving this application
2. And for such other relief as the Division may deem appropriate in the premises.

Respectfully submitted,

PADILLA & SNYDER

By: 

Ernest L. Padilla
Post Office Box 2523
Santa Fe, New Mexico 87504-2523
(505) 988-7577
Attorneys for Applicant

LIST OF EXHIBITS

Exhibit A	Order R-5310
Exhibit B	Order R-6719
Exhibit C	Order R-6929
Exhibit D	Operator List
Exhibit E	Plat
Exhibit F	Production Information
Exhibit G	Well Completion, Reports
Exhibit H	Allocation Recommendation

EXHIBIT A

IN THE MATTER OF THE HEARING
CALLED BY THE OIL CONSERVATION
COMMISSION OF NEW MEXICO FOR
THE PURPOSE OF CONSIDERING:

CASE NO. 5736
Order No. R-5310

APPLICATION OF BCO INC. FOR
DOWNHOLE COMMINGLING, RIO
ARRIBA COUNTY, NEW MEXICO.

BEFORE EXAMINER	DATE
OIL CONSERVATION DIVISION	
EXHIBIT NO.	3
CASE NO.	
Submitted by	
COMMISSION	
Hearing Date	

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 a.m. on September 29, 1976, at Santa Fe, New Mexico, before Examiner Daniel S. Nutter.

NOW, on this 27th day of October, 1976, the Commission a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

(1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant, ECO Inc., is the owner and operator of the Dunn Well No. 2, located in Unit F of Section 10, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico.

(3) That the applicant seeks authority to commingle Lybrook Gallup, Basin-Dakota, undesignated Greenhorn, and Mancos stringer production within the wellbore of the above-described well.

(4) That from each of the aforesaid pools and zones, the subject well is capable of low marginal production only.

(5) That the proposed commingling may result in the recovery of additional hydrocarbons from each of the subject pools and zones, thereby preventing waste, and will not violate correlative rights.

(6) That the reservoir characteristics of each of the subject pools and zones are such that underground waste would not be caused by the proposed commingling provided that the well is not shut-in for an extended period.

(7) That to afford the Commission the opportunity to assess the potential for waste and to expeditiously order appropriate

remedial action, the operator should notify the Aztec district office of the Commission any time the subject well is shut-in for 7 consecutive days.

(8) That in order to allocate the commingled production to each of the commingled zones in the subject well, applicant should consult with the supervisor of the Aztec district office of the Commission after completion of the well to determine an allocation formula for the Mancos-Gallup production and the Greenhorn-Dakota production.

IT IS THEREFORE ORDERED:

(1) That the applicant, BCO Inc., is hereby authorized to commingle Lybrook-Gallup, Basin-Dakota, undesignated Greenhorn and Mancos stringer production within the wellbore of the Dunn Well No. 2, located in Unit F of Section 10, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico.

(2) That upon completion of the well, applicant shall consult with the supervisor of the Aztec district office of the Commission and determine an allocation formula for the Mancos-Gallup production and the Greenhorn-Dakota production.

(3) That the operator of the subject well shall immediately notify the Commission's Aztec district office any time the well has been shut-in for 7 consecutive days and shall concurrently present, to the Commission, a plan for remedial action.

(4) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION COMMISSION

PHIL R. LUCERO, Chairman

EMERY C. ARNOLD, Member

JOE D. RAMEY, Member & Secretary

S E A L

jx/

EXHIBIT B

REGY AND MINERALS DEPART
IL CONSERVATION DIVISIO.

IN THE MATTER OF THE HEARING
CALLED BY THE OIL CONSERVATION
DIVISION FOR THE PURPOSE OF
CONSIDERING:

APPLICATION OF BCO, INC. FOR
DOWNHOLE COMMINGLING, RIO ARRIBA
COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

CASE NO. 1272
BEFORE EXAMINER STANLEY S
Order No. R-6719
OIL CONSERVATION DIVISION
EXHIBIT NO. 2
CASE NO. _____
Submitted by _____
Hearing Date _____

This cause came on for hearing at 9 a.m. on June 17, 1981,
at Santa Fe, New Mexico, before Examiner Daniel S. Nutter.

NOW, on this 1st day of July, 1981, the Division
Director, having considered the testimony, the record, and the
recommendations of the Examiner, and being fully advised in the
premises,

FINDS:


(1) That due public notice having been given as required
by law, the Division has jurisdiction of this cause and the
subject matter thereof.

✓ (2) That the applicant, BCO, Inc., is the owner and operator
of the Dunn Well No. 3 located in Unit I of Section 3 and State
H Wells Nos. 3 and 4, located in Units M and D, respectively,
of Section 2, Township 23 North, Range 7 West, NMPM, Rio Arriba
County, New Mexico.

✓ (3) That the applicant seeks authority to commingle
Lybrook-Gallup and Basin-Dakota production within the wellbores
of the above-described wells.

(4) That from the Basin-Dakota zone, the subject wells
are capable of low marginal production only.

(5) That from the Lybrook-Gallup zone, the subject wells
are expected to be capable of low marginal production only.



BCO, INC.

(6) That the proposed commingling may result in the recovery of additional hydrocarbons from each of the subject pools, thereby preventing waste, and will not violate correlative rights.

(7) That the reservoir characteristics of each of the subject zones are such that underground waste would not be caused by the proposed commingling provided that the wells are not shut-in for an extended period.

(8) That to afford the Division the opportunity to assess the potential for waste and to expeditiously order appropriate remedial action, the operator should notify the Aztec district office of the Division any time the subject wells are shut-in for 7 consecutive days.

(9) That in order to allocate the commingled production to each of the commingled zones in the wells, applicant should consult with the supervisor of the Aztec district office of the Division and determine an allocation formula for each of the production zones.

IT IS THEREFORE ORDERED:

(1) That the applicant, BCO, Inc., is hereby authorized to commingle Lybrook-Gallup and Basin-Dakota production within the wellbores of the Dunn Well No. 3 located in Unit I of Section 3 and State Wells Nos. 3 and 4, located in Units M and D, respectively, of Section 2, Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico.

(2) That the applicant shall consult with the Supervisor of the Aztec district office of the Division and determine an allocation formula for the allocation of production to each zone in each of the subject wells.


(3) That the operator of the subject wells shall immediately notify the Division's Aztec district office any time the wells have been shut-in for 7 consecutive days and shall concurrently present, to the Division, a plan for remedial action.

(4) That jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

Case No. 7279
Order No. R-67


DONE at Santa Fe, New Mexico, on the day and year herein-
above designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION


JOE D. RAMEY
Director

S E A L

fd/



B C O, INC.

EXHIBIT C

IN THE MATTER OF THE HEARING
CALLED BY THE OIL CONSERVATION
DIVISION FOR THE PURPOSE OF
CONSIDERING:

CASE NO. 7505
Order No. R-6929

APPLICATION OF BCO, INC. FOR
DOWNHOLE COMMINGLING, RIO ARRIBA
COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 9 a.m. on March 16, 1982 at Santa Fe, New Mexico, before Examiner Richard L. Stamets.

NOW, on this 26th day of March, 1982, the Division Director, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the premises,

FINDS:

(1) That due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant, BCO, Inc., is the owner and operator of certain wells and leases in Sections 2, 3, 4, 9, and 10, Township 23 North, Range 7 West, Rio Arriba County, New Mexico.

(3) That the applicant seeks authority to commingle Lybrook-Gallup (including the Greenhorn formation) and Basin-Dakota production within the wellbore of its current and future wells in said five sections.

(4) That from each of said zones, wells within the subject area are and are expected to be capable of low marginal production only.

(5) That the proposed commingling may result in the recovery of additional hydrocarbons from each of the subject pools, thereby preventing waste, and will not violate correlative rights.

(6) That the reservoir characteristics of each of the subject zones are such that underground waste would not be caused by the proposed commingling provided that any well therein is not shut-in for an extended period.

(7) That to afford the Division the opportunity to assess the potential for waste and to expeditiously order appropriate remedial action, the operator should notify the Aztec district office of the Division any time any commingled well in the subject area is shut-in for 7 consecutive days.

(8) That in order to allocate the commingled production to each of the commingled zones in any well in the subject area, applicant should consult with the supervisor of the Aztec district office of the Division and determine an allocation formula for each of the production zones.

IT IS THEREFORE ORDERED: ---

(1) That the applicant, BCO, Inc., is hereby authorized to commingle Lybrook-Gallup (including the Greenhorn formation) and Basin-Dakota production within the wellbore of its current or future wells in Sections 2, 3, 4, 9, and 10 of Township 23 North, Range 7 West, NMPM, Rio Arriba County, New Mexico.


(2) That the applicant shall consult with the Supervisor of the Aztec district office of the Division and determine an allocation formula for the allocation of production to each zone in any well downhole commingled under terms of this order.

(3) That the operator shall immediately notify the Division's Aztec district office any time any well downhole commingled under terms of this order has been shut-in for 7 consecutive days and shall concurrently present, to the Division, a plan for remedial action.

(4) That jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION


JOE D. RAMEY
Director

S E A L
fd/

OPERATOR:

BCO, INC.
135 Grant Avenue
Santa Fe, New Mexico 87501

OFFSET OPERATORS:

HIKON DEVELOPMENT
Post Office Box 2810
Farmington, New Mexico 87499
Attention: Aldrich L. Kuchera

UNION TEXAS PETROLEUM
375 U.S. HWY 64
Farmington, New Mexico 87401
Attention: Bob Frank

ALEXANDER ENERGY
Triad Center
Suite 600
501 NW Expressway
Oklahoma City, Oklahoma 73118
Attention: Roger Alexander

DEPARTMENT OF THE INTERIOR
Bureau of Land Management
Caller Service 4104
Farmington, New Mexico 87499
Attention: Ron Fellows

EXHIBIT D

EXHIBIT E

Area of Application

Offset Areas

Operator Name

TOWNSHIP 23 NORTH, RANGE 7 WEST, 0272 OG

ALEXANDER
ENERGY
CORPORATION

UNION TEXAS

HIXON DEVELOPMENT

BCO

AREA OF APPLICATION

HIXON DEVELOPMENT

UNLEASED
USA

BCO

BCO

20

21

22

NM16536
GSLse

EXHIBIT F

WELL S T A JAN FEB MAR APRIL MAY JUNE JULY AUG SEPT OCT NOV DEC 1986 PROD HP ACCUM

WELL S T A	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC 1986	PROD HP	ACCUM
UNDES GRANERO (SJI) 5M TO 8M	GR													
HARRY L. BIGGER													4671	
1224N 8M OIL RECOMPLETED TO UNDES MANCOS (SJI) 6M TO 7M														
UNDES GRANERO (SAND) 5M TO 6M	GR													
DEWEY A. GLOVER, JR.													12864	
1224N 3M OIL PLUGGING APPROVED 1970														
UNDES OAKOTA (SAND) 7M TO 8M	DK													
AMOCO PRODUCTION CO														
AMOCO FEDERAL OIL COMPANY													U	1280
1224N 2M OIL LAST PROD. DATE 04/85														
UNDES OAKOTA (SAND) 7M TO 8M	DK													
NORTH AMERICAN EXPLORATION CORP														
CROSSWELL														2817
1224N 2M OIL PLUGGING APPROVED 1977														
UNDES PARADOX (SJI) 7M TO 8M	PP													
SUN OIL COMPANY														
HAVAJI 1281E MESA														
1224N 1M OIL PLUGGING APPROVED 1972														22302
1224N 1M OIL PLUGGING APPROVED 1972														47533
COMPANY TOTAL OIL														69835
UNDES. OJO ALAMO (SJI)	DA													
LEE W. CRANE														
MARTIN														
1224N 1M OIL		431	265	556	595	481	405	348	422	404	414	408	255	4984
1224N 1M OIL														4264

COPY

CONTINUED LINCOLN CALLUP-DARKEST

WELL NO.	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC 1984	4Q	ACCUM
3E 3244 SM	69	176	69	177	143	147	125	133				31	1239F	39618
4E 3244 SM	4638	5460	6139	7816	4	6677	6223	5671				4531	4764F	17437
5E 3244 SM	23	23	45	30	28	43	22	14				2520	1242F	15630
6E 3244 SM	2347	1995	1600	48	3	10	2009	1833				1712	1780F	1861
7E 3244 SM	82	2417	263	1832	2346	2439	2219	1553				1712	1780F	1861
8E 3244 SM	983	749	946	979	746	731	534	407				9301	9301F	597
9E 3244 SM	1286	1302	1001	1231	1090	1278	1249	936				250	2912F	136320
LEASE TOTAL	226	433	285	486	349	332	339	232				14133	154674	11601
JICARILLA W	38	62	36	51	33	79	39	2234				1427	4309F	15882
14 3244 SM	4059	5059	3902	3813	3136	4523	3461	2234				564	1007F	1226
24 3244 SM	1649	1129	1290	483	117	257	201	2256				52	12673	1080
30 3244 SM	20	15	10	12	27	273	208	1598				200	2014F	25789
LEASE TOTAL	123	97	89	453	311	249	211	128				564	14690	9557
JICARILLA O	7943	8440	7688	6498	18634	14610	19724	16363				53	118241	264798
COMPANY TOTAL	263	965	45820	46944	44903	62685	93516	84355	15336	16868	6112	799	7907	5
LAST PRCD. DATE	02/85													

LONE PINE OAKS D. ON TO SM

GASIN FUELS INCORPORATED

15 3244 SM OIL PLUGGING APPROVED 1975

FENSCO OIL COMPANY

15 3244 SM OIL PLUGGING APPROVED 1984
 16 3244 SM OIL PLUGGING APPROVED 1980
 17 3244 SM OIL PLUGGING APPROVED 1975
 18 3244 SM OIL PLUGGING APPROVED 1981
 19 3244 SM OIL PLUGGING APPROVED 1980
 20 3244 SM OIL PLUGGING APPROVED 1984
 21 3244 SM OIL PLUGGING APPROVED 1984
 22 3244 SM OIL PLUGGING APPROVED 1984
 23 3244 SM OIL PLUGGING APPROVED 1984
 24 3244 SM OIL PLUGGING APPROVED 1984
 25 3244 SM OIL PLUGGING APPROVED 1984
 26 3244 SM OIL PLUGGING APPROVED 1984
 27 3244 SM OIL PLUGGING APPROVED 1984
 28 3244 SM OIL PLUGGING APPROVED 1984
 29 3244 SM OIL PLUGGING APPROVED 1984
 30 3244 SM OIL PLUGGING APPROVED 1984
 31 3244 SM OIL PLUGGING APPROVED 1984
 32 3244 SM OIL PLUGGING APPROVED 1984
 33 3244 SM OIL PLUGGING APPROVED 1984
 34 3244 SM OIL PLUGGING APPROVED 1984
 35 3244 SM OIL PLUGGING APPROVED 1984
 36 3244 SM OIL PLUGGING APPROVED 1984
 37 3244 SM OIL PLUGGING APPROVED 1984
 38 3244 SM OIL PLUGGING APPROVED 1984
 39 3244 SM OIL PLUGGING APPROVED 1984
 40 3244 SM OIL PLUGGING APPROVED 1984
 41 3244 SM OIL PLUGGING APPROVED 1984
 42 3244 SM OIL PLUGGING APPROVED 1984
 43 3244 SM OIL PLUGGING APPROVED 1984
 44 3244 SM OIL PLUGGING APPROVED 1984
 45 3244 SM OIL PLUGGING APPROVED 1984
 46 3244 SM OIL PLUGGING APPROVED 1984
 47 3244 SM OIL PLUGGING APPROVED 1984
 48 3244 SM OIL PLUGGING APPROVED 1984
 49 3244 SM OIL PLUGGING APPROVED 1984
 50 3244 SM OIL PLUGGING APPROVED 1984
 51 3244 SM OIL PLUGGING APPROVED 1984
 52 3244 SM OIL PLUGGING APPROVED 1984
 53 3244 SM OIL PLUGGING APPROVED 1984
 54 3244 SM OIL PLUGGING APPROVED 1984
 55 3244 SM OIL PLUGGING APPROVED 1984
 56 3244 SM OIL PLUGGING APPROVED 1984
 57 3244 SM OIL PLUGGING APPROVED 1984
 58 3244 SM OIL PLUGGING APPROVED 1984
 59 3244 SM OIL PLUGGING APPROVED 1984
 60 3244 SM OIL PLUGGING APPROVED 1984
 61 3244 SM OIL PLUGGING APPROVED 1984
 62 3244 SM OIL PLUGGING APPROVED 1984
 63 3244 SM OIL PLUGGING APPROVED 1984
 64 3244 SM OIL PLUGGING APPROVED 1984
 65 3244 SM OIL PLUGGING APPROVED 1984
 66 3244 SM OIL PLUGGING APPROVED 1984
 67 3244 SM OIL PLUGGING APPROVED 1984
 68 3244 SM OIL PLUGGING APPROVED 1984
 69 3244 SM OIL PLUGGING APPROVED 1984
 70 3244 SM OIL PLUGGING APPROVED 1984
 71 3244 SM OIL PLUGGING APPROVED 1984
 72 3244 SM OIL PLUGGING APPROVED 1984
 73 3244 SM OIL PLUGGING APPROVED 1984
 74 3244 SM OIL PLUGGING APPROVED 1984
 75 3244 SM OIL PLUGGING APPROVED 1984
 76 3244 SM OIL PLUGGING APPROVED 1984
 77 3244 SM OIL PLUGGING APPROVED 1984
 78 3244 SM OIL PLUGGING APPROVED 1984
 79 3244 SM OIL PLUGGING APPROVED 1984
 80 3244 SM OIL PLUGGING APPROVED 1984
 81 3244 SM OIL PLUGGING APPROVED 1984
 82 3244 SM OIL PLUGGING APPROVED 1984
 83 3244 SM OIL PLUGGING APPROVED 1984
 84 3244 SM OIL PLUGGING APPROVED 1984
 85 3244 SM OIL PLUGGING APPROVED 1984
 86 3244 SM OIL PLUGGING APPROVED 1984
 87 3244 SM OIL PLUGGING APPROVED 1984
 88 3244 SM OIL PLUGGING APPROVED 1984
 89 3244 SM OIL PLUGGING APPROVED 1984
 90 3244 SM OIL PLUGGING APPROVED 1984
 91 3244 SM OIL PLUGGING APPROVED 1984
 92 3244 SM OIL PLUGGING APPROVED 1984
 93 3244 SM OIL PLUGGING APPROVED 1984
 94 3244 SM OIL PLUGGING APPROVED 1984
 95 3244 SM OIL PLUGGING APPROVED 1984
 96 3244 SM OIL PLUGGING APPROVED 1984
 97 3244 SM OIL PLUGGING APPROVED 1984
 98 3244 SM OIL PLUGGING APPROVED 1984
 99 3244 SM OIL PLUGGING APPROVED 1984
 100 3244 SM OIL PLUGGING APPROVED 1984

COMPANY TOTAL OIL

LYBROCK CALLUP GP SM TO 6M

WELL NO.	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC 1984	4Q	ACCUM
1E 3244 SM	56	46	52	46	55	50	40	44	45	36	46	42	585G	21352
2E 3244 SM	168	138	154	138	165	150	120	132	135	108	138	128	1812	76281
3E 3244 SM	302	33	43	65	96	92	94	90	88	69	83	84	13509	148951
4E 3244 SM	205	195	220	175	2	38	72	81	88	97	118	118	1407G	225242
LEASE TOTAL	233	228	213	196	130	146	171	174	166	166	207	207	2275	4079
10E 3244 SM	166	1426	1828	1638	2999	367	354	336	2168	2615	2197	25838	10142	21904
11E 3244 SM	1278	1308	903	903	259	259	259	259	259	259	259	259	259	12910
12E 3244 SM	204	2691	2889	2719	2612	2612	2612	2612	2612	2612	2612	2612	2612	11232
13E 3244 SM	103	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	23419
14E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	15769
15E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	17698
16E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	14294
17E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	22813
18E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	3409
19E 3244 SM	107	101	106	1150	972	945	1028	945	1070	1067	1110	1092	1231	158149
LEASE TOTAL	242	213	213	213	213	213	213	213	213	213	213	213	213	15277
20E 3244 SM	14	14	22	23	21	21	21	21	21	21	21	21	21	9220
21E 3244 SM	223	333	443	443	443	443	443	443	443	443	443	443	443	24461
22E 3244 SM	430	440	440	440	440	440	440	440	440	440	440	440	440	21839
23E 3244 SM	430	440	440	440	440	440	440	440	440	440	440	440	440	14996
24E 3244 SM	225	225	225	225	225	225	225	225	225	225	225	225	225	

COPY

WELL S T A	JAN	FEB	MAR	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC 1986	PROD MP	ACCUH
AD 223N 7m	308	303	4308	4116	3708	3703	3882	4057	4313	308	263	4296	3214P	25913
LEASE TOTAL	308	303	4308	4116	3708	3703	3882	4057	4313	308	263	4296	3214P	25913
COMPANY TOTAL	308	303	4308	4116	3708	3703	3882	4057	4313	308	263	4296	3214P	25913
BUNSON OIL INDUSTRIES														
15 423N 7m	83	162	1582	934	1177	485	555	781	57	31	43	48	1184P	29669
2P 423N 7m	230	247	475	457	383	372	386	337	340	293	301	299	3700P	19604
LEASE TOTAL	230	247	475	457	383	372	386	337	340	293	301	299	3700P	19604
COMPANY TOTAL	230	247	475	457	383	372	386	337	340	293	301	299	3700P	19604
HANSON FEDERAL														
1L 323N 7m	222	2126	2504	1401	1766	125	133	1172	1005	513	1336	1039	1788P	67639
2N 323N 7m	175	319	2156	135	155	158	140	151	135	279	103	2188	3717P	9845
LEASE TOTAL	175	319	2156	135	155	158	140	151	135	279	103	2188	3717P	9845
COMPANY TOTAL	175	319	2156	135	155	158	140	151	135	279	103	2188	3717P	9845
LYNCHCO														
15 423N 7m	414	305	237	325	245	237	229	229	287	181	243	244	1842P	1842
21 423N 7m	100	875	572	407	558	1782	2349	2833	2040	437	623	437	4400P	4400
LEASE TOTAL	100	875	572	407	558	1782	2349	2833	2040	437	623	437	4400P	4400
COMPANY TOTAL	100	875	572	407	558	1782	2349	2833	2040	437	623	437	4400P	4400
JACK & COLE														
31 723N 8m	120	113	143	89	96	89	57	77	68	84	89	60	1097P	1536
5E 623N 8m	1256	1078	1539	824	1051	1023	973	755	779	688	631	514	1103P	2801
6A 123N 7m	750	5892	5599	5057	4811	4409	4605	4707	4180	3950	4024	4161	6051P	1916
7N 123N 7m	730	6119	6189	6918	4780	4345	8175	5345	4854	4251	4128	3768	8610P	225
8B1223N 7m										2213	3514	3249	8016P	55
LEASE TOTAL	1614	13087	13049	13308	10642	9777	13811	10801	9973	11082	15370	14489	15182P	6433
COMPANY TOTAL	1614	13087	13049	13308	10642	9777	13811	10801	9973	11082	15370	14489	15182P	6433
DISTRICT RESOURCE CORP.														
431 223N 7m	132	137	140	1131	1165	1159	1105	1101	112	138	162	21	1537P	11258
FEDERAL 8	21	32	36	28	30	38	38	184	191	216	186	176	236P	3712
MAT. TAW. E. YAZER	1257	1105	1181	1132	1100	1047	973	1236	1056	1130	93	79	1283P	8083
COMPANY TOTAL	2809	2382	2384	2409	2463	2450	2333	2371	1869	2379	2106	2030	2331P	22053
JUGAN PRODUCTION CORPORATION														
15 523N 7m	178	160	183	174	158	54	44	55	2		21	9	1038P	17169
BALLYWALDE	132	79	207	176	165	164	163	1082	1355	199	182	70	1718P	4921
24 523N 7m	132	167	187	176	165	164	163	1082	1355	199	182	70	1718P	4921
BUMBLE	187	172	181	169	175	179	173	104	128	210	32	184	1787P	11527
KEANY	136	14	16	15	16	15	16	104	128	210	32	184	1787P	11527
21 523N 7m	145	136	157	175	136	125	136	18	151	169	134	172	1546P	7103
LAVA FALLS	230	235	235	235	225	219	204	25	150	256	9	207	2293P	16384
PHANTOM RANCH	178	329	337	375	336	300	308	143	173	220	40	301	1795P	3612
SAPP C	23	23	19	23	22	23	21	25	24	25	18	19	204P	19962
23 523N 7m	132	79	207	176	165	164	163	1082	1355	199	182	70	1718P	4921
30 523N 7m	132	79	207	176	165	164	163	1082	1355	199	182	70	1718P	4921
LEASE TOTAL	3511	3466	4184	3636	3314	3574	2104	2915	3085	2987	3137	4750	4102P	4102
STATE	1157	1038	1222	1203	1062	1146	986	677	755	1022	874	931	1145P	65533
COMPANY TOTAL	1157	1038	1222	1203	1062	1146	986	677	755	1022	874	931	1145P	65533
ELIOT RESERVE OIL CO														
23 124N 7m	30	20	35	36	31	27	35	9	31	28	24	27	333P	22059
34 124N 7m	1105	926	1099	1088	925	950	862	838	1049	1077	879	934	1117P	5404
43 124N 7m	123	103	178	182	157	139	139	46	159	145	123	140	1017P	15224
51 124N 7m	30	20	35	36	31	27	35	9	31	28	24	27	333P	7236
63 124N 7m	111	103	178	182	157	139	139	46	159	145	123	140	1017P	7470
COMPANY TOTAL	111	103	178	182	157	139	139	46	159	145	123	140	1017P	57398

COPY

EXHIBIT G

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____		5. LEASE DESIGNATION AND SERIAL NO. SF-078272																															
2. NAME OF OPERATOR BCO, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME																															
3. ADDRESS OF OPERATOR 135 Grant Avenue, Santa Fe, New Mexico 87501		7. UNIT AGREEMENT NAME																															
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 990' FSL 1800' FEL Sec 3 T23N, R7W, N.M.P.M. Rio Arriba County At top prod. interval reported below Same At total depth Same		8. FARM OR LEASE NAME Dunn																															
14. PERMIT NO.		9. WELL NO. 12																															
DATE ISSUED		10. FIELD AND POOL, OR WILDCAT Lybrook Gallup																															
15. DATE SPUDDED June 9, 1985		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec 3 T23N R7W																															
16. DATE T.D. REACHED June 17, 1985		12. COUNTY OR PARISH Rio Arriba																															
17. DATE COMPL. (Ready to prod.) September 10, 1985		13. STATE New Mexico																															
18. ELEVATIONS (DP, RER, RT, OR, ETC.)* 7020 GR		19. ELEV. CASINGHEAD 7023																															
20. TOTAL DEPTH, MD & TVD 6477		21. PLUG BACK F.B., MD & TVD 6475																															
22. IF MULTIPLE COMPL., HOW MANY* Two		23. INTERVALS DRILLED BY ROTARY TOOLS CABLE TOOLS																															
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Gallup - 5394-6286		25. WAS DIRECTIONAL SURVEY MADE Yes-Filed																															
26. TYPE ELECTRIC AND OTHER LOGS RUN Cement Bond Log Computer Laser, Induction Log, Compensated Density Dual Spaced Neutron Log		27. WAS WELL CORED No																															
28. CASING RECORD (Report all strings set in well)																																	
<table border="1"><thead><tr><th>CASING SIZE</th><th>WEIGHT, LB./FT.</th><th>DEPTH SET (MD)</th><th>HOLE SIZE</th><th>CEMENTING RECORD</th><th>AMOUNT PULLED</th></tr></thead><tbody><tr><td>8-5/8"</td><td>J-55 24#</td><td>307</td><td>12 1/4"</td><td>180 Sacks - Class B</td><td></td></tr><tr><td>4 1/2"</td><td>N-80 11.6#</td><td>6597</td><td>7-7/8"</td><td>1950 Sacks - Class H</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>				CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	8-5/8"	J-55 24#	307	12 1/4"	180 Sacks - Class B		4 1/2"	N-80 11.6#	6597	7-7/8"	1950 Sacks - Class H													
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED																												
8-5/8"	J-55 24#	307	12 1/4"	180 Sacks - Class B																													
4 1/2"	N-80 11.6#	6597	7-7/8"	1950 Sacks - Class H																													
29. LINER RECORD																																	
<table border="1"><thead><tr><th>SIZE</th><th>TOP (MD)</th><th>BOTTOM (MD)</th><th>SACKS CEMENT*</th><th>SCREEN (MD)</th></tr></thead><tbody><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>				SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)																									
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)																													
30. TUBING RECORD																																	
<table border="1"><thead><tr><th>SIZE</th><th>DEPTH SET (MD)</th><th>PACKER SET (MD)</th></tr></thead><tbody><tr><td>2-3/8"</td><td>6369'</td><td></td></tr></tbody></table>				SIZE	DEPTH SET (MD)	PACKER SET (MD)	2-3/8"	6369'																									
SIZE	DEPTH SET (MD)	PACKER SET (MD)																															
2-3/8"	6369'																																
31. PERFORATION RECORD (Interval, size and number)																																	
One 3-1/8".32 diameter select fire shot at 6286, 6278, 6276, 6270, 6266, 5566, 5549, 5530, 5523, 5520, 5517, 5419, 5406, 5400, 5394																																	
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.																																	
<table border="1"><thead><tr><th>DEPTH INTERVAL (MD)</th><th>AMOUNT AND KIND OF MATERIAL USED</th></tr></thead><tbody><tr><td>6266-6286</td><td>Gal. #'s SCF Foam</td></tr><tr><td>5394-5566</td><td>Acid Sand Nitrogen Gal</td></tr><tr><td></td><td>1500 300,000 5,400,600 200,000</td></tr><tr><td></td><td>1500 275,000 3,371,160 124,000</td></tr></tbody></table>				DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED	6266-6286	Gal. #'s SCF Foam	5394-5566	Acid Sand Nitrogen Gal		1500 300,000 5,400,600 200,000		1500 275,000 3,371,160 124,000																				
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED																																
6266-6286	Gal. #'s SCF Foam																																
5394-5566	Acid Sand Nitrogen Gal																																
	1500 300,000 5,400,600 200,000																																
	1500 275,000 3,371,160 124,000																																
33. PRODUCTION																																	
<table border="1"><thead><tr><th>DATE FIRST PRODUCTION</th><th>PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)</th><th>WELL STATUS (Producing or shut-in)</th></tr></thead><tbody><tr><td>9/4/85</td><td>Flow</td><td>Shut-in</td></tr></tbody></table>				DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)	9/4/85	Flow	Shut-in																								
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)																															
9/4/85	Flow	Shut-in																															
<table border="1"><thead><tr><th>DATE OF TEST</th><th>HOURS TESTED</th><th>CHOKE SIZE</th><th>PROD'N. FOR TEST PERIOD</th><th>OIL—BSL.</th><th>GAS—MCF.</th><th>WATER—BSL.</th><th>GAS-OIL RATIO</th></tr></thead><tbody><tr><td>9/10/85</td><td>24</td><td>18/64</td><td></td><td>36</td><td>180</td><td>8 (frac)</td><td>5000</td></tr></tbody></table>				DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO	9/10/85	24	18/64		36	180	8 (frac)	5000														
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO																										
9/10/85	24	18/64		36	180	8 (frac)	5000																										
<table border="1"><thead><tr><th>FLOW, TUBING PRESS.</th><th>CASING PRESSURE</th><th>CALCULATED 24-HOUR RATE</th><th>OIL—BSL.</th><th>GAS—MCF.</th><th>WATER—BSL.</th><th>OIL GRAVITY-API (CORR.)</th></tr></thead><tbody><tr><td>700</td><td>680</td><td></td><td>33</td><td>180</td><td>8 (frac)</td><td>40</td></tr></tbody></table>				FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	700	680		33	180	8 (frac)	40																
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)																											
700	680		33	180	8 (frac)	40																											
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented																																	
35. TEST WITNESSED BY Robert Ramirez																																	
36. LIST OF ATTACHMENTS Cementing Record																																	
37. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records																																	
SIGNED <u>Elizabeth B. Keeshan</u> TITLE <u>Comptroller</u> DATE <u>10/4/85</u>																																	

*(See Instructions and Spaces for Additional Data on Reverse Side)

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.E.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease State ☒ F.
5. State Oil & Gas Lease No. LG 3748

1a. TYPE OF WELL OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____
b. TYPE OF COMPLETION NEW WELL ☐ WORK OVER ☒ DEEPEN ☐ PLUG BACK ☒ DIFF. PRESVR. ☐ OTHER _____

7. Unit Agreement Name
8. Farm or Lease Name
State H.

2. Name of Operator BCO, Inc.
3. Address of Operator 135 Grant Avenue, Santa Fe, New Mexico 87501

9. Well No. 4
10. Field and Pool, or Wildcat Lybrook Gallup & Undesignated Grane

4. Location of Well UNIT LETTER <u>D</u> LOCATED <u>970</u> FEET FROM THE <u>N</u> LINE AND <u>910</u> FEET FROM THE <u>W</u> LINE OF SEC. <u>2</u> TWP. <u>23N</u> RGE. <u>7W</u> NMPM
--

12. County Rio Arriba

15. Date Spudded 8-31-80	16. Date T.D. Reached 9-11-80	17. Date Compl. (Ready to Prod.) 8-19-81 Gallup & Graneros 11-16-80 Graneros	18. Elevations (DF, RKB, RT, GR, etc.) 6904 GR	19. Elev. Casinghead 6906
20. Total Depth 6505	21. Plug Back T.D. 6426	22. If Multiple Compl., How Many two	23. Intervals Drilled By Rotary Tools Cable Tools XX	

24. Producing Interval(s), of this completion - Top, Bottom, Name 5318-5557 Gallup 6272-6277 Graneros Co-mingled under Order # R-6719	25. Was Directional Made yes filed 9-18-81
---	--

26. Type Electric and Other Logs Run Induction Electrical, Compensated Density, Compensated Neutron, Gamma Ray Bond Log	27. Was Well Cored No
--	--------------------------

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	23.0	294	12 1/4	200 sacks	
4 1/2	11.6	6503	7 7/8	1400 sacks	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8	6277	

31. Perforation Record (Interval, size and number) One 3 1/8" select fire shot at 5557, 5546, 5512, 5506, 5488, 5480, 5454, 5450, 5446, 5442, 5406, 5340, 5326, 5322, 5318 6272-6277 3 1/8" 5 shots	32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. <table border="1"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>6272-6277</td> <td>Previously reported</td> </tr> <tr> <td>5318-5557</td> <td>216,970 gallons water, 315,000 #. 10-20 sand, 1,891, standard cubic ft. of nitro</td> </tr> </table>	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	6272-6277	Previously reported	5318-5557	216,970 gallons water, 315,000 #. 10-20 sand, 1,891, standard cubic ft. of nitro
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED						
6272-6277	Previously reported						
5318-5557	216,970 gallons water, 315,000 #. 10-20 sand, 1,891, standard cubic ft. of nitro						

33. PRODUCTION							
Date First Production 8-19-81 Graneros 8-19-81 Gallup		Production Method (Flowing, gas lift, pumping - Size and type pump) Well will be tested at a later date after NGPA filing				Well Status (Prod. or Shut-in) made SHUT IN	
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold thru BCO, Inc. North Lybrook Gathering Line	Test Witnessed By
--	-------------------

35. List of Attachments

6. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED Harold R. Buel TITLE President DATE 8-19-81

COPY

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Form C-105
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	State ☒ Fee
5. State Oil & Gas Lease No.	LG 3748

1a. TYPE OF WELL	OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐
b. TYPE OF COMPLETION	NEW WELL ☐ MORE OVER ☒ DEEPEN ☐ PLUG BACK ☒ DIFF. RESVR. ☐ OTHER ☐

2. Name of Operator	BCO, Inc.
3. Address of Operator	135 Grant Avenue, Santa Fe, New Mexico 87501
4. Location of Well	

7. Unit Agreement Name	
8. Farm or Lease Name	State H
9. Well No.	3
10. Field and Pool, or Wildcat	Lybrook Gallup & Undesignated Graneros

UNIT LETTER	M	LOCATED	990	FEET FROM THE	S	LINE AND	990	FEET FROM
THE	W	LINE OF SEC.	2	TWP.	23N	REG.	7W	

12. County	Rio Arriba
------------	------------

15. Date Spudded	9-14-80	16. Date T.D. Reached	9-25-80	17. Date Compl. (Ready to Prod.)	7-14-81 Gallup & Dakota 11-18-80 Dakota	18. Elevations (DF, RKB, RT, CR, etc.)	6968 GR	19. Elev. Casinghead	6970
20. Total Depth	6545	21. Plug Back T.D.	6453	22. If Multiple Compl., How Many	TWO	23. Intervals Drilled By	Rotary Tools XX	24. Producing Interval(s), of this completion - Top, Bottom, Name	5364-5602 Gallup 6326-6331 Dakota Co-mingled under Order # R-6719
26. Type Electric and Other Logs Run									Induction Electrical, Compensated Density, Compensated Neutron, CBL Gamma Ray, and Correlation Log.
27. Was Well Cored									No

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULL
8 5/8	23.0	296	12 1/4	200 sacks	
4 1/2	11.6	6543	7 7/8	1400 sacks	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8	6350	

31. Perforation Record (Interval, size and number)	32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
5364-5602 3 1/8" 15 shots or one shot at 5364, 5368, 5372, 5454, 5484, 5487, 5490, 5496, 5515, 5524, 5532, 5552, 5568, 5590, and 5602	DEPTH INTERVAL
6326-6331 3 1/8" 5 shots	AMOUNT AND KIND MATERIAL USED
	6326-6331 Previously reported
	5364-5602 94,000 gals. H ₂ O; 200,000 #
	10-20 sand, 1,200,000 standa
	cubic ft. of nitrogen

33. PRODUCTION							
Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)		
11-18-80	Well to be tested at a later date				Shut In		
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio Gal/Dak
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.)	Test Witnessed By
Sold thru BCO, Inc. North Lybrook Gathering Line	

35. List of Attachments	
-------------------------	--

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.	
---	--

SIGNED Harry R. Bagley TITLE President DATE 7-21-81

COPY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(Other instructions on reverse side)

Form approved,
Budget Bureau No. 42-733

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

5. LEASE DESIGNATION AND SERIAL

SF-078272

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Dunn

9. WELL NO.

2

10. FIELD AND POOL OR WILDCAT

Lybrook Gallup

Undes Greenhorn-Dakota

11. SEC., T., R., M. OR BLOCK AND SURV. OR AREA

10-23N-7W

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

14. ELEVATIONS (DF, RWB, ET, GR, ETC.)

7265 GR

19. ELEV. CASINGHEAD

7267

23. INTERVALS DRILLED BY

0-6730

ROTARY TOOLS

CAUSE TOOLS

25. WAS DIRECTIONAL SURVEY MADE

Yes

27. WAS WELL CORED

No

12. TYPE OF WELL:

OIL WELL ☒GAS WELL ☒DRY ☐

Other

13. TYPE OF COMPLETION:

NEW WELL ☒WORK OVER ☐DEEP-EN ☒PLUG BACK ☐DIFF. RESVR. ☐

Other

2. NAME OF OPERATOR

BCO, Inc.

3. ADDRESS OF OPERATOR

P. O. Box 669 Santa Fe, New Mexico 87501

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface

2070' FNL 2260' FWL Section 10 T23N R7W N.M.P.M.

At top prod. interval reported below Same

At total depth Same

14. PERMIT NO.

DATE ISSUED

15. DATE SPUNDED

3/16/76

16. DATE T.D. REACHED

4/20/76

17. DATE COMPL. (Ready to prod.)

5/11/76 Greenhorn-Dak

9/23/76 Gallup

18. ELEVATIONS (DF, RWB, ET, GR, ETC.)

7265 GR

20. TOTAL DEPTH, MD & TTD

6743

21. FLUID, BACK T.D., MD & TTD

Casing

6730

Open hole 6741

22. IF MULTIPLE COMPL., HOW MANY?

Co-mingle 3 zones

23. INTERVALS DRILLED BY

0-6730

ROTARY TOOLS

CAUSE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TTD)

Gallup 5598-5931; Greenhorn 6485-6499; Dakota 6551-6743

26. TYPE ELECTRIC AND OTHER LOGS RUN

Borehole compensated; Sonic-Gamma; F; Dual Induction; CBL; Dual Spacing TDT

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24.70	142	12-1/4	100 Class B	
4-1/2	11.60	6730	7-7/8	3 stage 1050 sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8	6712	

31. PERFORATION RECORD (Interval, size and number)

Upper Dakota 6724-6729 W/4SPF
Lower Graneros 6642-6647 W/2SPF
Upper Graneros 6551-56; 6586-88 W/2SPF
Greenhorn 6485-87; 6494-99 W/2SPF

Bottom Gallup 5759-60; 5771-72; 5778-79; 5788-89;
5802-03; 5824-25; 5836-37; 5853-54; 5873-74;
5896-97; 5913-1/2 - 14-1/2; 5930-31 W/2SPF
Mayre 5715-22 W/2SPF 5723-25 W/4SPF
Skelly 5598-5612 W/2SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6724-6735	500 15% 23M H ₂ O 15M 40-60
6642-6647	250 15% 27M H ₂ O 25M 20-40
6551-6588	250 15% 32M H ₂ O 10M 20-40 20M 1
6485-6499	250 15% 2000 28% 16M H ₂ O 15M 2
	5M 10-20
5759-5931	500 15% 22M H ₂ O 22M 10-20
5715-5725	500 15% 20M H ₂ O 21M 10-20
5598-5612	500 15% 22M H ₂ O 21M 10-20

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
Gallup 9/28/76		Gas Lift					Producing	
Greenhorn-Dakota 5/8/76		Gas Lift					Producing	
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BDL	GAS—MCF.	WATER—BDL	GAS-OIL RATIO	
Gallup 10/13/76	24	Open	→	15	80	0	5333	
Greenhorn-Dak 7/28/76	24	Open	→	1	269	7		
FLOW, SURFING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BDL	GAS—MCF.	WATER—BDL	OIL GRAVITY-API (CGRA.)		
Various	665-500	→	15	80	0	40		
Greenhorn-Dak Vari	735-640	→	1	269	7	45		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold to El Paso 11/11/76 via BCO gathering line to Sec 23 T24N R7W

TEST WITNESSED BY

H. R. Bigbee

35. LIST OF ATTACHMENTS

N.M.O.C.C Co-mingling order R-5310 Attached to Form 9-331 of this same date

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Harry R. Bigbee

TITLE

President

DATE

11/17/76

*(See Instructions and Spaces for Additional Data on Reverse Side)

COPY

EXHIBIT H

EXHIBIT H

Allocation Recommendation: Applicant recommends that the District Supervisor of the Aztec District Office of the Oil Conservation Division, after consultation with Applicant, make the allocation of production from the commingled zones once testing from the initial well drilled on the area of application has been completed.