UNITED STATES

5.	LEASE	
	#156	
6.	IF INDIAN, ALLOTTEE OR TRIBE	NAME

DEPARTMENT OF THE INTERIOR	#156	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME	
1. oil gas other	Jicarilla Lindrith 9. WELL NO.	
2. NAME OF OPERATOR	#2-1	
Reading & Bates Petroleum Co. 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME	
	Wildcat 11. SEC., T., R., M., OR BLK. AND SURVEY OR	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA	
AT SURFACE: 1830' FSL, 1840' FWL	Section 2, T 23N, R 2W 12. COUNTY OR PARISH 13. STATE	
AT TOP PROD. INTERVAL:	Rio Arriba New Mexico	
AT TOTAL DEPTH:	14. API NO.	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB, AND WD) 7346' KB	
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) TEST WATER SHUT-OFF (NOTE: Report results of multiple completion or zone DEC 1 (Schange on Form 9–330.) U. S. GEOLOGICAL SURVEY FARMWIGTON, M. M. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*		
To plug subject well we propose to set plugs Dakota Top @ 7512' cmt from 7429'-7529' 35 s Gallup Top @ 6426' cmt from 6334'-6434' 35 s Mesa Verde Top @ 4856' cmt from 4769'-4869' 3 Picture Cliffs Top @ 3106' cmt from 3017'-311 Ojo Alamo Top @ 2612' cmt from 2517'-2617' 3	5x 5x 55 sx .7' 35 sx	
Surface csg @ 375' cmt from 140' - 425' 100 Surface plug from 25' to surface 10 sx w/ dry Plo be advised it is necessary to fi and 2 capies of electric logs	hole marker 1 form 9-330 9-330 9-330	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.	
18. I hereby certify that the foregoing is true and correct SIGNED David L. Blosser TITLE Petroleum Engi	neer date <u>12/15/80</u>	
(This space for Federal or State off		
Villas abace for reaction of State Unit	ADPROVE	

DEC 18 1980. James F. SIMS

DISTRICT OIL & CAS SUPERVISOR

*See Instructions on Reverse Side