

SUNDRY NOTICES AND REPORTS ON WELLS

1. oil ☒ gas ☐ other

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 2090' FSL, 360' FEL
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

TEST WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>
(other)	<input type="checkbox"/>

☒ ☐ ☐ ☐ ☐ ☐ ☐

RECEIVED

MAY 29 1986

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

15. ELEVATIONS (SHOW DF, KDB, AND WD)
6982 GR 6994 KB

5-27-86 Spud at 8:00 a.m.
Ran 6 jts 8 5/8", 24.0 lb, J-55 casing measured
250.24, set at 262.24. Cemented with 250 sks Class
"B", 3% CACL and 1/4 lb. Flocele per sk. Plug down
5:15 p.m. Circulated 7 bbls.
Pressure test casing and BOP with 1000 psi for 30
minutes test ok.

SIGNED Lawrence Blumett TITLE Superintendent

TITLE

DATE _____

FAKING OUR RESOURCE AREA

BY

*See Instructions on Reverse Side