

## SUBMIT IN TRIPLICATES

PORM APPROVED OMB NO. 1004-4136 Expires: February 28, 1995

S. LEASS DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTES OR TRIBE NAME

## (Other instructions on reverse side) UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT APPLICATION FOR PERMIT TO DRILL OR DEEPEN

Is. TTPE OF WORK	RILL 🖾	DEEPEN []		-, ^ •	SF-080230			
b. TTPE OF WELL		DEPEN []						
WELL X	ARTY OLES		SONS X SONS		8. FARM OR LEASE HANG SEEL IN			
	WILDY GODD	55 /		. ,	Sapp C #5 382			
DUGAN PRODUC		50 ·			00 000 0-			
P.O. Box 420	, Farmington, 1	NM 87499		}	10. PERLO AND POOL, OR WILDCAY			
LOCATION OF WELL (3	Report location clearly as	id in accordance with a	ny State requirements.*)		Lybrook Gallup 41			
2310' FNL &	330' FEL			Ī	11. SSC., T., R., M., OR SLE. AND SURVEY OR AREA			
At proposed prod. soi	sei de la companya de			1	Unit H,			
. DISTANCS IN MILES	AND DIRECTION FROM NE.	AREST TOWN OR POST OF	re sca •		Sec. 5. T23N. R7W.			
_	hwest of Escri				Rio Arriba NM			
DISTANCE FROM PROPE LOCATION TO NEARES	UEED*		NO. OF ACRES IN LEASE		ACRES ASSIGNED			
PROPERTY OR LEARN !	ŭ# <b>8, 27</b> . 33	O' FEL	632.4	TOTE	40 37.75 V			
DISTANCE FROM PROF. TO MEAREST WELL, D	OSED LOCATIONS	19	PROPOSED DEPTE	20. BOTAR	T OR CARLE TOOLS			
OR APPLIED FOR, ON TH	TS LEASE, PT.		5845'		Rotary			
BLEVATIONS (Show who	ether DF, RT, GR, etc.)				22. APPROX. DATE WORK WILL BY			
7190' GL 🗸					ASAP			
		PROPOSED CASING	AND CEMENTING PROGRAM	4				
SIZE OF HOLE	ORADE BIE OF CASHO	WEIGHT PER POOT	MTTRE DKITTRE		QUANTITY OF CEMENT			
12-1/4"	8-5/8"	24#	200 320		of circ. to surface			
7-7/8"	4-1/2"	10.5#	5845		of circ. to surface			
				DDH LEIM	COST OF STANDED ARE			
procedural in and appeal:  Plan to drill then plan to test the Gall will run 4-1/	leview pursuant to 43 pursuant to 43 CFR  1 a 12-1/4" holding the formation.  1/2", 10.5#, J-5	.e and set 200 hole to tota Plan to run 5 casing with	l depth with gel- IES and CDL logs.	SUBJECT "GENERA 24#, J-5 -water-m If de	10 001 .mmClwHH ATTACH L REQUIREMENTS" 5 <b>5 surface casing</b> ;			
procedural in and appeal:  Plan to drill then plan to test the Gall will run 4-1/	leview pursuant to 43 pursuant to 43 CFR  1 a 12-1/4" holding a 7-7/8"  Lup formation.	.e and set 200 hole to tota Plan to run 5 casing with	l depth with gel- IES and CDL logs.	SUBJECT "GENERA 24#, J-5 -water-m If de	10 001			
procedural in and appears  Plan to drill then plan to test the Gall will run 4-1, clean out aft  Note: Origin	pursuant to 43 pursuant to 43 pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and co	e and set 200 hole to tota Plan to run straightful casing with mplete well.	l depth with gel- IES and CDL logs.	SUBJECT "GENERA 24#, J-5 -water-n If de ectively	10 001 .marCl Will ATTACH L REQUIREMENTS" 55 surface casing; and program to etermined productive, perforate, frac,			
procedural in and appears  Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin	pursuant to 43 pursuant to 43 pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and co	e and set 200 hole to tota Plan to run straightful casing with mplete well.	<pre>l depth with gel- IES and CDL logs. stage tool, sele ting APD for reap</pre>	SUBJECT "GENERA 24#, J-5 -water-n If de ectively	10 001 .marCl Will ATTACH L REQUIREMENTS" 55 surface casing; and program to etermined productive, perforate, frac,			
procedural in and appears  Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin	pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  1 lup formation.  1/2", 10.5#, J-5  1/2" ter frac and co	e and set 200 hole to tota Plan to run straightful casing with mplete well.	<pre>l depth with gel- IES and CDL logs. stage tool, sele ting APD for reap</pre>	SUBJECT "GENERA 24#, J-5 -water-n If de ectively	10 001 .marCl Will ATTACH L REQUIREMENTS" 55 surface casing; and program to etermined productive, perforate, frac,			
procedural in and appears  Plan to drill then plan to test the Gall will run 4-1, clean out aft  Note: Origin Exhibit	pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  1 lup formation.  1/2", 10.5#, J-5  1 ter frac and command APD rescinction and December 2000 APD rescinction and December 2000 APD rescinction APD rescinct	and set 200 hole to tota Plan to run complete well.  ded. Resubmit for additiona	l depth with gel- IES and CDL logs. stage tool, sele ting APD for reap l updated informa	SUBJECT "GENERA 24#, J-5 water-m If de ectively oproval	To SCI			
procedural in and appears  Plan to drill then plan to test the Gall will run 4-1, clean out aft  Note: Origin Exhibit	pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  1 lup formation.  1/2", 10.5#, J-5  1 ter frac and command APD rescinction and December 2000 APD rescinction and December 2000 APD rescinction APD rescinct	and set 200 hole to tota Plan to run complete well.  ded. Resubmit for additiona	l depth with gel- IES and CDL logs. stage tool, sele ting APD for reap l updated informa	SUBJECT "GENERA 24#, J-5 water-m If de ectively oproval	To SCI			
procedural and appeal and appeal and appeal and appeal and appeal and a peal a	pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  1 lup formation.  1/2", 10.5#, J-5  1 ter frac and command APD rescinction and December 2000 APD rescinction and December 2000 APD rescinction APD rescinct	and set 200 hole to tota Plan to run complete well.  ded. Resubmit for additiona	l depth with gel- IES and CDL logs. stage tool, sele ting APD for reap l updated informa	SUBJECT "GENERA 24#, J-5 water-m If de ectively oproval	To SCI			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhibit	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and command APD rescinction  its A, B and D  professed Programs is a second on subsurface for second and a position of subsurface for second and E	and set 200 hole to tota Plan to run complete well.  ded. Resubmit for additiona	I depth with gel- IES and CDL logs. stage tool, sele ting APD for reap l updated information and information of present productive zone and ical depths. Give blowout prevent	SUBJECT "GENERA 24#, J-5 water-m If de ectively oproval	The College College ATTACH L REQUIREMENTS"  55 surface casing;  and program to etermined productive,  perforate, frac,  Please see			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhibit Exhibit Exhibit Sharm Sharm Sharm Sharm (This space for Federal	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and command APD rescinction  its A, B and D  professed Programs is a second on subsurface for second and a position of subsurface for second and E	and set 200 hole to tota Plan to run complete well.  ded. Resubmit for additiona	I depth with gel- IES and CDL logs. stage tool, sele ting APD for reap l updated information depths. Give blowout prevent	SUBJECT "GENERA 24#, J-5 water-m If de ectively oproval	The College College ATTACH L REQUIREMENTS"  55 surface casing;  and program to etermined productive,  perforate, frac,  Please see			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhibit Exhibit Sherm Sherm (This space for Federa Permit Xo.	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8" lup formation.  /2", 10.5#, J-5 ter frac and command APD rescinction  proposed Programs If the data on subsurface (position)	and set 200 hole to tota Plan to run construction casing with maplete well.  ded. Resubmit for additional proposal is to deepen, give dessard and true were	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President	SUBJECT "GENERA 24#, J-5 -water-m If descrively oproval ation.	10 001			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhib:  BOVE SPACE DESCRIBE on directionally, give period  (This space for Federal Permit No.	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8" lup formation.  /2", 10.5#, J-5 ter frac and command APD rescinction  proposed Programs If the data on subsurface (position)	and set 200 hole to tota Plan to run construction casing with maplete well.  ded. Resubmit for additional proposal is to deepen, give dessard and true were	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President	SUBJECT "GENERA 24#, J-5 -water-m If descrively oproval ation.	TO SCIENCE OF THE ATTACH L REQUIREMENTS"  55 surface casing;  nud program to etermined productive, perforate, frac,  Please see  The productive zone. If proposal is to dell any.  DATE 3/7/95			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhib:  BOVE SPACE DESCRIBE on Giroctionally, give period  (This space for Federal PERMIT NO.	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and co  mal APD rescinct  its A, B and D  professed Program II  for data on subsurface for account of the state office face)	and set 200 hole to tota Plan to run construction casing with complete well.  ded. Resubmit for additional proposal is to deepen, give dessard and true ver	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President  APPROVAL DATE  title to those rights in the subject leads	SUBJECT "GENERA 24#, J-5 -water-m If descrively oproval ation.	10 001			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhib:  Shower Conditionally, give period  (This space for Federal Permit No.	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8" lup formation.  /2", 10.5#, J-5 ter frac and command APD rescinction  proposed Programs If the data on subsurface (position)	and set 200 hole to tota Plan to run construction casing with maplete well.  ded. Resubmit for additional proposal is to deepen, give dessard and true were	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President  APPROVAL DATE  title to those rights in the subject leads	SUBJECT "GENERA 24#, J-5 -water-m If descrively oproval ation.	TO SCIENCE OF THE ATTACH L REQUIREMENTS"  55 surface casing;  nud program to etermined productive, perforate, frac,  Please see  The productive zone. If proposal is to dell any.  DATE 3/7/95			
Plan to drill then plan to test the Gall will run 4-1/clean out aft  Note: Origin Exhib:  BOVESPACE DESCRIBE on Grectionally, give period.	pursuant to 43 CFR  l a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and co  mal APD rescinct  its A, B and D  professed Program II  for data on subsurface for account of the state office face)	and set 200 hole to tota Plan to run so casing with mplete well.  ded. Resubmit for additiona  proposal is to deepen, give d and measured and true ver	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President  APPROVAL DATE  Little to those rights in the subject leads	SUBJECT "GENERA 24#, J-5 -water-m If de ectively oproval ation.  de proposed see or program. To	Please see  To productive zone. If proposal is to delivery.  DATE 3/7/95			
Plan to drill then plan to test the Gall will run 4-1, clean out aft  Note: Origin Exhib:  BOVE SPACE DESCRIBE con Grectionally, give period that space for Federal PERMIT XO.  Application appears to the Condition appears to the Condition appears to the Conditions of the Conditions	pursuant to 43 CFR  1 a 12-1/4" holdrill a 7-7/8"  lup formation.  /2", 10.5#, J-5  ter frac and co  mal APD rescinct  its A, B and D  professed Procedure in  an F bossed  an F bossed  an F bossed  PR 1 0 1935	and set 200 hole to tota Plan to run so casing with mplete well.  ded. Resubmit for additional proposal is to deepen, give d and measured and true ver	I depth with gel- IES and CDL logs. stage tool, selecting APD for rear l updated information depths. Give blowout prevent  Vice-President  APPROVAL DATE  title to those rights in the subject leads	SUBJECT "GENERA 24#, J-5 -water-m If de ectively oproval ation.  de proposed see or program, m see which would	TO SCIENCE WHITE ATTACH L REQUIREMENTS"  55 surface casing;  nud program to etermined productive, perforate, frac,  Please see  The productive zone. If proposal is to dell my.  DATE 3/7/95  TOTAL APPROVED corrations to AS AMENDED  DATE 45, 1995  DATE APROVED CORRAINS TO AS AMENDED			

District I PO Box 1900, Helde, NM 88241-1900 District II PO Drawer DD, Artons, NM 88211-8719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

PO Box 2008, Santa Fe, NM 87504-2008

## State of New Mexico Energy, Macrail & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-102

Revised February 21, 1994

Instructions on back

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

<del></del>						ACREAGE DEDICATION PLAT						
AFI Number				Pool Cod		<sup>3</sup> Pool Name						
		25510	4	2289	289 Lybrook Gallup							
1	1 Property Code				<sup>5</sup> Property Name				* Well Number			
003829 Sapp C										5		
OGRID No.			_	Operator Name				' Élevation				
006515 Dugan Prod			duction	uction Corp.				7190' GL				
<sup>16</sup> Surface Location												
UL or lot no.	Section	Towaship	Range	Lot Ida	Feet from the	North/South line	: Fe	et from the	East/Wes	t line	County	
H	5	23N	7W		2310	North		330 East			Rio Arrib	
11 Bottom Hole Location If Different From Surface												
UL or let so.	Section	Township	Range	Lot Ida	Feet from the	North/South line	: Fe	et from the	East/Wes	t line	County	
	<u> </u>		<u> </u>		<u> </u>		_L_	<del></del>	<u> </u>			
Dodicated Acres Doint or Infile Consolidation Code Order No.												
NO ALLOV	WABLE 1	WILL BE A	ASSIGNE	р то тн	S COMPLET	ION UNTIL AL	L INT	ERESTS H	LAVE BEI	EN CO	NSOLIDATED	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION												
16				T				17 OPER	RATOR	CER	<b>FIFICATION</b>	
								I hereby certi	ify that the inj	formation	contained herein is	
								true and com	place to the b	est of my	knowledge and belief	
						] 1					!	
		•				23	310'		(./			
								Van.		<b>7</b> 3		
						Dugan Prod	7	Signature/				
	i			1		SF-080230		Sherm	an E. I	Dugan		
				.				Printed Nam	•	1		
	Ì							V1Ce	Preside	ent		
	- 1						30	4-19-	95		_	
	ł		Sec.	5		٩	سے	Date				
				1				18SURV	EYOR	CERT	TFICATION	
	}								ly that the we			
	1								•	•	l surveys made by me e same is true and	
	İ			1/4.1				correct to the				
					18 2 D	. 4026 -		April	19, 19	989		
	1				y"53 ; 3 <del>3∞</del>			Date of Surve	•			
					i.s			Signature and	Scal of Profe	essional S	urveyer:	
	į				الدالد القابطة الاختراج	ing in the section of the section o		Oriai	nal sur	TRUM	d & signed	
					الموالينونية فالمالية	<del>4</del> *					nhoover	
						_	ı	~, 54	·			
						·		5979				
						,	1	Certificate Nu	mber			
				1								

