5 BLM 1 File

SUBMIT IN TRIPLICATES (Other instructions on reverse side)

PORM APPROVED OMB NO. 1004-0136 Expires: February 28, 1995

UNITED STATES DEPARTMENT OF THE INTERIOR

| | MIDEAL | J OF LAND MANA | CEHENT | | | | | | |
|--|--|--|---|-----------------------------|---|--|-----------------------------------|-------------------|--|
| | | | | | · | NM-872 | | | |
| APPLICATION FOR PERMIT TO DRILL OR DEEPEN | | | | | | C. IF INDIAN, ALLOTTES OR TRIME HAM | | | |
| ta. TTPS OF WORK | RILL 🖾 | | | | 7. 0#17 AGE | | | | |
| b. TIPE OF WELL | MEL LI | DEEPEN | | | | 1. 0-11 202 | | | |
| MELL | WELL X OTHE | . | SINGLE X | MULTI | PLE [] | 8. FARM OR LE | | | |
| L WAME OF OPERATOR | | | SOFE (A) | SONS | | Lilly | ш• - | | |
| DUGAN PRODUCT | ION CORP. /24 | 5/5 | | | | 6. WE MET NO | , | 2739 | |
| ACCRETE AND THE STRONG NO | <u> </u> | 70 | | | | 1 | -2560 | 7 | |
| P.O. Box 420, | Farmington, | NM 87499 | | | | 10. FILLO AN | D POOL OR | VILACAS A. | |
| At surface | Report location clearly | and in accordance w | ith any State requireme | ents.*) | | Ballard | i Pictu | red Cli | |
| 7901 ENT C 10 | 850' FEL (NW/ | /A NTC /A \ | | | | 11. ESC. T., I | | | |
| At proposed pred. so | and LED (MA) | 4 NE/4) | | | | 1 . | | | |
| Dieta von en en en | | | | | | Unit B | , T23N, | R6W L | |
| . DISTANCE IN MILES | | | | | | 12. COUNTY O | & PARINE | S. STATE | |
| approx. 4 m1 | les northeast | of Counselors | Trading Post | | | Rio Ari | | NM | |
| PROPERTY OF LEARN | T | 700. | 16. NO. OF ACRES IN | LEABE | | OF ACRES ASSIG | | | |
| (Also to searest dri | z. unit line, if any) | 790' | 160.32 | | | 1 | 160-3/ | L | |
| TO NEAREST WELL, D OR APPLIED FOR, ON TH | RILLING, COMPLETED, | only well | 19. PROPOSED DEPTH | | 20. ROTA | AT OR CABLE TO | OLS | | |
| BLEVATIONS (Show wh | · · | n this lease | 2375' | | Rota | TY . | | | |
| 6828 GL (est | | bject to tachnic | cal and | | | ŧ | DATE WORK | | |
| , ,,,,,, | šćedural roview n | urauantto 43 CFB | 3165 3 | DRILLING | OPERA | TIONS ACT | BRIZED | ARE | |
| <u>ar:</u> | d appeal pursuar | A TOPISPEPEPEPE | NO AND CEMENTING | MANEO | TO COM | APLIANCE V | TTA HTIV | ACHE:D | |
| BIZE OF MOLE | ORADE, SIZE OF CASINO | WEIGHT PER P | DOT SETTING D | EPTH . | - THE | WPLIANCE W | OF CEMENT | | |
| 9-7/8" | 7" | 20# | 120' | | | (59 cf) | | o surfa | |
| | | li e | | | | | | | |
| est the Pictu | rill a b¾" ho red Cliffs fo | ole to total o | depth with gel | l-water | 55 surf | rogram to | ig; | | |
| Plan to drill then plan to d test the Pictu productive, wi | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casir | ig; | | |
| Plan to drill then plan to d test the Pictu productive, wi | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casir | ig; | | |
| Plan to drill then plan to d test the Pictu productive, wi | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casir | ng;) dermined clean | | |
| Plan to drill then plan to d test the Pictu productive, wi | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casing rogram to If det te, frac, | ng;) dermined clean | | |
| Plan to drill then plan to dest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casing rogram to If det te, frac, | ng;) dermined clean | | |
| Plan to drill then plan to dest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casing rogram to If det te, frac, | ng;) dermined clean | | |
| Plan to drill then plan to dest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casing rogram to If det te, frac, | ng; ermined clean | | |
| Plan to drill then plan to dest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casir program to . If det te, frac, | og; ermined clean | | |
| Plan to drill then plan to dest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6¼" ho wred Cliffs fo 11 run 4½", 1 | e and set 120 ole to total or ormation. Pla 10.5#, J-55 ca | of 7" OD, 20 depth with gel | l-water | 55 surf | ace casing rogram to If det te, frac, | og; ermined clean | | |
| Plan to drill chen plan to d cest the Pictu productive, wi put after frac | a 9-7/8" hole wrill a 6%" ho ared Cliffs fo ll run 4½", i and complete | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | ' of 7" OD, 20 depth with gel an to run IES asing, selecti | l-water and CI vely p | 55 surf mud p DL logs perfora | ace casing rogram to If det te, frac, | ng; ermined clean | I | |
| Plan to drill then plan to d test the Pictur productive, wi out after frac | a 9-7/8" hole rill a 6%" hole red Cliffs for 11 run 4½", 12 and complete | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti | l-water and CI vely p | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ng; ermined clean | I | |
| Plan to drill then plan to d test the Picture productive, wi out after frac | a 9-7/8" hole rill a 6%" hole red Cliffs for 11 run 4½", 12 and complete | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti | l-water and CI vely p | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ng; ermined clean | I | |
| Plan to drill then plan to d test the Pictur productive, wi out after frac | a 9-7/8" hole rill a 6%" hole red Cliffs for 11 run 4½", 12 and complete | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti ive data on present product to vertical depths. Give blow | tive zone an | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ermined clean | al is to drill o | |
| Plan to drill then plan to dest the Picturoroductive, windown after fractional after fractionally, give periods Shower Space Description | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 12 and complete control on subsurface for that on subsurface for the 12 run Experience for th | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti | tive zone an | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ng; ermined clean | al is to drill o | |
| Plan to drill then plan to dest the Picturoroductive, windown after fractional after fractionally, give periods Shower Space Description | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 12 and complete control on subsurface for that on subsurface for the 12 run Experience for th | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti ive data on present product to vertical depths. Give blow | tive zone an | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ermined clean | al is to drill o | |
| Plan to drill then plan to dest the Picture productive, with out after frace BOVE SPACE DESCRIPTE an directionally, give project (This space for Federal | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 12 and complete control on subsurface for that on subsurface for the 12 run Experience for th | e and set 120 ole to total operation. Pla 10.5#, J-55 ca e well. | of 7" OD, 20 depth with gel an to run IES asing, selecti ive data on present product to vertical depths. Give blow | tive zone an | 55 surf -mud p OL logs perfora | ace casir rogram to . If det te, frac, | ermined clean | al is to drill o | |
| Plan to drill then plan to dest the Picture or oductive, with the productive, with the productive of t | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 12 and complete | e and set 120 cole to total of cormation. Pla 10.5#, J-55 cole well. If proposal is to deepen, guitons and measured and tru | of 7" OD, 20 depth with gel an to run IES asing, selecti live data on present product to vertical depths. Give blow Vice-President APPROVAL DATE | tive zone an | 55 surf mud p DL logs perfora | ace casing rogram to If det te, frac, | ermined clean Clean Div. 10/1/ | al is so drill or | |
| Plan to drill then plan to dest the Picture or oductive, with put after fractional after fractionally, give project the space for Federal (This space for Federal | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 1 and complete | e and set 120 cole to total of cormation. Pla 10.5#, J-55 cole well. If proposal is to deepen, guitons and measured and tru | of 7" OD, 20 depth with gel an to run IES asing, selecti live data on present product to vertical depths. Give blow Vice-President APPROVAL DATE | tive zone an | 55 surf mud p DL logs perfora | ace casing rogram to If det te, frac, | ermined clean Clean Div. 10/1/ | al is so drill or | |
| Plan to drill then plan to dest the Pictu productive, wi but after frac Dut after frac Shower Space Descripe an directionally, give period (This space for Federa PERMIT XO. Application approval does not | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 1 and complete | e and set 120 cole to total of cormation. Pla 10.5#, J-55 cole well. If proposal is to deepen, guitons and measured and tru | of 7" OD, 20 depth with gel an to run IES asing, selecti live data on present product to vertical depths. Give blow Vice-President APPROVAL DATE | tive zone an | 55 surf mud p DL logs perfora | ace casing rogram to a find the fraction of the fraction of the fraction of the first term of the firs | ermined clean clean 10/1/ | al is to drill or | |
| Plan to drill then plan to dest the Pictu productive, wi but after frac Dut after frac Shower Space Descripe an directionally, give period (This space for Federa PERMIT XO. Application approval does not | a 9-7/8" hole will a 64" houred Cliffs for 11 run 4½", 1 and complete | e and set 120 cole to total of cormation. Pla 10.5#, J-55 cole well. If proposal is to deepen, guitons and measured and tru | of 7" OD, 20 depth with gel an to run IES asing, selecti live data on present product to vertical depths. Give blow Vice-President APPROVAL DATE | tive zone an | 55 surf mud p DL logs perfora | ace casing rogram to a find the fraction of the fraction of the fraction of the first term of the firs | ermined clean Clean Div. 10/1/ | al is to drill or | |

District 1 PO Box 1980, Hobbs, NM 22241-1980 District II PO Drower DD, Artola, NAI \$2211-8719 District III 1000 Rio Brazon Rd., Aztec, NM 87410

State of New Mexico Energy, Affinerals & Natural Resources Department

Revised February 21, 1994 Instructions on back Fee Lease - 3 Copies

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

RΤ

Form C-102

| District IV | | | | 3. | aina re, | IAM | 8/304-2088 | 3 L 1 1 | | / Fe | e Lease - 3 Cop | |
|-----------------------------|-----------------------------|--------------|--------------|-------------|--------------------------|------------------------|-------------------------|--|----------------------------------|--|--|--|
| PO Box 2008, S | asta Fe, Ni | 1 87564-2068 | | | | | | | ſ | 7 | ENDED REPO | |
| | | 317 | rii ia | 20.0 | | | | 10 1 | Section 18 | - A. | ENDED KEPU | |
| | | W | ELL L | | | ACR | EAGE DEDI | CATION P | LAT | | | |
| AFI Number | | | | 1 Post Co | k | ⁵ Pool Name | | | | | | |
| 30-039- <i>25603</i> | | | 71 | 71439 | | | Ballard Pictured Cliffs | | | | | |
| Property | | · | | ¹ Pre | | | eperty Name | | | | Well Number | |
| 1973 | | | Lilly | 1y | | | | | | | 1 | |
| ł | ⁷ OGRID Ne. | | | | 1 Operator Name | | | | | 1 | · Élevation | |
| 006515 | 006 515 D uga | | | | n Production Corporation | | | | | 6828 | ' Estimated | |
| | | | | | 10 Surf | face L | Location | | | | | |
| UL or let so. | Section | Township | Range | Let Ida | Feet from | | North/South line | Feet from the | East/Wa | t Kar | line County | |
| В | 1 | 23N | 6W | 1 | 790 | | North | 1850 | Eas | | Rio Arriba | |
| • | | <u> </u> | II Bot | tom Hol | e I ocatio | 00 If | Different Fro | on Surface | | | J 7.1.100 | |
| UL or lot se. | Section | Township | Range | Let Ide | Feet from t | | North/South fine | Feet from the | East/We | 4 G r | Ta | |
| | İ | | | | | | Tropical wat | ree non the | EAST IT G | . Bac | County | |
| ⁴⁸ Dedicated Act | lalot ^{es} as | or lafall H | Consolidatio | n Code u (| Prifer No. | | | L | L | | | |
| 160.32 | | | | | | | | | | | | |
| | WABLE V | WILL BE | ASSIGNE | D TO THE | S COMPL | ETIO | N UNTIL ALL | INTERCETE II | AVE DE | FN. 60 | | |
| | | OR A | NON-ST | ANDARD | UNIT HA | S BEE | EN APPROVED | BY THE DIV | ZION | en co | NSOLIDATED | |
| 16 | | | | | | | | | | | | |
| | | | | | | | | | | | TIFICATION | |
| | ı | | | 79 | 90 ¹ | - 1 | | true and com | ly that the inj Note to the b | formation est of my | contained herein is | |
| | | | | | | | | true and complete to the best of my inordedge and belief | | | | |
| · | | | | Dugan Prod. | | | 1850' | | | | | |
| | | | | | | | H // / | | | | | |
| | | | | NM-8 | 7230 | | | W Soll | naug | 4 | larel | |
| | 1 | | | 11 | | - 1 | | Signature Signature | | | ray | |
| | | | | - | | - 1 | | | an E. I | rugan | / | |
| | | | | | • | | | Printed Name | | 9 | | |
| | İ | | | | | - | | Vice_I | Preside | nt | | |
| | | | | | | | | 10/1/9 | 96 | | | |
| | | | Section | . | | | | Dute | | | | |
| | | | | 1 | | | | 18C11DV | EYOP A | CEDT | IFICATION | |
| | | | | | | | | | | | | |
| | | | | | | | | was ploand fro | m field note | of actual | shows on this plat I surveys made by me | |
| | | | | | | 1 | | or under my si | epervision, a | nd that th | e same is true and | |
| | l | | | | | | | correct to the | | | | |
| | 1 | | | | | | | Date of Survey | Months admin | SENT. | William . | |
| | | | | | | | | Signature and | | | 301/1 | |
| | | | | | | | | og ment mig | 3/5/ | ₹% | | |
| | 1 | | | | | | | | 91 18 | 979) | September 1 | |
| | 1 | | | | | | | • | 71 | | /\$\bar{\bar{\bar{\bar{\bar{\bar{\bar{ | |
| | 1 | | | | | | | 21 | A STATE | | of the | |
| | - 1 | | | | | | | Edor | 2012 | ONAL SY | Marie | |
| | . 1 | | | . . | | | | Certificate No | 5979 | ************************************** | | |
| I | | | | | | | | | | | | |

| Existing Roads | Exhibit E | Planned Access Ro | ad(s) | Exhibit E |
|--|--|--|---------------|----------------|
| Vicinity of nearest tapprox. 4 miles NE of | cown or reference pt. Counselors Trading Post | Width 20' Drainage design Cuts & Fills | as required | 3% |
| Type of surfacedi | irt . | Surfacing materia > Turnouts | none | |
| Conditions 9 | ood | □ Culverts □ Gates | \ Waterbars | |
| Other | | = Cattleguards // Fence cuts | Access R | oad & |
| Reference map: USGS ma Quad | p Tafoya Canyon, | Access road(s) do | _ | _ |
| | | DUGAN PRODUCTION COR | <u>~</u> | .9/ 1110 Tana. |
| | | The state of the s | 6764 | |
| y NH 28733 50% | | 6056 | | X6787 |
| 0000 | Service of the servic | Yeass West | | (8) |
| | NH 24YS& | 3 | Mare Ide Ser. | |
| | | 505 (500) | 7 | |
| ,10 | | | 6.00 | |
| | | | | |
| | | | | |
| | Celsius NM 1894 250% | or or | | |
| 15 | GIVE | | Red | 10 |