

King, Jr.
DEPUTY OIL & GAS INSPECTOR

MAR 28 1997

JICARILLA APACHE TRIBE

ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507
DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO
NATURAL
RESOURCE DEPT
AND OIL-GAS
ADMINISTRATION

PIT REMEDIATION AND CLOSURE REPORT

Approved

Operator: PNM Gas Services (Bayless) Telephone: 324-3764
Address: 603 W. Elm Street Farmington, NM 87401
Facility or Well Name: Axi Apache C-9
Location: Unit: A Sec. 3 T. 23 N R. 5 W County Rio Arriba
Pit Type: Separator Dehydrator Other Drip
Land Type: Jicarilla Apache

Pit Location: Pit dimensions: length 18 width 17 depth 11
(Attach diagram) Reference: wellhead X other
Footage from reference: 75'
Direction from reference: 45 Degrees East ← North
 West of South

Depth to Ground Water:

(Vertical distance from contaminants
to seasonal high water elevation of
ground water)

Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 points) 0

Wellhead Protection Area:

(Less than 200 feet from a private domestic
water source, or, less than 1,000 feet from all
other water sources)

Yes (20 points)
No (0 points) 0

Distance to Surface Water:

(Horizontal distance to perennial
lakes, ponds, rivers, streams,
creeks, irrigation canals and ditches)

Less than 200 feet (20 points)
200 feet to 1,000 feet (10 points)
Greater than 1,000 feet (0 points) 0

Distance to Ephemeral Stream (dry wash):

(Horizontal distance to all downgradient
streams having a width of at least 10
feet)

Less than or equal to 100 feet (10 points)
Greater than 100 feet (0 points) 0

Distance to Nearest Lake, Playa, or Watering
Pond:

(Horizontal distance to all downgradient
lakes, playas, and livestock or wildlife
water ponds)

Less than or equal to 100 feet (10 points)
Greater than 100 feet (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: 10/2/96 Date Completed: 11-11-96

Remediation Method: Excavation X Approx. Cubic Yards 125

(Check all appropriate sections)

Landfarmed X Amount Landfarmed (cubic yds): 125

Other _____

Remediation Location: Onsite X Offsite _____

(i.e., landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action:

Removed contaminated soil from all four side walls as to get a below 100 ppm head space reading. Bottom was solid sandstone rock.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

Sample Location North, East, South, and West side walls

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 11'

Sample date 10/2/96 Sample time 1124

Sample Results

Soil: Benzene (ppm) 0.0004 Water: Benzene (ppb) _____

Total BTEX (ppm) 0.0035 Toluene (ppb) _____

Field headspace (ppm) 13.3 Ethylbenzene (ppb) _____

TPH <5.0 ppm Method 8015 Total Xylenes (ppb) _____

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE 10/4/96 PRINTED NAME Ronald A. Dedrick


SIGNATURE Ronald A. Dedrick AND TITLE Environmental Technician II

AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES ✓ NO _____ (REASON): Spray

SIGNED: Gabriel J. [Signature] DATE: 10/7/96

Hx1 Hpatche C-9
Sec. 3 T23N R5W
Bayless



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *3-Oct-96*
COC No.: *5338*
Sample No.: *12439*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Axi Apache C-9 Run 116*
Project Location: *9610021124; 4pt. Composite*
Sampled by: *EP* Date: *2-Oct-96* Time: *11:24*
Analyzed by: *BV* Date: *3-Oct-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>< 5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: 0489-QC


Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i>< 5.0</i>	<i>ppm</i>	<i>100</i>	<i>100</i>	<i>0.2</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1- Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>91</i>	<i>79</i>	<i>(70-130)</i>	<i>10</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: 
Date: *10/3/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *2-Oct-96*
COC No.: *5338*
Sample No.: *12439*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Axi Apache C-9 Run 116*

Project Location: *9610021124; 4pt. Composite*

Sampled by: *EP* Date: *2-Oct-96* Time: *11:24*

Analyzed by: *DC* Date: *2-Oct-96*

Sample Matrix: *Soil*

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Benzene	0.4	ug/kg	0.2	ug/kg
Toluene	< 0.2	ug/kg	0.2	ug/kg
Ethylbenzene	0.5	ug/kg	0.2	ug/kg
m,p-Xylene	1.7	ug/kg	0.2	ug/kg
o-Xylene	0.9	ug/kg	0.2	ug/kg
TOTAL		3.5		ug/kg

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *10/2/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

JICARILLA APACHE TRIBE
ENVIRONMENTAL
PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528


SUBMIT 1 COPY TO
NATURAL
RESOURCE DEPT
AND OIL-GAS
ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator: <u>PNM Gas Services (Bayless)</u> Telephone: <u>324-3764</u>	
Address: <u>603 W. Elm Street Farmington, NM 87401</u>	
Facility or Well Name: <u>Ax, Apache C-9</u>	
Location: Unit: <u>A</u> Sec. <u>3</u> T. <u>23</u> N R. <u>5</u> W County <u>Rio Arriba</u>	
Land Type: <u>Jicarilla Apache</u>	
Date Remediation Started: <u>10/2/96</u> Date Completed: <u>10/16/96</u>	
Remediation Method: Landfarmed <u>X</u> Approx. cubic yards <u>125</u>	
Composted <u> </u>	
Other <u> </u>	
Depth to Ground Water: (pts.) <u>0</u>	Final Closure Sampling: Sampling Date: <u>10/16/96</u> Time <u>1246</u> Sampling Results: Field Headspace (ppm) <u>21.9</u> TPH (ppm) <u><50</u> Method <u>8015</u> Other <u> </u>
Distance to an Ephemeral Stream: (pts.) <u>0</u>	
Distance to Nearest Lake, Playa, or Watering Pond: (pts.) <u>0</u>	
Wellhead Protection Area: (pts.) <u>0</u>	
Distance to Surface Water: (pts.) <u>0</u>	
Ranking Score (Total Points): <u>0</u>	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF	
DATE <u>10/16/96</u> PRINTED NAME <u>ROY BURNHAM</u>	
SIGNATURE <u>Roy Burnham</u> AND TITLE <u>Environmental Technician II</u>	
AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	
APPROVED: YES <u>✓</u> NO <u> </u> (REASON) <u> </u>	
SIGNED: <u>Robert Julian</u> DATE: <u>10/22/96</u>	

Hxi Hpacke C-9
Sec. 3 T23N R5W
Bayless

Land farm



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *18-Oct-96*
COC No.: *5361*
Sample No. *12611*
Job No. *2-1000*

Project Name: *PNM Gas Services - Axi Apache C-9 Landfarm Run 116*
Project Location: *9610161246; 5pt. Composite*
Sampled by: *RB* Date: *16-Oct-96* Time: *12:46*
Analyzed by: *DC/HR* Date: *18-Oct-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>< 5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance ReportDRO QC No.: *0489-QC****Calibration Check***

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i>< 5.0</i>	<i>ppm</i>	<i>100</i>	<i>102</i>	<i>1.6</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>93</i>	<i>97</i>	<i>(70-130)</i>	<i>3</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

Date: *10/18/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -