


(SUBMIT IN TRIPLICATE)

Land Office **Farmington**

Lease No. **NM 016319**

Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 23, 1960

OHIO Government Mines

Well No. **1** is located **990** ft. from **N** line and **990** ft. from **E** line of sec. **20**

SW 1/4 Sec. 20

(1/4 Sec. and Sec. No.)

15N

(Twp.)

1E

(Range)

N.M.P.M.

(Meridian)

Wildcat

(Field)

Sandoval

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is **5761** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; record all other important proposed work)

Purpose of work: To plug well.

50 sack plug - 7 7/8" hole - 3438-3600' Across Permian-Pennsylvanian
50 sack plug - 7 7/8" hole - 2388-2550' Across Aqua Zarca water sand
50 sack plug - 7 7/8" hole - 2038-2200' Across Top of Aqua Zarca

Baker Model "k" magnesium bridge plug set at 330' in 8 5/8" surface casing with 15 sacks on top.

10 sack plug to be set at surface. (Verbal permission given by U.S.G.S. 12/23/60)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **THE OHIO OIL COMPANY**

Address **P.O. Box 948**

Durango, Colorado

By **Leif D. Spindle**

Title **District Geologist**