



COPY TO O. C. C.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
P. O. Box 965  
Farmington, New Mexico

May 23, 1955



Carmody Larrasola  
254 Kerber Building  
Albuquerque, New Mexico

Re: New Mexico 04283

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated May 18, 1955 covering your well No. 3 Odium in SE $\frac{1}{4}$  sec. 11, T. 15 N., R. 1 W., N. M. P. M., Sandoval County, New Mexico, Wildcat pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:


1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
2. Furnish copies of all logs.
3. Subject to approval of the New Mexico Oil Conservation Commission for the unorthodox location.

Very truly yours,

(Orig. Sgd.) A. P. KLEEMAN

A. P. Kleeman  
Acting District Engineer

APKleeman:ac



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



101-25, A. A. (1-2, 3-10)


(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe, New Mexico

Lease No. 71-01203

Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well #3 Federal

May 13, 1953

Well No. \_\_\_\_\_ is located 950 ft. from N line and 330 ft. from E line of sec. 11

3E/4 Sec. 11

15N

1W

S.P.M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Wilcox

San Juan

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 5710 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Maximum depth planned is 800 feet to test the Entrada sandstone.

30' surface pipe will be set, cemented from top to bottom.

5 1/2" casing will be set and cemented with 30 sacks, if oil or gas is encountered. Well will be drilled with submersible.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Cannedy and Larrasola

Address 254 Barber Bldg.

Albuquerque, New Mexico

By Mary S. Cannedy

Title Secretary