

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.  
Form Approved.

Land Office Santa Fe, NM.

Lease No. NM. 029930-A

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


Well No. 790 is located 840' ft. from [N] line and 330' ft. from [W] line of sec. 3  
N 1/4, N 1/4, sec. 3 15 N, 3 W N. M. P. M.  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildest Sandoval New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6004' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Dakota Test to 1300' approx:  
 Propose to drill a 4 3/4" hole, with 100' of 5 1/2" surface casing, with rotary. Should we hit oil (or gas) propose to run a drill stem test (or bail, or both) = then to set 2 1/2" tubing (with shoe at bottom), run electric log, cement, grout and use jacks (if necessary) to cut off water flows. Then call pending your instructions.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Junge Sandoval  
 Address 121 Valley Drive, Santa Fe, NM.

By Same as

Title operator