Form 9-881 a (Feb. 1951)
-----------------------------

eb. 10	V1)		
		į	- 1
		ep. 1901)	gg. 1201)

## (SUBMIT IN TRIPLICATE)

### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358. Approval expires 12-31-60.
MILL

A 40 m mm
Land Office 8/17/
Lease No.
YI!a

# SUNDRY NOTICES AND REPORTS ON WELLS

	SUBSEQUENT REPORT OF WATER SHUT-OFF
TICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
TICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF ALTERING CASING
TICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
TICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF ABANDONMENT
TICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY
TICE OF INTENTION TO PULL OR ALTER CASING	SOFFICEMENT OF THE STATE OF THE
OTICE OF INTENTION TO ABANDON WELL	
	K NATURE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CHECK MARK	Oct, 5th, 1963.
Oniginal	
Original 2 feet NE Author Survey 1477	n. $\lim_{N \to \infty} \frac{1}{N}$ line and $\frac{E}{W}$ line of sec.
? feet IC management survey	(F.)
1-9-V . 1 4485 ft from	line and ft. from W line or sec.
ell No. 18 located 18 N	MARIA.
WEANING Sec. 7 10 11	
	(Meridian) New Mexico
THE TURNETON	(State on Marritory)
(Field) (County	y or Subdivision) Original copy lost,
•	magain dry
ne elevation of the derrick floor above sea le	evel is
le elevation of the dollars	evel isft. You have Survey in your
DETA	AILS OF WORK
	indicate mudding John
sund awasted depths to objective sands; show t	sizes, weights, and lengths of proposed casings; indicate mudding jobs,
ate names of and expected depths to objective sands; show sing points, and all	sizes, weights, and lengths of proposed casings; indicate mudding jobs, ill other important proposed work)
	sizes, weights, and lengths of proposed casings; indicate mudding jobs, il other important proposed work)  Oct, 15, 1963 to comply with the Federal  Oct, 15, 1963 to comply with the Federal
	THE SECOND CONTRACTOR OF THE SECOND CONTRACTOR
	THE SECOND CONTRACTOR OF THE SECOND CONTRACTOR
ease regulations and try and complete to the form of the second try and complete to the second try and complete to the second try and complete to the second try and t	lete a well in the New Verde sand aound will note the first well was jurked by will note the first well was jurked by will note the first well was jurked by
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand aound will note the first well was jurked by will note the first well was jurked by will note the first well was jurked by
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand aound will note the first well was jurked by will note the first well was jurked by will note the first well was jurked by
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand aound will note the first well was jurked by will note the first well was jurked by will note the first well was jurked by
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	THE SECOND CONTRACTOR OF THE SECOND CONTRACTOR
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand aound will note the first well was jurked by will note the first well was jurked by will note the first well was jurked by
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand abund lete a well in the New Verde sand abund will note the first well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The REL
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand abund lete a well in the New Verde sand abund by will note the first well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  REC.  OCT
we will be drilling by midnight ease regulations and try and complete as a 600 least in depth. As you a	lete a well in the New Verde sand abund lete a well in the New Verde sand abund by will note the first well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  REC.  OCT
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be drillers, comenting two 29 foot it in a tight hale thereby collapseriginal hale is of course abandon.	lete a well in the Mess Vende sand abund will note the first well was junked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The NEL.
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be drillers, comenting two 29 foot it in a tight hale thereby collapseriginal hale is of course abandon.	lete a well in the Mess Vende sand abund will note the first well was junked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The NEL.
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be different continued to 29 foot it in a tight hale thereby collapsinginal hale is of course abandons in the collection of course abandons.	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be different continued to 29 foot it in a tight hale thereby collapsinginal hale is of course abandons in the collection of course abandons.	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be different continued to 29 foot it in a tight hale thereby collapsinginal hale is of course abandons in the collection of course abandons.	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
lease regulations and try and complete to 600 feet in depth. As you is be delifered symmetring two 29 foot it in a tight hole thereby collapse it in a tight hole to of course abandon oniginal hole is of course abandon (lyde B. Harrey  Company 439 Camino del Monte Sol	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
We will be drilling by midnight lease regulations and try and completely to 600 feet in depth. As you is be different continued to 29 foot it in a tight hale thereby collapsinginal hale is of course abandons in the collection of course abandons.	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
lease regulations and try and complete to 600 feet in depth. As you is be delifered symmetring two 29 foot it in a tight hole thereby collapse it in a tight hole to of course abandon oniginal hole is of course abandon (lyde B. Harrey  Company 439 Camino del Monte Sol	lete a well in the News Vende sand abund lete a well in the linest well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.
lease regulations and try and complete to 600 feet in depth. As you is be delifered symmetring two 29 foot it in a tight hole thereby collapse it in a tight hole to of course abandon oniginal hole is of course abandon (lyde B. Harrey  Company 439 Camino del Monte Sol	lete a well in the News Vende sand abund in the first well was jurked by joints of 10 inch pipe after driving ing it. We offset NE 12 feet. The red.  OCT  OIL College of the Geological Survey before operations may be commended.

NUMBER OF COPIE	SRECEI	/ED	
DIS	TRIBUTIO	ONNC	
SANTA FE			
TILE			
Ų.S.G.S.		7	
LAND OFFICE			
	OIL		
TRANSPORTER	GAS		
PRORATION OFFI	CE		

### NEW MEXICO OIL CONSERVATION COMMISSION

LE S.G.S. AND OFFICE OIL GAS RORATION OFFICE PERATOR			TION AND ACREA		
			SECTION A		Wall No.
perator [.I.	& Clyde B.	Harvey	Lease C. B. Harvey	Fed.031171-E	Well No
nit Letter	Section 27	Township	Range	Sandoval	11111111111111111111111111111111111111
ctual Footage L 1485	ocation of Well: feet from the	Nonth line a	and <i>165</i> fe	eet from the west	line
round Level Ele	v. Producing		Pool larvey-Tornes		Dedicated Acreage: 162.35 Acres
who has the ri another. (65- If the answer to wise? YES If the answer to owner	ght to drill into a -3-29 (e) NMSA : to question one is NO	and to produce from any page 1935 Comp.)  s "no," have the interest If answer is "yes," Ty s "no," list all the owner.	pool and to appropriate the sts of all the owners been upe of Consolidation ers and their respective in	e production either for h	nitization agreement or other-
Cage	se o. mouse		Sec. 27		
		SECTION B		- WY J J 18	CERTIFICATION
12 × NE 08/17/1 18/	1-X EED KIED		RILLIVE OCT 25 19 OIL CON. DIST.	in SEC plete to belief.  Name  Position  Compare  Date  Shown plotted surveys supervised.	y certify that the well location on the plat in SECTION B was from field notes of actual s made by me or under my sion, and that the same is true rect to the best of my knowledge.
	990 1320 1650	1980 2310 2640	2000 1500 1000	and/or	ered Professional Engineer  Land Surveyor  cate No.

#### INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.