Form 9-831 a (Feb. 1951)								
				c				
~								

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. NM 03397-A
Unit Holmes-A

	1	SUBSEQUENT RE	PORT OF WATER S	ert-off	
OTICE OF INTENTION TO DRILL		SURSFOUENT RE	PORT OF SHOOTING	OR ACIDIZING	
OTICE OF INTENTION TO CHANGE PLANS		SURSFOUENT RE	PORT OF ALTERING	CASING	10,01
TICE OF INTENTION TO TEST WATER SH		SUBSPOUENT RE	PORT OF RE-DRILLI	NG OR REPAIR	
TICE OF INTENTION TO RE-DRILL OR RE	REPAIR WELL		PORT OF ABANDON	MENT	<u>1.2.1</u>
OTICE OF INTENTION TO SHOOT OR ACID	DIZE		WELL HISTORY	- 11 で、VSY 1 は	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TICE OF INTENTION TO PULL OR ALTER	R CASING	30FI ELINEWIN		FARMINGTON	
OTICE OF INTENTION TO ABANDON WELL	<b>L</b>				
(INDICATE AR	BOVE BY CHECK MARK N	ATURE OF REPORT,	OTICE, OR OTHER D	ATA)	
,					, 19 <b>.6</b>
		(N)		$m \stackrel{\{E\}}{=} line of second$	
ll No. 1 is located	660 ft. from	line and	tt. iroi	n this or see	USECT
gy of Section 28 1	8 North 3	Was	M.M.P.		
(½ Sec. and Sec. No.)	(Twp.) (I	Range)	(Meridian)		
	Sandaval	-x-1-17 7-5522	Kow-K	State of Territory)	
11deat (Field)	(County or	Subdivision)			
	The second second	LS OF WORI	ths of proposed cas osed work)	ings; indicate mudding	r jobs, cem
otimated total depth in	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
stimated total depth is	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
istimated total depth is a single to be set at its sill set 30° of 8 5/8° its silling contractor • %	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
stimated total depth in	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
stimated total depth is	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
otimated total depth in	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
stimated total depth in casing to be set at	estimated 12	s, weights, and lengther important prop	ented to su		g jobs, cem
stimated total depth in the easing to be set at ill set 30' of 8 5/8" in rilling contractor - W	6 1250° estimated 129 28 Lb surface	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
rtimated total depth in a satisfied to be set at ill set 30' of 8 5/8" in the satisfied to	6 1250° estimated 129 28 Lb surface	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
timated total depth is assing to be set at ill set 30' of 8 5/8" illing contractor - W	estimated 12: 28 Lb surface . W. Holmes,	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
stimated total depth is assing to be set at ill set 30' of 8 5/8" i rilling contractor . W	estimated 12: 28 Lb surface . W. Holmes,	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
stimated total depth in casing to be set at ill set 30' of 8 5/8" i rilling contractor - W	estimated 12: 28 Lb surface . W. Holmes,	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
rimated total depth in casing to be set at ill set 30' of 8 5/8" irilling contractor - W	estimated 12: 28 Lb surface . W. Holmes,	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	
rimated total depth is a casing to be set at ill set 30' of 8 5/8" irilling contractor - w	estimated 12: 28 Lb surface . W. Holmes,	s, weights, and lengther important property.  50' and cam casing.  Box 567, Am	ented to su	rince.	

FORM C-128 Revised 5/1/57

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

	CEE IV	STRUCTIONS	EOP COUS	I ETIMO	UIC EOD# O	N THE OF	/EDCE CINE		
	SEE IN	SIRUCIIUNS		SECTION		H INE KE	ERSE SIDE		
Operator			<u> </u>	Lease	· ·			Well N	lo.
. W.	V. Holmes				ûnes A (1	DE 03397	- <b>A</b>	3	•
Jnit Letter	Section	Township		Range	<u> </u>	County			
A	<sup>III</sup> 28		18 N.		3₩.	Sand	oval, N	ew Mexico.	
ctual Footage L	ocation of Well:								
<b>6</b> 60	feet from the	North	line and	547	fee	et from the	East	line	
fround Level Ele	1			Pool				Dedicated Ac	
6613	Kom Ve	erdo .						10.00	Acres
In the Operato	or the only owner in	. sha dadiqasad		eliand on e	he slot holom	o vec 📆	NO.	(!!Osimon!! m	ages the boses
	ight to drill into an -3-29 (e) NMSA 19	-	тот ину рос	і шпа го ар	propriate the	production	ellbet jot bli	nself of for his	nselj ana
	to question one is	•	e interests :	of áll the c	wners heen c	on solidated	by communi	tization agree	ment or other-
	NO 1					.01.302101100	, comman.	agree.	nemi or other
	to question two is					erests belov	v:		
)wner				<del></del>	Land Descrip	<del></del>	. '		
W. W. Holmes							28_ T_	18 H., R.	3 Harmon
							7		
<u> </u>		SECTIO	ON B			-		CERTIFICAT	LION
							I banaban		- !- !
	*					7	1	certify that th	e information s true and com-
						3.547			kpowledge and
	İ					8:07-7	belief.		
	ļ						110	7. H. D	rton
	ļ				1		Name		
-	<u> </u>							Agent fo	oe*
<u></u>							Position		
	ļ	1			1			W. W. Hol	
	i				! 			P.O.Bex 50	
	j				ĺ			Amerillo,	Teras
	İ				i		Date		
	ļ				1	1	Feerus	ry 3, 196	<u> </u>
		5	1) (		1				
			nu			<u> </u>			
	Ì				/ Million				
	j				mm Y	,	-	-	well location
	Ì	1				****		the plat in St tom field notes	CTION B was
				•	OIL OU	N Carre	_	made by me or	
				•	المالية ١٨	es v			ne same is true
	i	1							of my knowledg
<del></del>					- (a, with - 2) 12	and the second	and belie		11 /
	i				Ì		M	Atti O	4/1/11/
	İ				İ		1/6	<u>uur ×</u>	1 nere
	İ				!		Date Sur	•	/
	ļ.					1		9,1957	<del>,                                    </del>
	ļ				1		! I	ed Professions	-
	1				1		J F	and Surveyor	cor
	1	Į.			1		∣ N∈	w Mexico	
	i	l l			1		l		

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
  - 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
  - 4. All distances shown on the plat must be from the outer boundaries of the Section.
  - 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.