For (l	<b>m 9-</b> Feb. 1	<b>331 a</b> 951)	



### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget 1 Form Ap	Bureau No. proved.	42-R358.4.
Land Office	Santa	Po
Lease No.	081160-	

TICE OF INTENTION TO D	PRILL	X	SUBSEQUENT REPO	OT OF WATER SUID	OFF	
TICE OF INTENTION TO C			SUBSEQUENT REPOR			
TICE OF INTENTION TO T			SUBSEQUENT REPOR			
TICE OF INTENTION TO R	E-DRILL OR REPAIR WEI	LL	SUBSEQUENT REPOR			
TICE OF INTENTION TO S	HOOT OR ACIDIZE		SUBSEQUENT REPOR			
TICE OF INTENTION TO P	ULL OR ALTER CASING		SUPPLEMENTARY W	ELL HISTORY		
TICE OF INTENTION TO A	BANDON WELL				· 	
	(INDICATE ABOVE BY CH	HECK MARK NA	TURE OF REPORT, NOTI		•	<u></u>
C. B. Harve	Ŋ			June 5,	1963	, 19
l No. 1-41 i	s located 1670	ft. from	line and 23	<b>9</b> ft. from {	E line of se	c. <b>21</b>
SE sec. 21	18 N	3 W	(~ ) <b>以</b> •阿,	.P.	**************************************	See See Se
(¼ Sec. and Sec. No.)	(Twp.)		nge)	(Meridian)		
Wildont (Field)	san	County or St	hdivision)	A West	e or Territory)	·
	depths to objective sand	DETAILS	OF WORK	proposed casings;	OIL	jobs, cement
elevation of the o	depths to objective sand	DETAILS	OF WORK	proposed casings; work)	OIL (	jobs, cement
e names of and expected o	depths to objective sand ing point	DETAILS	OF WORK weights, and lengths of	work)		
e names of and expected o	depths to objective sand ing point	DETAILS is; show sizes, ves, and all other	OF WORK weights, and lengths of r important proposed to	<sup>work)</sup> B <b>. Marve</b> y #	l-A well a	nd is
e names of and expected of This propos to be drill	depths to objective sand ing point sed well is a sed to a depth	DETAILS  is; show sizes, v s, and all othe  direct of 720	OF WORK weights, and lengths of rimportant proposed to  first to C. If the where it	work) 3. Marvey # is expecte	l-A well a d to inter	nd is
This propos to be drill the oil san will be set	depths to objective sand ing point sed well is a sed to a depth of which was on and comented	DETAILS  (s; show sizes, v.s., and all other  direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	. Harvey # is expecte ty feet of wy drill w	l-A well a d to inter 8-5/8° ca ill be use	nd is sect sing d to
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	. Harvey # is expecte ty feet of wy drill w	l-A well a d to inter 8-5/8° ca ill be use	nd is sect sing d to
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and comented	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	. Harvey # is expecte ty feet of wy drill w	l-A well a d to inter 8-5/8° ca ill be use	nd is sect sing d to
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	is expected from the second se	1-A well a d to inter 8-5/8" ea ill be use # easing w	nd is sect sing d to
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	is expected from the second se	1-A well a d to inter 8-5/8" ca ill be use # casing w	nd is sect sing d to ill
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	is expected from the second se	1-A well a d to inter 8-5/8" ca ill be use # casing w	nd is sect sing d to 111
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	is expected from the second se	l-A well a d to inter 8-5/6" ca ill be use // casing w	nd is sect sing d to 111
This propos to be drill the oil san will be set drill a 7-7	depths to objective sand ing point sed well is a sed to a depth of which was on and commented /8° hole. If	DETAILS is; show sizes, y s, and all other direct e of 720 ored in in place	of WORK weights, and lengths of rimportant proposed v  ffeet to C. If ft. where it the l-A. This e, and a rote	is expecte ty feet of try drill w	1-A well a d to inter 8-5/8" ca ill be use # casing w	nd is sect sing d to 111
This propos to be drill the oil san will be set drill a 7-7 be set and	depths to objective sand ing point and well is a depth and which was on and commuted /8° hole. If commented in pi	DETAILS (a); show sizes, value of the contract	of WORK weights, and lengths of rimportant proposed v  ffset to C. I  ft. where it the lea. This e, and a rote ion is obtain	is expecte ty feet of try drill w	D-A well a d to inter 8-5/8" saill be use generations By:    Reference   P. OF C.   D. OF C.     BONE COVERED	nd is
This propose to be drill the oil san will be set drill a 7-7 be set and	depths to objective sand ing point sed well is a sed to a depth of which was on and comented /8" hole. If comented in pieces of work must receive a	DETAILS (a); show sizes, value of the contract	of WORK weights, and lengths of rimportant proposed v  ffset to C. I  ft. where it the lea. This e, and a rote ion is obtain	is expecte ty feet of try drill w	D-A well a d to inter 8-5/8" saill be use generations By:    Reference   P. OF C.   D. OF C.     BONE COVERED	nd is
This propose to be drill the oil san will be set drill a 7-7 be set and	depths to objective sand ing point and well is a depth and which was on and commuted /8° hole. If commented in pi	DETAILS (a); show sizes, value of the contract	of WORK weights, and lengths of rimportant proposed v  ffset to C. I  ft. where it the lea. This e, and a rote ion is obtain	is expecte ty feet of try drill w	D-A well a d to inter 8-5/8" saill be use generations By:    Reference   P. OF C.   D. OF C.     BONE COVERED	nd is
This propose to be drill the oil san will be set drill a 7-7 be set and	depths to objective sand ing point and well is a second of which was on and committed in particular of work must receive a second of work must receive a sec	DETAILS (a); show sizes, value of the contract	of WORK weights, and lengths of rimportant proposed v  ffset to C. I  ft. where it the lea. This e, and a rote ion is obtain	is expecte ty feet of try drill w	D-A well a d to inter 8-5/8" saill be use generations By:    Reference   P. OF C.   D. OF C.     BONE COVERED	nd is
This propose to be drill the oil sen will be set drill a 7-7 be set and and anneal ann	depths to objective sand ing point and well is a second of which was on and committed in particular of work must receive a second of work must receive a sec	DETAILS  a; show sizes, v s, and all other  direct e of 720 ored in in place product.  lace,	of WORK weights, and lengths of rimportant proposed v  ffeet to C. I  ft. where it the lea. This e, and a rote ion is obtain  ting by the Geological	is expecte ty feet of try drill w	OPERATIONS BY:  OPERATIONS BY:	nd is sect sing d to 111 MESSEE ON THE ATEMOMES MINISTER MARK MINISTER M

MAMBEL OF COPIE	SRECEIVED	
	TRIBUTION	 
SANTA FE		
FILE		
U.S.G.5.		
LAND OFFICE		
	OIL	
TRANSPORTER	GAS	
PRORATION OFFI	CE	
OPERATOR		

## NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

		LUCAII					}
<u> </u>	SEE IN	STRUCTIONS	FOR COM	PLETING THI	S FORM ON	THE REVERSE S	IDE
		W- 1 W-	SECTIO	N A			
	· · · · · · · · · · · · · · · · · · ·		Lease				Vell No. /A-X.
N/615 A	HARVE	Υ	6.6	MARVE	7		//7 · X.
Section	Townshi	PIGN	Rang	e = 1/	County	Carallo al	a ,
		73/1		<u> </u>	<u></u>	)/+/(/ <i>U V</i> V/	16
	E 10 ( )	L line and	11.7	/ for	e from the .	South	lina
		ine and	Pool	Z, lee	t from the	Dedic	rated Acreage:
	101111111011 11/		l	NILUCA	T		cated Acreage: Acres
right to drill is: -3-29 (e) Ni to question of	nto and to product MSA 1935 Comp.) one is "no," have If answer is	e from any poor the interests s''yes,'' Type	l and to a of all the of Consol	owners been c	production e	ither for himself o	r for himself and
•	· · · · · · · · · · · · · · · · · · ·						
				= cocnp	<i>N</i>	W/4 50	E 1/4
<del></del>	S E C	TION B				CER.	FIFICATION
1							
			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	JINO 1	365 3	in SECTION A plete to the bestelief.  TRANCI Name  Position  Company	that the information above is true and comst of my knowledge and SLANNY  TOR  BLANCY  ARNEY
	- <del></del>	76.70 + @		2364		shown on the pl plotted from fie surveys made b supervision, an	that the well location that in SECTION B was ld notes of actual y me or under my d that the same is true he best of my knowledge the best of my knowledge fessional Engineer.
- ·	r the only or ight to drill it of question of W	Section Townshi  Cocation of Well: feet from the FASI  For the only owner in the dedicate of the deficition of the dedicate of the deficition of the only owner in the dedicate of the original of t	Section Township  Cocation of Well:  feet from the FAST  Ine and  Producing Formation  Or the only owner in the dedicated acreage out  ight to drill into and to produce from any pool  3-29 (e) NMSA 1935 Comp.)  to question one is "no," have the interests of  NO If answer is "yes," Type	SECTION    Lease	SECTION A  Lease  NUIS L. HARVEY  Section  Township  Section  Formation  Producing Formation  Producing Formation  To the only owner in the dedicated acreage outlined on the plat below sight to drill into and to produce from any pool and to appropriate the -3-29 (e) NMSA 1935 Comp.) to question one is "no," have the interests of all the owners been composed in the image of the composition of the only owner in the dedicated acreage outlined on the plat below in the plat below	SECTION A  Lease  J. B. JARVEY  Section  Section of Well: feet from the  Froducing Formation  Or the only owner in the dedicated acreage outlined on the plat below? YES  ight to drill into and to produce from any pool and to appropriate the production e  3-29 (e) NMSA 1935 Comp.)  to question one is "10," have the interests of all the owners been consolidated  NO If answer is "yes," Type of Consolidation  to question two is "no," list all the owners and their respective interests below  SECTION B  SECTION B	Section   Township   SK   Range   County   SANID BV

# INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.