

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	<input checked="" type="checkbox"/>	REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

July 13, 1956 *Farmington, N.M.*
 (Date) (Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Francis J. Harvey *Gonzales #1*
 (Company or Operator) (Lease)
Benson-Martin-Gear Drilling Co. Well No. *1* in the *NE 1/4 SE 1/4* of Sec. *16*
 (Contractor)
 T. *19S*, R. *3W*, NMPM, *Undesignated* Pool, *Sanford* County.

The Dates of this work were as follows:

Notice of intention to do the work *(was)* (was not) submitted on Form C-102 on *July 13*, 19*56*
 (Cross out incorrect words)

and approval of the proposed plan (was) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Plugged as follows:

20 5X - 3340 to 3400
20 5X - 2300 to 2240
20 5X - 2000 to 1840
40 5X - 930 to 810

Witnessed by *E. L. Bond* *Benson-Martin-Gear Drilling Co.* *Int. Pres.*
 (Name) (Company) (Title)

Approved:

OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name *E. L. Bond*

Position *Eng.*

Representing *Benson-Martin-Gear*

Address *405 1/2 W. Broadway*

Farmington, N.M.

(Name)

(Title)

(Date)

Charles
Gonzalez
Box 993
Santa Fe

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	✓	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Farmington, N.M. *July 13, 1956*
(Place) (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

Gonzales #1 Well No. *1* in *NE 1/4 SE 1/4* of Sec. *16*, T. *19 S.*, R. *3 W.*, NMPM., *Undesignated* Pool
(Company or Operator) (Unit)
Sandoval County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

request to plug & abandon as follows:

20 SX - 3340 to 3400
20 SX - 2300 to 2240
20 SX - 2000 to 1840
40 SX - 930 to 810

Geological tops - Mesa Verde 637
Point Lobout 2209
Top manas 2329
Upper Gallup - 3150
Lower Gallup - 3368
TD - 3570

operator will leave open
Mesa Verde water sands
from 637 - 810 to connect
to water well for W.P.
Johnson's and proper
notarized forms will be
submitted for this type
of conversion.
Company or Operator

Approved.....
Except as follows:

By.....

Position.....

Send Communications regarding well to:


Approved
OIL CONSERVATION COMMISSION

By.....

Name *Francis Harvey*

Title.....

Address *Box 997, Wichita Falls, Tex*



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Francis J. Harvey (Company or Operator) *Gonzales* (Lease)
Well No. 1, in NE 1/4 of SE 1/4 of Sec. 16, T. 19S, R. 3W, NMPM.
Indesignated Pool, Mandalay County.
Well is 1980 feet from South line and 660 feet from East line
of Section 16. If State Land the Oil and Gas Lease No. is Unknown
Drilling Commenced July 7, 1956 Drilling was Completed July 13, 1956
Name of Drilling Contractor Benson-Martin - Geo. H. Co.
Address 405 1/2 W. Broadway, Farmington, N. Mex.
Elevation above sea level at Top of Tubing Head 6862. The information given is to be kept confidential until
_____, 19____.

OIL SANDS OR ZONES

none (dry hole)
No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 637 to 950 feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
<u>8 5/8</u>	<u>32</u>	<u>New</u>	<u>94</u>	<u>Joy Pattern</u>			<u>surface</u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>12 1/4</u>	<u>8 5/8</u>	<u>94</u>	<u>70</u>	<u>pump & plug</u>	<u>9.2</u>	<u>40 bbls</u>

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

none - dry hole

Result of Production Stimulation.....

.....Depth Cleaned Out.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 100 feet, and from 100 feet to 3570 feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing dry hole, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T. mesa Verde - 637
T. Abo	T.	T. Point Lookout - 2209
T. Penn	T.	T. Mancos - 2329
T. Miss	T.	T. Upper Gallup - 3150
		T. Lower Gallup - 3368

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	637	637	Levis Shale				
637	1250	613	mainly sands w/sh stringers				
1250	1800	550	alternating sh & sd				
1800	1990	190	Shale				
1990	2209	219	alternating sh & sd				
2209	2330	121	Sand				
2330	3150	820	Mancos sh				
3150	3570	420	Sandy shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Address (Date)
Name Position or Title