

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. W-0556  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


Well No. 1 is located 1980 ft. from N line and 660 ft. from E line of sec. 8  
(S) (W)  
8 (1/4 Sec. and Sec. No.) 20N (Twp.) 4E (Range) 105W (Meridian)  
Adair (Field) Adair (County, or Subdivision) new section (Section History)

The elevation of the derrick floor above sea level is 6880 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

10 3/4" surface csg set at 312' with 175 sx of regular cement on Dec. 3, 1958. Tested with 300 lbs. for 30" on Dec. 4, 1958 and found water shut-off OK. Prep. to drill 8 3/4" hole out from under surface.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company A. H. Brown  
Address 337 U. S. National Bank Bldg.  
Denver 2, Colo.  
By Jay J. Harris  
Title Geologist