


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. S. F. 079335
Unit E. C. White



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of perforations</u>	<u>X</u>
	<u>Report of sand-free</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 26, 1956

Well No. 1 is located 1900 ft. from N line and 1900 ft. from W line of sec. 7
W/A Section 7 21N 4W N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Sandoval New Mexico
 (Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Reperforated 5-1/2" casing from 5252' to 5260' with 4 (9/16) Schlumberger bullets per foot for total of 32 shots.

Attempted to sand frac with 10,000# sand and 10,000 gals. diesel oil. B.D. 3300#. Started taking 10 blis. per min. at 2000# pressure. Pressure gradually increased to 6500# after getting in 2000# of sand and 2000 gals. diesel oil. Reversed sand out of tubing.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shelly Oil Company
Address Box 426, Farmington, New Mexico

By (Signed) P. E. Harper

Title District Foreman

