

SANTA FE

(SUBMIT IN TRIPLICATE)

Land Office

SF 079836

Lease No.

RECEIVED

MAR 4 1959

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

MARCH 4, 19**59**

Gov't White

Well No. **1** is located **388** ft. from **{N}** line and **660** ft. from **{E^xW}** line of sec. **6**

NW/4 Sec. 6

21N

4W

NM PM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

WILDCAT

SANDOVAL COUNTY

NEW MEXICO

(Field)

(County or Subdivision)


(State or Territory)

The elevation of the derrick floor above sea level is **7036** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SEE ATTACHED SHEET



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **BRINKERHOFF DRILLING COMPANY**

Address **870 DENVER CLUB BUILDING**

DENVER, COLORADO

By

HARRELL BUDD

Title

CONSULTING GEOLOGIST

BRINKERHOFF DRILLING COMPANY, GOVERNMENT WHITE NO. 1

Spud July 8, 1958

Set 8 5/8" casing at 239 feet with 255 sacks of regular cement.

**Core No. 1, 3845 to 3899 feet, Rec. 4' sand, looks wet, 7' shale, 5' sand and coal,
9' shale, 13' sand, looks wet, 4' shale, 5' sand looks wet.**

Core No. 2, 6162 to 6207 feet, Rec. 4' sandstone, no shows, 37' shale.

Core No. 3, 6207 to 6251 feet, Rec. 21' shale, 23' sandstone, no shows.

**DST No. 1, 4933 to 5045 feet, Recovered 387 feet of drilling mud, no shows,
Flow pressure 250 lbs., Shut-in pressure 400 lbs. after 30 minutes.**

**DST No. 2, 5120 to 5225, Recovered 40 feet mud, no shows, Flow pressure 100
lbs., Shut-in pressure 100 lbs. after 30 minutes.**

TOTAL DEPTH 6382 feet.

PLUGGED AND ABANDONED JULY 30, 1958



