1	Form 9-831 b (April 1952)					
I	•	13				
Ĭ	1		.			
ļ						
- 1		1	Ì			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Approve	Bureau No. 43-R359.4. al expires 12-81-60.
Indian Agency	
Allottee	
Lease No	.118

	SUBSEQUENT REPORT OF WATER SHUT-OFF
TICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACCUSED TO
OTICE OF INTENTION TO CHANGE PLANS	SUBSPOUENT REPORT OF ALTERING CASING
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF REDRILLING OF REPAIR
OTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WILL SURF SURF SURF SURF SURF SURF SURF SURF
OTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK M	IARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(ma-e-1-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	10 41
	May 29
	(TT)
MW/4 Section 25 T12M - B	from $\{ N \}$ line and
(M Sec. and Sec. No.)	New Mexico
Wildest (C	county or Subdivision) (State or Territory)
(Field)	
he elevation of the derrick floor above se	ea level is a level is
De elevation of the desired	
	THE OF WORK
DI DI	THE OF WORK
DI	THE OF WORK
DI State names of and expected depths to objective sands; all ing points, as	THE OF WORK
State names of and expected depths to objective sands; all ing points, at	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work)
State names of and expected depths to objective sands; all ing points, as	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment and all other important proposed work) mrines casing: will heep mud in consellent shep
State names of and expected depths to objective sands; all ing points, as ing points, as will sun about 250° of 8-5/8" or few observing complete and post	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) urface casing; will been mud in consellent shap tible drill stem testing of blocaverds sands
State names of and expected depths to objective sands; at ing points, at the same about 250' of 5-5/5" to for observing camples and year (act. 1900' to 2300'), Gallap sa	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment and all other important proposed work) urface casing: will been mud in conscilent shap tible drill stem testing of bleeswords stade indis (est. 5100' to 5300') and Enhots stade
State names of and expected depths to objective sands; all ing points, as ing points, as will sun about 250° of 8-5/8" or few observing complete and post	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) urface casing: will been mud in conscilent shap tible drill stem testing of blocaverds sands indis (est. 5100' to 5300') and Enhota sands
State names of and expected depths to objective sands; at ing points, at ing points, at for observing camples and post (est. 1700' to 2200'), Gallap se	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) urface casing: will been mud in conscilent shap tible drill stem testing of blocaverds sands indis (est. 5100' to 5300') and Enhota sands
State names of and expected depths to objective sands; at ing points, at the same about 250' of 5-5/5" to for observing camples and year (act. 1900' to 2300'), Gallap sa	ETAILS OF WORK how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) urface casing: will been mud in conscilent shap tible drill stem testing of blocaverds sands indis (est. 5100' to 5300') and Enhota sands
State names of and expected depths to objective sands; at ing points, at the same about 250' of 5-5/5" to for observing camples and year (act. 1900' to 2300'), Gallap sa	erface casing; will heep mud in emselient shapethle drill stem testing of biocaverde sands and (est. 5100' to 5300') and Enhou sands assume total depth 6500' or top-placetions.
State names of and expected depths to objective sands; at ing points, at the same about 250' of 5-5/5" to for observing camples and year (act. 1900' to 2300'), Gallap sa	erface casing; will heap mud in emselient shape index (est. 5100' to 5300') and Enhom stands and the stands of the
State names of and expected depths to objective sands; at ing points, at ing points, at for observing camples and post (est. 1700' to 2200'), Gallap se	erface casing: will been mad in conscilent shep sible drill stem testing of bioceverds sands and (est. 5190' to \$300') and Enhou sands were testing to the sands were testing of bioceverds sands were testing to be bioceverds as the bioceverds were testing to be bioceverds.
State names of and expected depths to objective sands; at ing points, at ing points, at for observing camples and post (est. 1700' to 2200'), Gallap se	erface casing; will heep mud in emselient shape index (est. 5100' to 5300') and Enhou sands with total depth 5500' or top-fill Market State of Market State State of Market St
Will run about 250' of 5-5/5" or for observing samples and post (est. 1700' to 2200'), Gallay sa (est. 21 6200' to 6400'), Manis formation.	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) surface casing; will hoop mud in emselient shape this drill stem testing of hispaverds sands leads (est. 5100' to 5300') and Rabon sands make total depth \$500' or top of Microscope JUNS 1961 OIL CON. COM. DIST. 3
State names of and expected depths to objective sands; at ing points, at ing points, at few absorving samples and post (est. 1700' to 2200'), Gallap so (est. at 6200' to 6400'), Manufacture.	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) surface casing; will been mud in concellent shape with drill stem testing of bioseverds sands ands (est. 5100' to 5300') and Enhom sands were testing of bioseverds sands were testing te
State names of and expected depths to objective sands; at ing points, at will sum about 250' of 5-5/5" at few observing camples and post (est. 1700' to 2200'), Gallap sa (est. at 5200' to 5400'). Manufaction.	erface casing: will been much in conscilent shep with drill stem testing of bioceverds stands with testing of bioceverds stands will been testing of bioceverds stands with testing of bioceverds at the bioceverds with testing of bioceverds with testing of bioceverds at the bioceverds with testing of bioceverds with testing with testing of bioceverds with testing with te
State names of and expected depths to objective sands; at ing points, at will sum about 250' of 5-5/5" of 6-5/5" of	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) surface casing; will been mud in concellent shape with drill stem testing of bioseverds sands ands (est. 5100' to 5300') and Enhom sands were testing of bioseverds sands were testing te
State names of and expected depths to objective sands; at ing points, at ing points, at for observing camples and post (est. 1700' to 2300'), Gallage se (est. at 6300' to 6400'), Manual formation. I understand that this plan of work must receive ap Company France Defiling Gamps.	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) arface casing; will been mud in conscilent shep this drill stem teeting of bioseverds sands indis (est. 5100' to 5300') and Enhous sands indis (est. 5100' to 5300') and Enhous sands within teens depth 5500' or top, Maryloon (LULIVED) JUNS 1961 OIL CON. COM. DIST. 3 proval in writing by the Geological Survey before operations may be commenced.
State names of and expected depths to objective sands; at ing points, at ing points, at few above; 250° of 5-5/5" of few observing camples and post (est. 1700° to 2300°), Gallage se (est. at 5200° to 5400°), Manual formation. I understand that this plan of work must receive ap Company France Defiling Gamps.	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) arface casing; will been mud in conscilent shep this drill stem teeting of bioseverds sands indis (est. 5100' to 5300') and Enhous sands indis (est. 5100' to 5300') and Enhous sands within teens depth 5500' or top, Maryloon (LULIVED) JUNS 1961 OIL CON. COM. DIST. 3 proval in writing by the Geological Survey before operations may be commenced.
Will sun about 250' of 5-5/6" or for observing samples and points, as for observing samples and post (est. 1700' to 2200'), Gallag sa (est. at 6200' to 6400'), himself formation. I understand that this plan of work must receive ap Company Exchar Drilling Gamps.	how sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement and all other important proposed work) arface casing; will been mud in conscilent shep this drill stem teeting of bioseverds sands indis (est. 5100' to 5300') and Enhous sands indis (est. 5100' to 5300') and Enhous sands within teens depth 5500' or top, Maryloon (LULIVED) JUNS 1961 OIL CON. COM. DIST. 3 proval in writing by the Geological Survey before operations may be commenced.

NUMBER OF COPIE	SRECEIVE	0		_
019	TRIBUTION	•		_
SANTA FE				
FILE			i	
U.S.G.S.		,		_
LAND OFFICE				
TRANSPORTER	OIL			
TRANSPORTER	g AS		1	
PRORATION OFFI	E			

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

TRANSPORTER OIL GAS		SEE INSTRUCTIONS	FOR COMPLETING	THIS FORM ON TH	IE REVERSE S	IDE	
OPERATOR			CECTIAN '				
Operator			Lease			Well No.	
EXETER DRILLING COMPANY		<u>, , , , , , , , , , , , , , , , , , , </u>	JICARILLA AP			1	
Unit Letter	Section 28	Township 22 North	Range 4 WEST	County	DOVAL		
Actual Footage Lo	feet from the	NORTH line and		feet from the WE		ine	
Ground Level Elev. 6891.0	Producing Fo		Pool # lidea:		Dedic	ated Acreage:	Acres
who has the riginal another. (65-3 2. If the answer to wise? YES 3. If the answer to Owner	bt to drill into and 3-29 (e) NMSA 193 question one is " NO If	no," have the interests answer is "yes," Type no," list all the owners	of all the owners be of Consolidation and their respective Land Des	the production either enconsolidated by interests below:	er for himself or	for himself an	ıd
					- · · · · · · · · · · · · · · · · · · ·		
		SECTION B				IFICATION	•
-660'- 0					I hereby certify in SECTION A splete to the best belief. Name Name Company Date	above is true as to of my knowle Heur en Managerilling Co	nd com- dge and
		28	PL JUN OIL O	1961	shown on the place of the surveys made by supervision, and and correct to the surveyed 20 May 19 Registered Profession Land Surveyed 1 Profession Land Surveyed 20 May 19 Registered Profession Land Surveyed	d notes of actor me or under me or under me or under me that the same me best of my lessional Engires	B was ual ny is true mowledge
0 330 660 9	90 1320 1650 19	BO 2310 2640 20	00 1500 1000	500 0	ertificate No.	1463	·

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

