



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SF 078235
Unit NEW MEXICO

AUG 17 1959

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			
Notice of intention to workover.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 10, 1959

Well No. Maddox F A #1 is located 660 ft. from N line and 660 ft. from E line of sec. 34

SW SW Sec 34 23N 6W NMPM
(1/4 Sec. and 1/4 Sec. No.) (Twp.) (Range) (Meridian)

Undesignated Sandoval New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7048 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

The above described well was completed 6/25/56 for an IP of 17 BOPD. In February 1959 the production was 2.5 BOPD. After stimulation treatment in April 1959, the production dropped back to 5 BOPD. Since this well is sub-commercial, Texas National Petroleum Co. desires to work over the well in the following manner:

1. Cement squeeze Gallup perforations 5331-5466
2. Perforate 8 bullets 4146-4148 and cement squeeze for W.S.O.
3. If shut off is achieved, perforate Point Lookout 4 shots/ft. 4136-4146.
4. If zone is commercial, complete well in Point Lookout.
5. If zone is not commercial, cement squeeze interval 4136-4146.
6. Perforate 8 bullets 1940-1942 and cement squeeze for W.S.O.
7. If shut off is achieved, perforate Pictured Cliffs 4 shots/ft 1881-1900.
8. If zone is commercial, complete well in Pictured Cliffs
9. If not commercial, 5-1/2" casing will be pulled and well abandoned.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXAS NATIONAL PETROLEUM CO.,

Address 405-1/2 West Broadway

Farmington, New Mexico

By D E A Johnson

D. E. A. Johnson, Manager
Title Rocky Mountain Division

[illegible]