MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Revised 12-1-55

Pool Wildcat				Formation Pictured Cliffs				_CountySandoval			
Ini	tial x		Annual		Spe c	ial		_Date of '	Test	-25-56	
Company Caswell Silver Lease Jicarilla Tribal Lease 45 Well No. 1											
Unit NW/4 Sec. 19 Twp. 23N Rge. 4W Purchaser None											
Casing 5 1/2" Wt. 15.5# I.D. 4.95 Set at 2378.8' Perf. 2334' To 2318' (60 shots)											
Tubing 2 3/8" Wt. 3.71# I.D. 2.067 Set at Perf. open end To											
Gas Pay: From 2334' To 2318' L 2326' xG .65 -GL 1511.90 Bar.Press. 11.2											
Producing Thru: Casing Tubing Type Well single - gas Single-Bradenhead-G. G. or G.O. Dual											
Dat	Date of Completion: 1-23-56 Packer none Single-Bradenhead-G. G. or G.O. Dual Reservoir Temp. 1000										
	OBSERVED DATA										
Tested Through (Choke) (Matter) Type Tag								Type Tap:	5		
			w Data				Data				
No.	(Prover) (Line)	(Choke	Press	1 1	- 1	Press.		Press.		Duration of Flow	
	Size	Size		h _w	°F.	psig	o _F .	psig	o _F .	Hr.	
SI						710		710			
1. 2. 3.		3/4:	71				800	124	800	3 hrs	
3.											
4. 5.				-							
<u> </u>	·	<u> </u>									
_]	FLOW CAL	CULATIONS	3				
,,,	Coeffici	ent	Pressure		Flow Temp.		Gravity Compre				
No.	(21, How	r) -/	h na	neia	Fact	tor	Factor	Factor F _{pv}		Q-MCFPD @ 15.025 psia	
╗		· / V	"WPf								
1. 2.	14, 1605			82.2	. 9813		.9608	1.0		1,091	
3。											
4.											
PRESSURE CALCULATIONS Gas Liquid Hydrocarbon Ratio cf/bbl. Specific Gravity Separator Gas											
	ity of Liquid		arbons		cf/bbl. deg.			fic Gravit			
F _C (1-e ⁻⁵) P _C 721.2											
No.	P _w Pt (psia)	Pt ²	F _c Q	$(F_cQ)^2$	(F.	Q) ² -e ^{-s})	P _w 2	$P_c^2 - P_w^2$	Ca]		
1. 2.							32,80	5019, 20		.1875	
3.								ļ	 		
4.											
5.			5 de								
Absolute Potential: 1 135 MCFPD; n 85 COMPANY Cascall Silver											
	PANIRESS		swell Sil		415		Many Ma				
AGE	NT and TITLE	3	23 Simme		P. Arbin	ine talle.	ALEW PAIC				
	NESSED_										
COMI	PANY				REMA	ARKS	 		AFE.		

INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

- Q \equiv Actual rate of flow at end of flow period at W. H. working pressure (P_W). MCF/da. @ 15.025 psia and 60° F.
- P_c = 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater. psia
- Pw Static wellhead working pressure as determined at the end of flow period. (Casing if flowing thru tubing, tubing if flowing thru casing.) psia
- Pt Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia
- Pf Meter pressure, psia.
- $h_{\mbox{w}}$ Differential meter pressure, inches water.
- Fg Gravity correction factor.
- Ft Flowing temperature correction factor.
- F_{DV} Supercompressability factor.
- n _ Slope of back pressure curve.

Note: If P_{W} cannot be taken because of manner of completion or condition of well, then P_{W} must be calculated by adding the pressure drop due to friction within the flow string to P_{t} .

OIL CONSERVATION AZTEC DISTE	10101	ION						
DISTRI	DISTRIBUTION							
Santa Fo								
Profession Office								
U. S. G. S. Transporter	1	1						