

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

NM 0555833-B

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat	RECEIVED MAY 19 1967 U. S. GEOLOGICAL SURVEY FARMINGTON, N. M.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR PAN AMERICAN PETROLEUM CORPORATION		7. UNIT AGREEMENT NAME
3. ADDRESS OF OPERATOR P. O. Box 480, Farmington, New Mexico		8. FARM OR LEASE NAME Pan American "C" USA
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1980' FWL & 1980' FWL		9. WELL NO.
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, HT, GR, etc.) RDB 6816'	10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA SW/4 NE/4 Section 17, T-20-N, R-3-W
		12. COUNTY OR PARISH Sandoval
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

RECEIVED

WATER SHUT-OFF

MAY 29 1967

SHOOTING OR ACIDIZING

BUREAU OF LAND MANAGEMENT
FARMINGTON, N. M.

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

As a result of failing to find commercial quantities of oil or gas in the subject well, we plan to plug and abandon the well as follows:

1. Spot 40 sacks of cement from 9200' to 9100' (Top of Madera 9133').
2. Spot 40 sacks of cement from 7450' to 7350' (Top of Agua Zarca 7340').
3. Spot 40 sacks of cement from 6650' to 6550' (Top of Chinle 6408') (9-5/8" CSA 6570').
4. Cut and pull 9-5/8" casing at 1550'.
5. Spot 60 sacks of cement on top of 9-5/8" casing stub, from 1550' to 1470'.
6. Spot 60 sacks of cement over base of 13-3/8" surface casing from 1071' to 990'.
7. Spot 20 sacks of cement from 20' to surface.
8. Erect PXA marker and clean up location.

Verbal approval to plug and abandon received by G. W. Eaton, Jr., from John Ward by telephone May 16, 1967.

I hereby certify that the foregoing is true and correct

SIGNED G. W. Eaton, Jr.
G. W. Eaton, Jr.TITLE Area EngineerDATE May 18, 1967

This space for Federal or State office use)

PROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____