

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form 9-331-75  
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

|                                                                                                                                                                                                    |  |                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------|
| 1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> <b>Dry Hole</b>                                                                   |  | 5. LEASE DESIGNATION AND SERIAL NO.                                       |
| 2. NAME OF OPERATOR<br><b>Arwood H. Stove and T. J. Kreetschman</b>                                                                                                                                |  | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME                                      |
| 3. ADDRESS OF OPERATOR<br><b>PO Box 2265 Wichita Falls, Texas 76307</b>                                                                                                                            |  | 7. UNIT AGREEMENT NAME                                                    |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)<br>At surface<br><b>490' from the West Line and 800' from the North Line</b> |  | 8. FARM OR LEASE NAME<br><b>Federal A</b>                                 |
| 14. PERMIT NO.                                                                                                                                                                                     |  | 9. WELL NO.<br><b>1053 #1</b>                                             |
| 15. ELEVATIONS (Show whether DF, RT, GR, etc.)<br><b>633'</b>                                                                                                                                      |  | 10. FIELD AND POOL, OR WILDCAT<br><b>fieldcat</b>                         |
|                                                                                                                                                                                                    |  | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA<br><b>Sec. 30 17N 3W</b> |
|                                                                                                                                                                                                    |  | 12. COUNTY OR PARISH<br><b>Sandoval</b>                                   |
|                                                                                                                                                                                                    |  | 13. STATE<br><b>New Mexico</b>                                            |

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

| NOTICE OF INTENTION TO:                      |                                               | SUBSEQUENT REPORT OF:                          |                                                     |
|----------------------------------------------|-----------------------------------------------|------------------------------------------------|-----------------------------------------------------|
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> | WATER SHUT-OFF <input type="checkbox"/>        | REPAIRING WELL <input type="checkbox"/>             |
| FRACTURE TREAT <input type="checkbox"/>      | MULTIPLE COMPLETE <input type="checkbox"/>    | FRACTURE TREATMENT <input type="checkbox"/>    | ALTERING CASING <input checked="" type="checkbox"/> |
| SHOOT OR ACIDIZE <input type="checkbox"/>    | ABANDON* <input type="checkbox"/>             | SHOOTING OR ACIDIZING <input type="checkbox"/> | ABANDONMENT* <input type="checkbox"/>               |
| REPAIR WELL <input type="checkbox"/>         | CHANGE PLANS <input type="checkbox"/>         | (Other) <input type="checkbox"/>               |                                                     |

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*


Plugging well in Section 30 17N Sandoval County, New Mexico

1300' to 1500' (TD) across Gallup sands.  
360' to 460' across top of Mesaverde formation.  
0' to 100' since surface casing was not set.

Marker erected as per instructions.

Heavy drilling mud left between plugs.

Well was plugged April 30, 1974



18. I hereby certify that the foregoing is true and correct

SIGNED

*Arwood H. Stove*

TITLE

Operator

DATE

May 23, 1974

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*sf*

\*See Instructions on Reverse Side

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Arwood H. Stowe

Oil and Gas

P. O. BOX 2265 • PHONE 322-6352 • WICHITA FALLS, TEXAS 76307

2

T.J. Dreetschman and Arwood Stowe  
 Federal "A"  
 Section 30 17N 3W  
 Sandoval County, New Mexico

Ground Elevation 6363'

Rotary  
 C&M Drilling Company

|      |    |      |                                           |
|------|----|------|-------------------------------------------|
| 0    | to | 140  | Sandstone bentonitic tight                |
| 140  | to | 170  | Sh green                                  |
| 170  | to | 180  | sh pale green                             |
| 180  | to | 190  | sandstone                                 |
| 190  | to | 200  | sandstone light gray hard tight           |
| 200  | to | 210  | sandstone tan to brown                    |
| 210  | to | 220  | sh gray trace of coal                     |
| 220  | to | 230  | sd stone white to light gray              |
| 230  | to | 250  | sh                                        |
| 250  | to | 270  | sh                                        |
| 270  | to | 280  | sd stone light gray bentonitic clay       |
| 280  | to | 330  | sh                                        |
| 330  | to | 340  | coal                                      |
| 340  | to | 360  | sh                                        |
| 360  | to | 380  | sd stone, white to gray bentonitic        |
| 380  | to | 400  | sh gray                                   |
| 400  | to | 410  | coal                                      |
| 410  | to | 430  | sd stone                                  |
| 430  | to | 450  | sh gray sdy                               |
| 450  | to | 460  | sd stone                                  |
| 460  | to | 490  | coal                                      |
| 490  | to | 500  | sh                                        |
| 500  | to | 520  | sd stone light gray dense tight           |
| 520  | to | 990  | sh                                        |
| 990  | to | 1000 | siltstone                                 |
| 1000 | to | 1100 | sh medium gray sdy                        |
| 1100 | to | 1120 | siltstone light gray shy                  |
| 1120 | to | 1240 | siltstone light gray (no shows)           |
| 1240 | to | 1280 | sh gray sdy                               |
| 1280 | to | 1350 | light gray sh traces of limestone         |
| 1350 | to | 1370 | sandstone light gray                      |
| 1370 | to | 1400 | siltstone light gray                      |
| 1400 | to | 1410 | sd stone light gray (no shows)            |
| 1410 | to | 1440 | sh dk gray sdy traces of limestone        |
| 1440 | to | 1450 | sd stone dk gray (no shows)               |
| 1450 | to | 1460 | siltstone light gray tight                |
| 1460 | to | 1470 | siltstone light gray sh and sd            |
| 1470 | to | 1500 | sh dark gray . . . . . <u>TOTAL DEPTH</u> |



NO ELECTRIC LOG RUN