

01/25/02 09:26 FAX 5057618911

BLM ABQ

008

Form 3160-3
(June 1990)

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BIA Jicarilla Agency

3. Address and Telephone No.

PO Box 147, Cimarron, NM 87508

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SE NW 2310 FNL, 2310 FWL, Sec 29, T22 N, R36 W

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

Terminated (43292)

6. If Indian, Allottee or Tribe Name

Jicarilla

7. If Unit or CA, Agreement Designation

8. Well Name and No.

42 FARLEY

9. API Well No.

20084
30043200910091

10. Field and Pool, or Exploratory Area

11. County or Parish, State

SANDOVAL N.M.

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing Repair
- ☐ Altering Casing
- ☐ Other

- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-Off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on well completion or recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 1 Pull rods and tubing.
- 2 Spot 12 sxs cement 4236 - 4136
- 3 Perforate with 2 spf @ 2260, 999' & 285'
- 4 Run retainer to 2210'. Cement perms with 100 cf. cement (cement to cover annulus to Ojo top @ 1812). Pull out of retainer and spot 40 cf cement to cover Ojo @ 1876'.
- 5 Run retainer to 949'. Cement with 40 cf cement.
- 6 Run retainer to 250'. Cement with 80 cf cement.
- 7 Spot surface 12 cf cement from 100' to 0'. } (combine, omit retainer 105 cf
- 8 Cut off well head and weld on dry hole marker.
- 9 Move off well

14. I hereby certify that the foregoing is true and correct

Signed Ken Young by RECTitle BIA Real EstateDate 1/25/02

(This space for Federal or State Office use)

Approved by _____
Conditions of approval, if any:Title Ray E. J.Date 1/25/02

* See Attached


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

Parley #2

2310' FWL & 2310' FWL Sec 29-22N-3W

8 5/8" 24" @ 235'



Plug #4 0-285'

Establish circulation, pump 105cf (85 sxs) to surface, ~64 sxs annulus, 25 sxs inside

Perf @ 285' (2 JS)

Plug #3: 999-899, Spot 48cf (41 sxs)
34 sxs below retainer to cover annulus
7 sxs above

Cement Retainer @ 949'


Perf @ 999 (2 JS)



Plug #2: 2260-1786 Spot 210cf (178 sxs)
142 sxs below retainer to cover annulus
36 sxs above

Cement Retainer @ 2210'

Perf @ 2260' (2 JS)



Plug #1: 4236-4136 14cf (12 sxs) balanced Plug

Perfs 41286-941' 4 JS PF

4 1/2" 9.5 #

7 7/8" 4368'

0000



IN REPLY REFER TO
3162.3-1 (017)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT
Albuquerque Field Office
435 Montano N.E.
Albuquerque, New Mexico 87107

Company BIA Jicarilla Agency

Well No. Parlay No. 2

Location 2310' FNL & 2310' FWL Sec. 29, T22N, R3W, NMPM

Lease No. Terminated Jicarilla Contract 420

Government Contacts:

Bureau of Land Management, Albuquerque Field Office Office 505.761.8700
Manager: Steve Anderson, Assistant Field Manager 505.761.8982
Petroleum Engineer: Brian W. Davis 505.761.8756. Home 505.323-8698,
Pager 505.381.0346, Cell 505.249.7922,
Petroleum Engineering Technician: **Bryce Hammon, Office 505.759.1823, x-31, Cell 505.320.9741**
BLM Geology / Environmental Contact: Patricia M. Hester 505.761.8786

GENERAL REQUIREMENTS
FOR
OIL AND GAS OPERATIONS FEDERAL & INDIAN LEASES

1. Plugging operations authorized are subject to the "General Requirements for Permanent Abandonment of Wells on Federal and Indian Leases."
2. For wells on Indian leases, Bryce Hammond with the Jicarilla Nation Tribal Oil and Gas Office is to be notified at least 24 hours (48 hours if possible) before the plugging operations commence. His phone number is (505) 759-1823, x-31 office, (505) 320-9741 cell. Office hours are 7:45 a.m. to 4:30 p.m.
3. Blowout prevention equipment is required.
4. The sundry is approved with the following changes:

Plug 1 - Okay
Plug 2 - 2260 - 1786' (210 cf) see attached plugging diagram

Plug 3 - 999 - 899 (48 cf) see attached plugging diagram

Plug 4 - 285 - 0 (105 cf), omit the retainer at 235' and combine the last 2 plugs.