

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

USA -- NM 8222

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Double Ought

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Gallup Undesig.

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 12, T22N R6W

12. COUNTY OR PARISH 13. STATE

Sandoval

N. M.

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Tesoro Petroleum Corporation

3. ADDRESS OF OPERATOR

408 First State Bank, Abilene, Texas 79604

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

1695' FWL & 1045' FSL, Section 12, T22N R6W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

7074 KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Set retrievable plug @ 4165. Perforated lower Menefee Sand 4024-36 and 4009-17, acidized with 1000 gal. 15% MCA, fractured with 20,000 # sand and 25,000 gal. oil. Swabbing at rate of 73 bbls. water and 1 bbl. oil per day. Squeezed with 75 sx cement, perforated upper Menefee Sand 3893-93 2 SPF, swabbing 1 bbl. fluid per hour, 75% water. Squeezed with 75 Sx cement, drilled out cement, fished out retrievable plug, put previously completed Gallup Sand 5300-5365 on pump. Potential test follows.

RECEIVED

OCT 13 1972

OIL CON COM

DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE Project Engineer

DATE 26 September 72

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side