

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. Contract No. 183
2. NAME OF OPERATOR ODESSA NATURAL CORPORATION	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla Apache
3. ADDRESS OF OPERATOR P. O. Box 3908 Odessa, Texas 79760	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2310'FSL, 330'FEL	8. FARM OR LEASE NAME Chacon Jicarilla "D"
14. PERMIT NO.	9. WELL NO. 5
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 7416'GL, 7429'DF, 7430'KB	10. FIELD AND POOL, OR WILDCAT Chacon Dakota
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 22-T23N-R3W N.M.P.M.
	12. COUNTY OR PARISH Sandoval
	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-18-76 Spud well.

6-19-76 T. D. 261'

Ran 6 jts., 8-5/8", 24.0#, K-55 casing (240'), set at 261' with 200 sacks Class B cement with 2% CaCl. Cement circulated. Test with 500 psig for 30 minutes. Test OK.

7-9-76 T. D. 7691'.

Ran 228 jts., 4 1/2", 10.50# & 11.60#, K-55 & N-80, STC & LT&C, casing (7660') set at 7674' with:

1st Stg- 300 sxs. 50-50 Poz A with 6 1/4# Gilsonite, 6 lbs salt and 0.065 lbs D-65 per sx. Calculated top of cement - 6400'.

2nd Stg- 100 sacks 65-35 Pozmix with 12% gel and 50 sacks Class "b" cement. Calculated top of cement - 2600. Stage tool - 3295'.

For: Odessa Natural Corporation

18. I hereby certify that the foregoing is true and correct

SIGNED

Ewell N. Walsh, P. E.

(This space for Federal or State office use)

President, Walsh Engineering &

TITLE Production Corporation DATE July 20, 1976

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side