SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side)

UNITED STATES
DEPARTMENT OF THE INTERIOR

30 - 04 5 - 20343

5. LEASE DESIGNATION AND SERIAL NO.

	DEI MICHMENT	Q				o. DEEDE DESIGNATION AND BEEIGH NO.	
GEOLOGICAL SURVEY						NM-21455	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK					6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
la. TYPE OF WORK	LL 🛚	DEEPEN [PLUG BAG		7. UNIT AGREEMENT NAME	
b. TYPE OF WELL OIL GAS SINGLE SINGLE CONE WELL OTHER ZONE ZONE					8. FARM OR LEASE NAME		
2. NAME OF OPERATOR						Federal 19-22-6	
	eral Group, 1	nc.		,		9. WELL NO.	
3. ADDRESS OF OPERATOR				D		10. FIELD AND POOL, OR WILDCAT	
3200 Anaco	nda Tower, 55	5 1/th S	t.,	Denver, CO 8 tate requirements.*)	10202	Chacra Extension	
At surface						11. SEC., T., B., M., OR BLK.	
	1590' FNL & 1180' FEL, Section 19-T22N-R6W At proposed prod. zone					AND SURVEY OR AREA SE/4 NE/4 Section 19, T22N-R6W	
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POS	T OFFIC	*		12. COUNTY OR PARISH 13. STATE	
6½ miles s	outhwest of (Counselor	. Ne	w Mexico		Sandoval N.M.	
15. DISTANCE FROM PROPO	SED*		16. NO	OF ACRES IN LEASE	17. NO. 0	OF ACRES ASSIGNED HIS WELL	
PROPERTY OR LEASE I. (Also to nearest drig	INE, FT.	L180	963.10		16		
18. DISTANCE FROM PROP TO NEAREST WELL, D	OSED LOCATION*		19. PROPOSED DEPTH		20. ROTARY OR CABLE TOOLS		
OR APPLIED FOR, ON TH	IS LEASE, FT.	None	2	010	Ro	tary	
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)					22. APPROX. DATE WORK WILL START* As soon as permitted	
23.	P	ROPOSED CASI	NG ANI	CEMENTING PROGR.	AM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	00T	SETTING DEPTH		QUANTITY OF CEMENT	
12¼	7" used	- 23		100		100 sx circ.	
61/4	4½" new	9.5		2010	2	10 sx circ.	
Completion from the spurchaser. application attached.	intervals and tudy of logs Additional on to drill and and to drill and the Additional on to drill and the Additional and the Additional and the Additional	nd stimul This a informat nd a Mult	atic crea ion i-Po	on program winge is not de required by sint Surface	ll be edicat NTL-6 Use P	for the lan are 1978 JUN 6 1978 JUN CON. COM. OIL CON. 3	
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program is as 24.	drill or deepen directions	dly, give pertinen	t data	on subsurface locations a	anager	ductive zone and proposed new productive d and true vertical depths. Give blowout	
	C. Ellison eral or State office use)				M	EREIVEM	
PERMIT NO.				APPROVAL DATE	常		
CONDITIONS OF APPRO	VAL, IF ANY:	ті	TLE	 	<u>u u</u>	JUN 145 1978	

oh Frank

*See Instructions On Reverse Side

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

		All distances must be fr	om the outer bot	indaries of the Section		
Operator			Lease	30.05.4	Well No.	
		INC.	FEDERAL	19-22-6	1	
Unit Letter	Section	Township	Range	County		
H	19	22N	6W	Sand	loval	
Actual Footage Loc			7700		E	İ
1590		orth line and	1180	feet from the	East line	
Ground Level Elev.	Producing For	rmation	Pool	10 11 11 No.	Dedicated Acreage:	-
6901	Chacra			gnated-		Acres
2. If more th	_				e marks on the plat below. e ownership thereof (both as to wor	rking
dated by c Yes If answer this form i No allowal	No If a is "no;" list the f necessary.)	nswer is "yes," type o owners and tract desc	ng. etc? f consolidation riptions whice interests has	onh have actually b	peen consolidated. (Use reverse signated (by communitization, unitization, has been approved by the Com	de of
sion.	ing, or otherwise	or until a non-standar	unit, enimin	ating such intere	CERTIFICATION	
	 				I hereby certify that the information tained herein is true and complete the state of monowledge and belief. Name Paul C. Elliso Production Manager	on
	 - 	Sec		1100	Position Benson Mineral Grou Company May 31, 1978 Date	ıp, I
	 	19			I hereby certify that the well loc shown on this plat was plotted from notes of actual surveys made by a under my supervision, and that the is true and correct to the best of knowledge and belief.	n field me or same
	 				Date Surveyed May 17, 1978 Registered Professional Engineer and/or Land Surveyor Fred B. Kerr Jr, Certificate No.	
	1					
0 330 660	90 1320 1650 19	80 2310 2640 2000	1500	1000 500	。 3950	

SUPPLEMENTAL INFORMATION TO FORM 9-221C REQUIRED BY NTL-6

Federal 19-22-6 Well #1
1590' FNL & 1180' FEL Section 19-T22N-R6W
Sandoval County, N.M.

The geologic name of the surface formation is:

The estimated tops of important geological formations bearing hydrocarbons to be drilled are:

Formation	Depth	Elevation
Pictured Cliffs	1382	+5525
Chacra Total Depth	1767 2010	+5140

Estimated K.B. elevation: 6709 K.B.


Estimated Depth	Casing Size	Casing Weight	Hole Size	Sacks Cement	Type
100	7" Used	23	12¼"	100	Class "B" 2% CaCl2
2010	4½" New	9.5	6¼"	50 160	Class "B" Class "B" 50-50 Poz mix, 6% gel with ¼# Celloflake/sack


Benson Mineral Group Inc.'s standard blowout prevention will be employed, see the attached drawing of the preventor design.

Drilling fluid to be a low solids non-dispersed mud system.

The logging program will be as follows: Induction-Electric and Compensated Density-Gamma Ray from surface casing point to total depth.

Past experience in this area has shown that no abnormal pressures, temperatures, or hydrogen sulfide gas will be encountered.






MULTI-POINT SURFACE USE PLAN


Federal 19-22-6 Well #1 1590' FNL & 1180' FEL, Section 19-T22N-R6W SANDOVAL COUNTY, NEW MEXICO

- 1. The attached road map and sketch show the proposed route to the location and distances from towns.
- 2. An access road of 4,500 feet will be constructed as a new permanent road to location.
- 3. Existing oil and gas wells within a one-mile radius of our proposed well have been spotted on the vicinity map.
- 4. There are no storage tanks or facilities located within a one-mile radius of our proposed location.
- 5. Water will be hauled by truck from various existing water sources over existing permanent roads.
- 6. No construction materials will be hauled in for this location. Material from high points on location will be used to level location for proper drilling.
- 7. A 20' X 120' pit will be built on location to hold all drilling waste. Upon completion of well, all waste and liquid will be hauled by truck and bladed into existing roads. All other waste will be covered in 20' X 120' reserve pit.
- 8. There are neither airstrips nor camps in the vicinity.
- 9. The well site layout, reserve, burn and trash pits are shown on the attached Drill Site Specification Sheet.
- 10. Restoration of the surface will be accomplished by cleaning up and leveling upon completion of the well. Drilling mud will be hauled away and the reserve pit back filled. Reseeding of the site will be carried out as detailed by the Surface Management Agency at the time at the site examination.
- 11. The general topography and soil characteristics consist of fairly level terrain with vegetation of sagebrush and a few small pinion trees.
 - Representatives of the U.S. Geological Survey's Durango Office and Bureau of Land Management's Farmingtonffice will inspect the site. Cultural resources inspection will be conducted by an archaeologist from San Juan College or Salmon Ruins.
- 12. A Certification Statement by Benson Mineral Group, Inc.'s representative is included.

LEGEND

Care of the Son of the second (Principle, Cones, of Perfector, 19.5).





PROPOSED LOCATION
DIAGRAIA

Federal 19-22-6 Well #1 1590' FNL & 1180' FEL Section 19-T22N-R6W

SANDOVAL COUNTY, NEW MEXICO

CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by BENSON MINERAL GROUP,
INC. and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

0/1/78	Val C Ellini
Date	Paul C. Ellison
	Production Manager

Benson Mineral Group Inc.'s Representative:

Paul C. Ellison

Phone: Office: 303-893-0883; Home: 303-979-9021

Address: 3200 Anaconda Tower

555 17th Street

Denver, Colorado 80202