TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

UNITED STATES

SUBMIT IN TRIPLICATE.

Form approved.

	Appropriate Box To Indicate Nature of Notice Repo	
U.S.G.S.	6734' GR	Sandoval New Mexico
	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
1650' fwl, 2310' fsl		Sec. 27, T19N, R3W, NMP
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		Wildcat
OCATION OF WELL (Report location	10. FIELD AND POOL, OR WILDCAT	
20 First Plaza, Suite 402, Albuquerque New Mexico 87102)2 Federal # 1-27
Rijan Oil Company, Inc. 3. Address of Openator		Rijan Oil Company, Inc.
<u> </u>		8. FARM OR LEASE NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) OIL GAS WELL OTHER Dry Hole		N/A
		7. UNIT AGREEMENT NAME
		· N/A
SUNDRY NO	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
GEOLOGICAL SURVEY		NM 13948-A
DEPARTMENT OF THE INTERIOR verse side)		5. LEASE DESIGNATION AND SERIAL NO.
	SUNDRY NO (Do not use this form for propuse "APPLI" IL GAS WELL OTHER AME OF OPERATOR Rijan Oil Company, DORFESS OF OPERATOR 20 First Plaza, St OCATION OF WELL (Report location are also space 17 below.) of surface	CERMIT NO. IL GAS WELL OTHER DRY Hole AME OF OPERATOR Rijan Oil Company, Inc. 20 First Plaza, Suite 402, Albuquerque, New Mexico 8710 OCCATION OF WELL (Report location clearly and in accordance with any State requirements.* 1650 fwl, 2310 fsl TERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING ABANDON* SHOOTING OR ACIDIZING ABANDONMENT*

CHANGE PLANS

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Set cement plugs on 2/13/79 as follows:

No. 1 - 5025 to 5175' - 150' cement

No. 2 - 4000 to 4150' - 150'

No. 3 - 2575 to 2675' - 150'

No. 4 - 1750 to 1850' - 100'

No. 5 - 185 to 235' - 50'

No. 6 - 15 sx & marker at surface

(This space for Federal or State office use) APPROVED BY DATE _ CONDITIONS OF APPROVAL, IF ANY: