NO. OF CORIC RECEIVED	6.				20 00	(m			
DISTRIBUTION	The macking of Constitution Commission			ОИ	30-043-20470 Form C-101 Royland 14-65				
SANTA FE	/ <u> </u>	APPROVAL VALID							
U.S.G.S.		FOR 90 DAYS LEHESS				5A. Indicate Type of Leage			
U.S.G.S.	* 		DRILLING COMMEN	NCED,					
OPERATOR	/ 		810	71	1	Gas Lease No.			
		EX	PIRES 8-6-8		NMLG	mmmm			
APPLICATIO									
la. Type of Work		in to bilite, beer en,	OK I LOO BACK		7. Unit Agree	ment Name			
DRILL X	.]	DE 50511		. —					
b. Type of Well	J	DEEPEN	PLU	G BACK	B. Farm or Le	ase Name			
OIL GAS X	OIL GAS X OTHER SINGLE X MULTIPLE ZONE								
2. Name of Operator						Dome State 32-22-6 9. Well No.			
DOME PETROLEUM C	_	2							
3. Address of Operator					10. Field and Pool, or Wildcal				
4 1		7, Farmington, New			Rusty Chacra Extension				
UNIT LETT	ERA	LOCATED 920 1	FEET FROM THENO	cthLINE					
AND 810' FFET FROM	Fact			-					
AND SIU FEET FROM	THE East	LINE OF SEC. 32	TWP. 22N RGE.	W NMPM	12. County	<i>111111111111</i>			
				///////////////////////////////////////	-				
	HHHH	HHHHHHH		+++++	Sandoval	HHHH			
	HHHH	<i>HHHHHH</i>	19. Proposed Depth	19A. Formation	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	20, Rotary or C.T.			
			2100'	Chacra	1	Rotary			
21. Elevations (Show whether DF)	, RT, etc.) 21A	A. Kind & Status Plug. Bond	21B. Drilling Contractor		22. Approx.	Date Work will start			
6902' GR		Statewide		<u> </u>	6/01/8	0			
23.		PROPOSED CASING AND	CEMENT PROGRAM						
SIZE OF HOLE	SIZE OF CAS	SING WEIGHT PER FOOT	SETTING DEPTI	H SACKS OF	CEMENT	ECT TOD			
12%"	8 5/		100'		OF CEMENT EST. TOP Sacks Circulated				
63.11	4%"	10.5#	2100'	375 s		Circulated Circulated			
			1 2.00	1 3/3 3	acks	CITCUIACEG			
	,				J.				
		l 12½" hole to 100							
		"B" cement with 2%							
		er. Test to 500 ps:							
		olind rams on trips							
of the surface formation is Tertiary Nacimiento. Gas is expected in the Chacra. All other formations are probably water bearing. Pertinent formation tops are estimated as Kirtland									
390'; Fruitland 700'; Pictured Cliff 1260'; Chacra 1620'; and Cliffhouse 2040'. Mud system									
will be low soli	ds nondispe	ersed. Mud weight	8.8-9.2#/Gal	F.L. 8-10	cc. visco	sity 30-50			
sec./quart. No	abnormal te	emperatures or press	sures are antic	ipated.	Logging p	rogram will be			
DIL, FDC/CNL/GR with Caliper Log. Drill stem test will be taken where necessary for									
		4½", 10.5#, K55 cas							
Pozmix, 6% Gel, and 10# Gilsonite/sx., followed with 100 sx. class "B" cement w/10% salt.									
Drilling should require approximately 6 days.									
·	gus not e	l. l. 'l-1	·			à\			
THE ZONE. GIVE BLOWOUT PREVENT	OPOSED PROGRA	·	P PLUG BACK, GIVE DATA C	PRESENT MA		ID PROPOSED NEW PRODUC-			
OIL CON. COM									
iened Maleyy se	cett	Tule Drlg. & I	Prod. Foreman		21ST. 3 5/	02/80			
(This space for State Use)									
	=		अक्ट के कि						
APPROVED BY	S. Gave.	/ LLL 24500	ng (Program A		ATE MAY	E 1980			
- · 				P	ATE THE	رية الي اليد و 🐷			

STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088 SANTA FE, NEW MEXICO 87501 Form C-102 Revised 10-1-78

All distances must be from the cuter boundaries of the Section.

Operator			Lease	Well No.						
DOME PETROLEUM CORPORATION			DOME-STATE	2						
Unit Letter	Section	Township	Range	County						
A	32	- 22N	6W	Sandoval						
Actual Footage Loca 920	-	North line and	810	feet from the East	line					
Ground Level Elev.	Producing For		Pool	Teet from the 2450	Dedicated Acreage:					
6902	Chacr	a	Rusty Chacra Ex	ktension	160 Acres					
1. Outline the	1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.									
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).										
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc?										
Yes No If answer is "yes," type of consolidation										
If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of										
this form if	necessary.)	•								
No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.										
					CERTIFICATION					
	İ		! .	I hereb	by certify that the information con-					
					herein is true and complete to the					
	1 '		i		my knowledge and belief.					
·	1:		<u> </u>		Louissurest					
<u> </u>	·- i	+		Nome	HOLLINGSWORTH					
	!		!	Position						
			į I	Drilli) Company	ng & Production Foreman					
İ	i		ļ	a i	PETROLEUM CORP.					
	1		 	Date						
	l Se	c.	<u> i </u>	May 5	, 1980					
	1	32								
	1	.)2	1	I i	by certify that the well location					
1	1		!	I 1	on this plat was plotted from field of actual surveys made by me or					
1	1			1 1	ny supervision, and that the same					
	1			is true	e and correct to the best of my					
	 - + -			knowle	dge and belief.					
	1			S 1980 Date Sun	reyed 1980 1950					
	ļ			- T-1559 1 F /	a Professional Englise					
					and Surveyor					
			i	Fre	3 Kery Jy 3					
0 330 660	00 1320 1650 1980	2310 2640 2000	1500 1000	500 0 3950	100					



Dome Petroleum Corp.

SUITE 1400, COLORADO STATE BANK BLDG.

1600 BROADWAY

TELEPHONE (303) 861-1230

Denver, Colorado 80202 Development Plan For Surface Use

DOME STATE 32-22-6, WELL #2
920' FNL, 810' FEL
Sec. 32, T22N, R6W
SANDOVAL COUNTY, NEW MEXICO

Existing Roads

The main road to location is that from Councelors Trading Post to Pueblo Pintado, leaving this road approximately 9 miles South of Counselors and using existing side road.

2. Planned Access Roads

The access road, to be routed as shown on the attached map, will be approximately 100' long and 18' wide with adequate ditch and water bars.

3. Location Of Existing Wells

Existing wells within one mile of location are shown on the attached topographic map.

4. Location Of Proposed Facilities

Development of commercial gas production will require separation facilities on the location pad. Equipment and pits will be fenced as required for protection of livestock and wildlife. Above ground facilities will be painted brown or grey to blend in with the surrounding area as specified by the BLM. The disturbed areas no longer needed for operations after well completion will be restored to natural contour and reseeded.

5. Location & Type Of Water Supply

To be hauled from Escrito, approximately 25 miles to the North.

6. Source Of Construction Materials

Not applicable.

7. Method Of Handling Waste Material

All garbage and trash that can be burned shall be burned. All trash that cannot be burned will be contained in a trash pit and covered with a minimum of 24 inches of dirt. All drilling waste such as cuttings, overflows of oil, water, and drilling fluids will be contained in the reserve pit and buried with adequate cover upon completion of operations. The reserve pit will be fenced until cleanup operations are commenced. Toilet facilities will be provided.

Dome Petroleum Corp.

Development Plan For Surface Use
Dome State 32-22-6, Well #2

8. Ancillary Facilities

No camps or airstrips are proposed for this location.

9. Well Site Layout

See attached diagram.

10. Plans For Restoration Of Surface

Cleanup of the location will commence immediately following the removal of the drilling equipment. The reserve pit will be fenced until restoration operations are commenced. The location will be returned to original contour if the well is not productive. Both the road and location will be reseeded in accordance with BLM specifications.

11. Other Information

This location is on sparsely vegetated sandy land. Vegetation consists principally of sagebrush and native grasses. There is no water source in the immediate area.

12. Lesee's Or Operator's Respresentative

Dome Petroleum Corporation
H. D. Hollingsworth
501 Airport Drive, Suite 107
Farmington, New Mexico 87401
Phone: 505-325-2897 Office
505-327-1548 Home


13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dome Petroleum Corp. and it's contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

H. D. HOLLINGSWORTH

Drilling & Production Foreman Dome Petroleum Corporation


HDH:ig May 2, 1980



Dome Petroleum Corp.

SUITE 1500, COLORADO STATE BANK BLDG.
1600 BROADWAY
DENVER, COLORADO 80202

STANDARD BLOWOUT PREVENTER ASSEMBLY 6" 900 SERIES



Dome Petroleum Corp

SUITE 1500, COLORADO STATE BANK BLDG.
1600 BROADWAY
DENVER, COLORADO 80202

