

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)Form approved.  
Budget/Bureau No. 42-R1424.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. Contract No. 360
2. NAME OF OPERATOR JACK A. COLE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla Apache
3. ADDRESS OF OPERATOR P. O. Box 191 Farmington, N.M. 87401	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 790'FSL, 1850'FEL	8. FARM OR LEASE NAME Chacon Amigos
14. PERMIT NO.	9. WELL NO. 5
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 7256'GL, 7269'DF, 7270'KB	10. FIELD AND POOL, OR WILDCAT Chacon Dakota Assoc.
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 1-T22N-R3W N.M.P.M.
	12. COUNTY OR PARISH Sandoval
	13. STATE N.M.

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

4/26/81 T.D. 7180'. Ran 168 joints 4-1/2", 10.50 &amp; 11.60 lb., K-55 casing (7166.68') set at 7180.58' with:

First Stage: 510 sacks 50-50 Pozmix (2% Gel) with 6-1/4 lbs. Gilsonite and 6 lbs. salt per sack.  
Calculated top of cement 5477'.Second Stage: 140 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per sack, followed by 50 sacks Class "B" Neat Cement. Stage Collar at 2896'.  
Calculated top of cement 2096'.

FOR: JACK A. COLE

18. I hereby certify that the foregoing is true and correct.

SIGNED

ORIGINAL SIGNED BY  
Ewell N. Walsh, P.E.

TITLE

President, Walsh Engr.  
& Production Corp.

DATE

4/28/81

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

NMOCC

APPROVED FOR RECORD

APR 30 1981

\*See Instructions on Reverse Side

FARMINGTON DISTRICT