

Denny L. Faust
DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE
ENVIRONMENTAL PROTECTION OFFICE

SUBMIT 1 COPY TO
NATURAL
RESOURCE DEPT
AND OIL-GAS
ADMINISTRATION

MAR 28 1997

P.O. BOX 507
DULCE, NEW MEXICO 87528

Approved

PIT REMEDIATION AND CLOSURE REPORT

Operator:	PNM Gas Services	(<i>WFS</i>)	Telephone:	324-3764
Address:	603 W. Elm Street Farmington, NM 87401			
Facility or Well Name:	<i>Pancho 3 Drip</i>			
Location:	Unit: <i>I</i>	Sec. <i>19</i>	T. <i>23</i> N	R. <i>4</i> W County <i>Sandoval</i>
Pit Type:	Separator	Dehydrator	Other	<i>Line Drip</i>
Land Type:	<i>Jicarilla Apache</i>			
Pit Location:	Pit dimensions:	length <i>20</i>	width <i>20</i>	depth <i>4</i>
(Attach diagram)	Reference:	wellhead	other	<i>Drip Riser</i>
	Footage from reference:	<i>21'</i>		
	Direction from reference:	<i>Straight</i> Degrees <i>X</i> East	North	
		West	South	
Depth to Ground Water:		Less than 50 feet	(20 points)	
(Vertical distance from contaminants to seasonal high water elevation of ground water)		50 feet to 99 feet	(10 points)	<i>X</i>
		Greater than 100 feet	(0 points)	
Wellhead Protection Area:		Yes	(20 points)	<i>X</i>
(Less than 200 feet from a private domestic water source, or: less than 1,000 feet from all other water sources)		No	(0 points)	
Distance to Surface Water:		Less than 200 feet	(20 points)	
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		200 feet to 1,000 feet	(10 points)	<i>X</i>
		Greater than 1,000 feet	(0 points)	
Distance to Ephemeral Stream (dry wash):		Less than or equal to 100 feet	(10 points)	<i>X</i>
(Horizontal distance to all downgradient streams having a width of at least 10 feet)		Greater than 100 feet	(0 points)	
Distance to Nearest Lake, Playa, or Watering Pond:		Less than or equal to 100 feet	(10 points)	<i>X</i>
(Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds)		Greater than 100 feet	(0 points)	
RANKING SCORE (TOTAL POINTS):				<i>X</i>

Date Remediation Started: 9/23/96 Date Completed: 9/23/96

Remediation Method: Excavation _____ Approx. Cubic Yards 0

(Check all appropriate sections)

Landfarmed _____ Amount Landfarmed (cubic yds): _____

Other _____

Remediation Location: Onsite _____ Offsite _____

(i.e., landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action:

Clear Close - No contamination found during the assessment.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

Sample Location 3 Sample hole dug to 52" B.S. from bottom of existing pit

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 52"

Sample date 9/18/96 Sample time 1018

Sample Results

Soil: Benzene (ppm) _____ Water: Benzene (ppb) _____

Total BTEX (ppm) _____ Toluene (ppb) _____

Field headspace (ppm) 0.3 Ethylbenzene (ppb) _____

TPH <5.0 ppm Method 8015 Total Xylenes (ppb) _____

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE 9/22/96 PRINTED NAME Ronald A. Dedrick

SIGNATURE Ronald A. Dedrick AND TITLE Environmental Technician II


AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES X NO _____ (REASON): _____

SIGNED: K. C. Mamm DATE: 9-24-96

Point 3 Drip
Sec 19 T23N R4W
WFS

Drip Column
○



OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *19-Sep-96*
COC No.: *5295*
Sample No. *12194*
Job No. *2-1000*

Project Name: ***PNM Gas Services - Ponca #3 Drip Run 116***
Project Location: ***9609181018; 3pt. Composite, 52" depth***
Sampled by: *RD* Date: *18-Sep-96* Time: *10:18*
Analyzed by: *DC* Date: *19-Sep-96*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i><5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: 0489-QC

Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>93</i>	<i>6.9</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>90</i>	<i>96</i>	<i>(70-130)</i>	<i>5</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: *[Signature]*
Date: *9/19/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -