

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-10203

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

CANDY BUTTE

9. WELL NO.

#5

10. FIELD AND POOL, OR WILDCAT

Wildcat *Entrada*11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25, T.17N, R.3W

12. COUNTY OR PARISH 13. STATE

Sandoval

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Hanson Oil Corporation

3. ADDRESS OF OPERATOR

P. O. Box 1515, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

2310' FEL & 330' FNL

14. PERMIT NO.

15. ELEVATIONS (Show whether DT, RT, GL, etc.)
6362' GL

RECEIVED

JUL 17 1981

U.S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

16. Check Appropriate Box To Indicate Nature of Notice, Report,* or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

X

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On July 8, 1981, plugging operations on the well were completed as follows:

1. A 100' cement plug at top of Entrada formation 3488' TD to 3388' VIA dump bailer.
2. Ran free point and spotted 50' cement plug inside 5 1/2" casing below 2900' VIA dump bailer.
3. Shot 5 1/2" casing @2900' and pumped 50' plug at top of stubb, 2900' - 2850', displacing with mud.
4. Spotted 100' cement plugs, VIA 5 1/2" casing as follows:
 - 2400' - 2500' across top of Morrison formation
 - 2210' - 2310' across top of Dakota formation
 - 1260' - 1360' across top of Tooto formation
 - 270' - 370' in and out base of 8 5/8" casing at 320' 50' plug with marker at surface

The location was restored to regional contour by Ed Owen of Regina, New Mexico and seeded with 3.5# Crested Wheat grass, 1#, 4 Wing Salt Bush, 3/4# Sand Drop seed, 3/4# Alkali Sacatone, per acre as per instructions, Mr. Ron Montagno, Albuquerque, New Mexico office, Bureau of Land Management.

18. I hereby certify that the foregoing is true and correct

SIGNED

L. Vera L. Correa

TITLE Production Analyst

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

/s/ J. Stan McKee

*See Instructions on Reverse Side

NMOCC

for

RECEIVED
OCT 03 1984
OIL CON. DIV.
DIST. 3APPROVED
DATE 7/14/81